



FAKULTI TEKNOLOGI MAKLUMAT DAN KOMUNIKASI

UNIVERSITI TEKNOLOGI MALAYSIA MELAKA

DITP2123 EVENT-DRIVEN PROGRAMMING

PROJECT REPORT CAFE ORDERING SYSTEM

Name	Matric No.
AZYN ADIBA BINTI ZAIDI	D032310138
NUR INDAH FARAHANA BINTI ASRI	D032310062
NUR MIZA SYAZWANI BINTI AHMAD ZAMRI	D032310098
NUR IMANINA BINTI AMIN HAPIS	D032310181
FARAH IZZLYANA BINTI MOHD FAIZAL	D032310191

GITHUB LINK :

[azyan244/ProjectCafe](https://github.com/azyan244/ProjectCafe)

CUSTOMER INTERFACE

Main Page



The main interface of the Dilly Coffee System sets the tone for a relaxed, inviting environment, reflecting the idea behind “dilly”, a space where users can "dilly dally" and unwind. The design is user-friendly and is intended to create a chill, comfortable vibe, mirroring the atmosphere of the cafe as a spot for relaxation.


Controls:

1. **PictureBox** – to display an inviting image representing the brand.
2. **Label** – to show the system name and prompt user input.
3. **TextBox** – to collect the username and password from users.
4. **Button** – to trigger login validation.
5. **HyperlinkLabel** – to allow new users to navigate to the registration page.

User Flows and Input Validation:

- **Existing Users:**

Users with existing accounts are prompted to enter their username and password. If the details provided are incorrect, an error message (via a pop-up alert) informs them about the mismatch, prompting them to try again.



- **New Users:**

New users can register by clicking the hyperlink label ***“Create an Account”*** and filling out the form with their details. If any field is left empty, an error pop-up will prompt them to complete all required fields. Once the form is correctly filled and the Register button is clicked, a success message will confirm that the account has been created.

Register Your Account

Username

bungacitralestari

Username is available.

Name

Bunga

Phone

01128172568

Address

No.12, Lilly Valley, Bukit Sri Hartamas, Kuala Lumpur

Password

bungabcd

Email

bcl22383@gmail.com

Birthday

Monday . June 20, 1983

1983

Jan

Feb

Mar

Apr

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

Today: 6/20/2025

Gender

☐ Male

☐ Female

[Already have an account?](#)

Register

Register Your Account

Username

Name

Phone

Address

Password

Email

Birthday

Friday . June 20, 2025

2025

Jan

Feb

Mar

Apr

May

Jun

Jul

Aug

Sep

Oct

Nov

Dec

Today: 6/20/2025

Gender

☐ Male

☐ Female

[Already have an account?](#)

Register

Missing Information

!

Please fill in all fields before registering.

OK

The screenshot shows a web application window titled "Register Your Account". The form contains the following fields and controls:

- Username:** A text box containing "bungacitralestari" with a green message "Username is available." below it.
- Password:** A text box containing "bungabcl".
- Name:** A text box containing "Bunga".
- Email:** A text box containing "bcl22383@gmail.com".
- Phone:** A text box containing "01128172568".
- Birthday:** A date picker showing "Tuesday", "March", and "22, 1983".
- Address:** A text box containing "No.12, Lilly Valley, Bukit Sri Hartamas, Kuala Lumpur".
- Registration Button:** A blue button labeled "Register" at the bottom right.
- Link:** A link labeled "Already have an account?" at the bottom right.

A modal dialog box is displayed in the center of the form, titled "Customer registered successfully!" with an "OK" button.

Controls:

1. **Label** – Prompts users for inputs such as Username, Name, Phone, Address, Password, Email, and Birthday.
2. **TextBox** – Receives user input for fields like name, email, username, password, phone, and address.
3. **DateTimePicker** – Used specifically for selecting the birthday.
4. **GroupBox** – Groups the RadioButtons that represent gender selection.
5. **RadioButton** – Allows the user to select gender (e.g., Male or Female).
6. **Button** – Triggers validation and submission of the registration form.
7. **HyperlinkLabel** – Redirects users back to the login page if they already have an account.

Drink Page:

The first screenshot shows the 'Select your Drink' window with a list of drink categories on the left: Coffee, Tea, and Non-Coffee. The Coffee category is selected, showing options like Espresso, Americano, Cappuccino, Latte, Mocha, and Caramel Macchiato. The Tea category shows options like English Breakfast, Earl Grey, Chamomile, Matcha Latte, Lemon Tea, and Chai Latte. The Non-Coffee category is currently empty. On the right, there is a large white box for the drink image, a quantity spinner set to 1, a temperature selection with radio buttons for Hot and Cold, and a comment text area.

The second screenshot shows the same window after a drink has been selected. The 'Matcha Latte' option under the 'Non-Coffee' category is selected. The drink image box now contains a placeholder image. The 'Add to cart' button is visible. Below the image box, there is a 'Remove' button and a 'NEXT' button. The comment text area is still present.

The Drink Page allows users to select and customize their drink orders before proceeding to the food menu.

Controls Used:

1. **GroupBox** – Used to group related **RadioButtons**, one for the drink menu and another for temperature selection (Hot or Cold).
2. **RadioButton** – Allows the user to select their preferred drink and temperature.
3. **PictureBox** – Displays an image of the selected drink for visual feedback.

4. **Label** – Provides prompts such as Quantity, Temperature, and Comment.
5. **ListBox** – Includes
 - Shows the price of the selected drink
 - Shows the cart
 - Displays the total cart price.
6. **TextBox** – Allows users to add remarks or comments to customize their order.
7. **NumericUpDown** – Used to input drink quantity, default value set to 1.
8. **Button** – Includes
 - **Add to Cart** – Adds the selected drink to the cart.
 - **Remove** – Removes a selected drink from the cart.
 - **Next** – Proceeds to the food menu page.
9. **ToolTipMenu** – Provides tooltips to guide users through the interface and explain button functionality.

User Flow and Input Validation:

1. The user begins by selecting a drink via **RadioButton**. Once selected, the drink image and price are displayed automatically.



2. The user must then select a temperature (Hot or Cold), set the quantity using **NumericUpDown**, and optionally enter a comment.
3. When the Add to Cart button is clicked:

- If temperature is not selected, a pop-up error message appears prompting the user to choose one before proceeding.

The screenshot shows a window titled "Select your Drink" with a list of drink categories on the left: Cappuccino, Latte, Mocha, Caramel Macchiato, Tea (English Breakfast, Earl Grey, Chamomile, Matcha Latte, Lemon Tea, Chai Latte), and Non-Coffee (Chocolate, Chocolate Shake, Vanilla Shake, Strawberry Shake). On the right, there is a preview of a drink, a price field showing "RM6.00", a quantity dropdown set to "1", and radio buttons for "Hot" and "Cold". A pop-up error message is displayed in the center, stating "Please select a drink, temperature, and quantity." with an "OK" button.

- If valid, the selected drink and its details are added to the cart.
4. Users can view and manage their cart by adding or removing drinks, with the total price automatically updated in the **ListBox**.

The screenshot shows the same "Select your Drink" window. The left sidebar now includes "Caramel Shake" under the Non-Coffee category. On the right, there is a "Comment:" text area, an "Add to cart" button, and a table listing the items in the cart:

1x Hot Espresso	RM6.00
1x Cold Matcha Latte	RM10.00
2x Cold Chocolate Shake	RM22.00
3x Cold Strawberry Shake	RM33.00
1x Hot Mocha	RM10.00

Below the table are "Remove" and "NEXT" buttons. At the bottom left, a text field shows the total price "RM81.00".

Select your Drink

☐ Matcha Latte
☐ Lemon Tea
☐ Chai Latte

Non-Coffee

☐ Chocolate
☐ Chocolate Shake
☐ Vanilla Shake
☐ Strawberry Shake
☐ Caramel Shake

Comment :

Click to remove the selected item from the cart.

(to show usage of **ToolTipMenu**)

5. Clicking the Next button transitions the user to the Food Menu Page, continuing the transaction flow.

Food Page:

Select your Food

Croissants and Puff Pastries

- ☐ Butter Croisant
- ☐ Pain au Chocolat
- ☐ Cinnamon Roll
- ☐ Vanilla Whirl

Cakes

- ☐ Basque Burnt Cheesecake
- ☐ Carrot Walnut Cake
- ☐ Chocolate Fudge Cake
- ☐ Red Velvet Cake

Savoury

- ☐ Sausage Roll
- ☐ Chicken and Mushroom Puff
- ☐ Curry Puff
- ☐ Mini Croissant Sandwich

Quantity :

1

Comment :

Select your Food

Carrot Walnut Cake

Chocolate Fudge Cake

Red Velvet Cake

Savoury

- ☐ Sausage Roll
- ☐ Chicken and Mushroom Puff
- ☐ Curry Puff
- ☐ Mini Croissant Sandwich (Tuna/Egg Mayo/Chicken)

Quantity :

1

Comment :

Add to cart

Remove

BACK

NEXT

The Food Menu Page allows users to continue their order by selecting food items to accompany their drinks.

Controls :

1. **GroupBox** – Used to group related **RadioButtons**, which is the food menu.
2. **RadioButton** – Allows the user to select their preferred food.
3. **PictureBox** – Displays an image of the selected food for visual stimulation.
4. **Label** – Prompts user actions like food selection, quantity, and total cost.
5. **NumericUpDown** – Lets users specify quantity for each selected food item.
6. **ListBox** – Includes
 - Shows price of the selected food
 - Displays the list of selected food items with quantity and subtotal.
 - Shows sum up price of the food
7. **Button** – Includes:
 - Add to Cart – Adds selected food item and quantity to the cart.
 - Remove – Removes selected food item from the cart.
 - Next – Moves the user to the cart page.
 - Back - Moves user back to the drink page
8. **ToolTipMenu** – Helps guide the user on what actions to take next and how to use controls.

User Flow and Input Validation:

1. Users select food items using the provided **RadioButton**.
2. For each selected item, users specify the desired quantity using **NumericUpDown**.
3. When the Add to Cart button is clicked:
 - If no item is selected or quantity is zero, an error message appears prompting the user to make a valid selection.

The screenshot shows a window titled "Select your Food". On the left, there are two sections of radio buttons: "Carrot Walnut Cake", "Chocolate Fudge Cake", and "Red Velvet Cake" under an unlabeled section; and "Savoury" with "Sausage Roll", "Chicken and Mushroom Puff", "Curry Puff", and "Mini Croissant Sandwich (Tuna/Egg Mayo/Chicken)". On the right, there is a "Quantity:" label with a numeric up-down control set to "1", a "Comment:" label with a text area, and an "Add to cart" button. A modal error dialog box is centered on the screen with the text "Please select a food item and quantity." and an "OK" button. At the bottom right, there is a "Remove" button. At the bottom center, there is a text box showing "RM68.00" and two buttons labeled "BACK" and "NEXT".

- If valid, the selected food item(s) are added to the cart, and the **ListBox** updates to reflect the current order.

The screenshot shows the same "Select your Food" window, but now the "Mini Croissant Sandwich (Tuna/Egg Mayo/Chicken)" is selected with a blue dot. The "Add to cart" button is highlighted. Below the "Add to cart" button, a list box displays the current cart items: "2x Cinnamon Roll", "2x Chocolate Fudge Cake", "1x Curry Puff", and "1x Mini Cheese Sandwich". To the right of this list, the prices are listed: "RM20.00", "RM28.00", "RM8.00", and "RM12.00". The "Remove" button is still present. At the bottom center, the text box now shows "RM68.00". The "BACK" and "NEXT" buttons are still at the bottom right.

- The total cost of food items is calculated and displayed at the bottom.
- Users may remove items from the cart if needed.

The screenshot shows the 'Select your Food' application window. On the left, there are two sections: 'Desserts' with radio buttons for Carrot Walnut Cake, Chocolate Fudge Cake, and Red Velvet Cake; and 'Savoury' with radio buttons for Sausage Roll, Chicken and Mushroom Puff, Curry Puff, and Mini Croissant Sandwich (Tuna/Egg Mayo/Chicken). The 'Mini Croissant Sandwich' is selected. On the right, there is a 'Quantity' dropdown set to 1, a 'Comment' text area, and an 'Add to cart' button. Below these, a list of items in the cart is displayed: 2x Cinnamon Roll (RM20.00), 2x Chocolate Fudge Cake (RM28.00), 1x Curry Puff (RM8.00), and 1x Mini Cheese Sandwich (RM12.00). A 'Remove' button is next to this list. At the bottom, a total cost of RM68.00 is shown, along with 'BACK' and 'NEXT' buttons. A modal dialog box is open in the center with the text 'Please select an item to remove.' and an 'OK' button.

This screenshot shows the same 'Select your Food' application window after the 'Chocolate Fudge Cake' has been removed from the cart. The modal dialog is no longer present. The cart list now shows: 2x Cinnamon Roll (RM20.00), 1x Curry Puff (RM8.00), and 1x Mini Cheese Sandwich (RM12.00). The '2x Chocolate Fudge Cake' entry has been removed. The total cost at the bottom remains RM68.00, which appears to be a discrepancy in the application's logic. The 'Add to cart' and 'Remove' buttons are still visible.

(We are removing the “Chocolate Fudge Cake”)

☐ Carrot Walnut Cake

☐ Chocolate Fudge Cake

☐ Red Velvet Cake

Savoury

☐ Sausage Roll

☐ Chicken and Mushroom Puff

☐ Curry Puff

☒ Mini Croissant Sandwich
(Tuna/Egg Mayo/Chicken)

RM12.00

Quantity :
1

Comment :

Add to cart

2x Cinnamon Roll
1x Curry Puff
1x Mini Cheese Sandwich

RM20.00
RM8.00
RM12.00

Remove

RM40.00

BACK

NEXT

6. Upon clicking the Next button, users proceed to the Cart Page.

Cart Page:

The Cart Page provides a summary of all the drinks and food items selected by the user. It displays each item along with its quantity, subtotal, and the overall total price, giving the user a final review before confirming the order.

Controls :

1. **Label** – Prompts the user.
2. **ListBox** – Displays the full list of selected items (both drinks and food), along with their quantities and individual subtotals. Another section shows the overall total price.
3. **Button** – Includes:
 - **Remove** – Removes the currently selected item(s) from the cart.
 - **Change My Order** – Redirects the user back to the Drink Page to modify their selections.
 - **Yes** – Confirms the order and proceeds to the Payment Page

User Flow and Input Validation:

1. Upon arriving at the Cart Page, users can review their selected drinks and food items.

The screenshot shows a web application window titled "Your Cart". Inside, there is a section labeled "Cart :" containing a table of items. The items are listed in two columns: the first column shows the item name and quantity, and the second column shows the price. A "Remove" button is positioned to the right of the table. Below the table, the total price "RM149.00" is displayed in a white box. At the bottom of the window, there are two buttons: "Change my Order" and "Yes", each preceded by a label "Add anything else?" and "Proceed to payment?" respectively.

Item	Price
1x Hot Espresso	RM6.00
1x Cold Matcha Latte	RM10.00
2x Cold Chocolate Shake	RM22.00
3x Cold Strawberry Shake	RM33.00
1x Hot Mocha	RM10.00
2x Cinnamon Roll	RM20.00
2x Chocolate Fudge Cake	RM28.00
1x Curry Puff	RM8.00
1x Mini Cheese Sandwich	RM12.00



RM149.00

Remove

Add anything else?

Proceed to payment?

2. If needed, users can select an item from the list and click Remove to delete it from the order.



(Cold Strawberry Shake is removed)

3. Clicking Change My Order returns the user to the Drink Page, allowing them to adjust their current order.
4. If satisfied, the user clicks Yes to proceed to the Payment Page.

Payment Page:


The Payment Page is the final step before completing the order. It allows users to review the grand total, select a delivery method, and choose their payment type.

Controls:

1. **ListBox** – Displays the grand total of all ordered items.
2. **GroupBox** – Two groupings are used:
 - One for selecting delivery method (**RadioButton** options: Pickup or Delivery).
 - One for selecting payment method (**RadioButton** options: TNG, Online Banking, or Cash).
3. **RadioButton** – Enables user selection of delivery option and payment method.
4. **ComboBox** – Appears only when Online Banking is selected, allowing users to choose a specific bank (e.g., Public Bank, Maybank, CIMB, RHB, Bank Islam).
5. **TextBox** – Appears only when Delivery is selected to display and accepts delivery information (Name, Phone, Address).
6. **Button** – Includes:
 - **Done** – Confirms selections and proceeds to the Thank You Page.

User Flow and Input Validation:

1. Upon reaching the Payment Page, users are shown the grand total of their order via **ListBox**.
2. The user must choose between Pickup and Delivery:
 - If Delivery is selected, **TextBoxes** appear for inputting name, phone number, and address.



The screenshot shows a web form titled "Fill Your Details" with a light orange background. The form is divided into several sections:

- GRAND TOTAL :** A white text box containing "RM116.00".
- Delivery Method:** A group box containing two radio buttons: "Delivery" (selected with a blue dot) and "Pick Up" (unselected).
- Payment Type:** A group box containing three radio buttons: "TNG", "Online Banking", and "Cash".
- User Information:** Three text boxes labeled "Name", "Phone", and "Address", each containing the text "testing".
- Edit Button:** A small white button labeled "Edit" next to the address text box.
- Done Button:** A large brown button labeled "Done" at the bottom right of the form.

- The user can click Edit to make changes before finalizing and click the Done button next to it.

The screenshot shows a web form titled "Fill Your Details". On the left, under "GRAND TOTAL :", there is a text box containing "RM9.00". Below this, there are two radio buttons: "Delivery" (which is selected) and "Pick Up". Further down, under "CHOOSE PAYMENT TYPE :", there are three radio buttons: "TNG", "Online Banking", and "Cash". On the right side, there are three text input fields: "Name" with the value "testing", "Phone" with the value "0101000100", and "Address" with the value "testing". A small "Done" button is located to the right of the address field. At the bottom right of the form, there is a larger, dark brown "Done" button.

This screenshot shows the same "Fill Your Details" form after the "Edit" button was clicked. The "Name" and "Phone" fields remain unchanged. However, the "Address" field now contains the text "testing lagi". The "Done" button next to the address field has been replaced by an "Edit" button. All other elements, including the "GRAND TOTAL", the "Delivery/Pick Up" radio buttons, and the "CHOOSE PAYMENT TYPE" section, are identical to the previous screenshot.

3. If Pickup is selected, the user skips the delivery form and a pickup number will be generated on the next page.
4. The user then selects a payment method via **RadioButton**:

Fill Your Details

GRAND TOTAL :

RM116.00

☐ Delivery
☒ Pick Up

CHOOSE PAYMENT TYPE :

☐ TNG
☒ Online Banking
☐ Cash

Public Bank
Maybank
CIMB
RHB
Bank Islam

Done

- Options include TNG, Online Banking (with several bank choices), or Cash.
5. After confirming their delivery and payment details, the user clicks Done to complete the transaction.
 6. The system performs final validation and redirects the user to the Thank You Page or displays a relevant error message if required fields are missing

Fill Your Details

GRAND TOTAL :

RM9.00

☐ Delivery
☒ Pick Up

CHOOSE PAYMENT TYPE :

☐ TNG
☐ Online Banking
☐ Cash

Validation Error

⚠ Please select either Delivery or Pick-Up option.

OK

Done

Fill Your Details

GRAND TOTAL :

RM9.00

☐ Delivery
☒ Pick Up

CHOOSE PAYMENT TYPE :

☐ TNG
☐ Online Banking
☐ Cash

Validation Error

! Please select a payment method.

OK

Done

Fill Your Details

GRAND TOTAL :

RM116.00

☐ Delivery
☒ Pick Up

CHOOSE PAYMENT TYPE :

☐ TNG
☒ Online Banking Maybank
☐ Cash

Order successfully added to the system!

OK

Done

(System showing the order successfully received)

Thank You Page


The Thank You Page is the final stage in the Dilly Coffee System, designed to show appreciation to the user after successfully placing an order. It also serves as a confirmation screen for users who opted for pickup.

Controls:

1. **Label** – Displays a thank you message to the user for placing an order.
2. **ListBox** – Shows the pickup number assigned to users who selected the Pickup option during checkout.

User Flow:

1. After the user confirms payment and delivery/pickup details, the system redirects to the Thank You Page.
2. A message of gratitude is shown via a **Label**, reinforcing a positive customer experience.
3. If the user selected Pickup, a unique pickup number is displayed in a **ListBox**.



4. If the user chose Delivery, this page may only show a simple confirmation without a pickup number.



Admin Interface


The Admin Main Page uses the same login form as customers. The administrator logs in using a predefined account with the username **Admin01** and password **1234**. Upon successful login, the admin is directed to a dashboard with visual and navigation tools for monitoring and managing the system.

Controls Used:


1. **Chart** – Displays the “**Top 5 Best-Selling Items**” in a visual format, helping the admin to quickly identify the most popular menu items based on sales data.
2. **MenuStrip** – Provides a navigation menu that allows the admin to access other management pages.

Business Flow:


1. The admin logs in using the shared login form.



2. Upon successful login, the system checks for admin credentials and redirects to the Admin Main Page.
3. The page displays a chart showing the “**Top 5 Best-Selling Items**”, based on aggregated order data.



4. The admin uses the **menuStrip** to navigate to other administrative pages.



Admin Order Page

The screenshot shows a web application window titled "FormAdminOrder". It has a navigation bar with "Home" and "Data" tabs. Below the navigation bar is a toolbar with icons for navigation and actions. The main content area features a table of orders and a date filter section.

	OrderID	CustID	OrderDate	OrderType	Total
▶	O02978003	4640	6/19/2025	Delivery	231.0
	O1000	460	8/28/2023	Pickup	75.00
	O1001	2152	6/16/2023	Pickup	120.0
	O1002	2983	10/8/2024	Pickup	30.00
	O1003	3330	2/4/2025	Delivery	58.00
	O1004	3496	12/4/2024	Delivery	14.00

Start Date Wednesday, May 21, 2025 Day ▾

End Date Saturday, June 21, 2025 ▾

Generate

The Admin Order Page provides administrators with access to detailed order data and analytics. This page helps the admin monitor business performance and trends based on user transactions over time.


Controls:

1. **DataGridView** – Displays a table of all recorded orders.
2. **Label** – Prompts the admin to select a Start Date and End Date to filter the order data.
3. **DateTimePicker** – Allows the admin to select the start and end dates for data filtering.
4. **Button** – Used to generate the chart after the date range and filter type have been selected.
5. **Chart** – Visually represents the filtered order data, helping identify patterns over time.
6. **ComboBox** – Lets the admin choose how to group the chart data: by Day, Month, or Year.


7. **MenuStrip** – Provides a navigation menu that allows the admin to access other management pages.

Business Flow:


1. The admin views all order data in the **DataGridView**.
2. To analyze order trends, the admin selects a start date and end date using the **DateTimePicker** controls.
3. The admin chooses the desired time grouping (Day, Month, or Year) from the **ComboBox**.
4. Clicking the Generate Chart button triggers the system to display a chart summarizing orders within the selected date range and grouping.



(January 1, 2023 to May 25, 2025 by day)



(January 1, 2023 to May 25, 2025 by month)



(January 1, 2023 to May 25, 2025 by year)

Admin Order Item Page


The Admin Order Item Page provides a clear and structured view of all individual items that have been ordered by customers.

Controls:

1. **DataGridView** – Displays a complete table of all ordered items.
2. **MenuStrip** – Provides a navigation menu that allows the admin to easily access other administrative pages.

Business Flow:

1. Upon accessing this page, the admin sees a populated **DataGridView** listing all ordered items from every transaction.
2. The admin can use this detailed breakdown to monitor inventory movement, evaluate menu popularity, and identify trends in item demand.
3. The **MenuStrip** allows for quick navigation to other key management pages, supporting efficient workflow for administrators.



The screenshot displays a web application window titled "FormAdminOrder_Item". It features a navigation bar with "Home" and "Data" tabs, and a toolbar with navigation and action icons. Below the toolbar is a table with 5 columns: an index column, "OrderItemID", "OrderID", "MenuID", and "Quantity". The table contains 6 rows of data, with the first row highlighted in blue.

	OrderItemID	OrderID	MenuID	Quantity
▶	1	O1000	C01	5
	2	O1001	C02	4
	3	O1001	C04	4
	4	O1002	S01	3
	5	O1003	C03	3
	6	O1003	P03	1

Admin Customer Page


The Admin Customer Page provides the administrator with a detailed view of customer data and key insights, such as the top spender and the top 3 most frequent buyers. This feature helps in understanding customer behavior and loyalty trends.

Controls:

1. **DataGridView** – Displays a list of all customer data, including customerID, customers' names, phones, address, birthday, gender, email and username.
2. **Label** – Highlights key insights:
 - **Big Spender** – The customer with the highest total spend.
 - **Top 3 Frequent Buyers** – The three customers with the highest number of orders.
3. **MenuStrip** – Allows the admin to navigate to other management pages.

Business Flow:

1. The admin accesses the page and views comprehensive customer data in the **DataGridView**.
2. The system calculates and displays:
 - The **big spender** based on total accumulated purchase amount.
 - The **top 3 frequent buyers** based on the number of completed orders.
3. This information is shown in **Label** controls for quick visual reference.
4. The **MenuStrip** provides navigation shortcuts for efficient movement between admin functionalities.



The screenshot shows a web application window titled 'FormAdminCustomer'. It features a 'Data' tab with a table containing customer information. Below the table, there are two summary sections: 'Big Spender' and 'Frequent Buyer'.

CustID	Name	Phone	Address	Birthday	Gender
1	Admin	0174540517	Melaka	12/12/2012	F
460	Nurul Izzah binti Saad	0124356772	No.33, Jalan Telok Ma...	5/3/1997	F
2152	Zulkifli bin Ismail		No.10, Jalan Limbong...	2/2/1987	M
2568	ryu	01111437978	Kolej Kediaman Lekir, ...	2/23/2005	F
2983	Hana Tan Li Ying	0115643537	No.77, Jalan Bunga R...	4/2/1987	F
3201	testing	0101000100	testing	6/18/1970	M

Big Spender: razak - RM231.00

Frequent Buyer

1. testing - 4 orders
2. Azyan Adiba - 3 orders
3. Aina binti Azman - 1 orders

Admin Delivery Page


The Admin Delivery Page provides administrators with full visibility into all customer deliveries. It displays detailed delivery information and visual insights into the most common delivery areas.

Controls:

1. **DataGridView** – Lists all delivery records corresponding to orders that selected the Delivery option. Each record includes details such as DeliveryID, OrderID, Delivery Address, Delivery Time, and Delivery Status.
2. **Chart** – Displays a pie chart visualizing the Top Delivery Areas, helping the admin identify which locations receive the most orders.
3. **MenuStrip** – Allows the admin to navigate to other system pages.

Business Flow:

1. Upon accessing the page, the **DataGridView** loads all orders with delivery status, displaying associated customer delivery details.
2. A pie chart dynamically reflects the top delivery areas based on the number of orders sent to each address or city.
3. The admin can analyze which areas are most active, aiding in decisions such as marketing targeting or delivery optimization.
4. The **MenuStrip** provides quick navigation to other admin functions for a seamless workflow.



Admin Payment Page


The Admin Payment Page allows the administrator to view a complete record of all payments made by customers and analyze the total revenue generated by the system.

Controls:

1. **DataGridView** – Displays all payment records.
2. **Label** – Shows the total sales by summing up the amount from all completed transactions.
3. **MenuStrip** – Enables the admin to navigate to other key pages.

Business Flow:

1. The **DataGridView** loads all recorded payment transactions, giving the admin a full overview of customer payments.
2. A **Label** displays the total revenue, automatically calculated from the payment data.
3. The **MenuStrip** offers convenient navigation to related pages for efficient administrative management.



The screenshot shows a web application window titled "FormAdminPayment". It has a navigation bar with "Home" and "Data" tabs, and a toolbar with navigation icons. Below the toolbar is a table displaying payment records. The table has columns for PaymentID, PaymentDate, PaymentMethod, Amount, and OrderID. The first row is highlighted in blue. Below the table, a label displays the total sales amount: "Total Sales: RM 1089.10".

	PaymentID	PaymentDate	PaymentMethod	Amount	OrderID
▶	P03224937	6/19/2025	Bank - Maybank	231.0000	O02978003
	P37894182	6/5/2025	Transfer	63.0000	O37621862
	P41820935	6/19/2025	Cash	33.0000	O41612485
	P49954982	6/20/2025	Bank - Maybank	116.0000	O49610717
	P53783222	6/10/2025	TNG	23.0000	O53473989
	P60323224	6/18/2025	Cash	25.0000	O60141979
	P63676393	6/20/2025	Cash	21.0000	O63390623

Total Sales: RM 1089.10

Admin Menu Pages


The Admin Menu Page provides the administrator with a complete overview of all menu items available in the system. In addition, it highlights the low-selling items, helping the admin make informed decisions about menu improvements or promotions.

Controls:

1. **DataGridView** – Displays the full list of menu items, including details such as MenuID, Menu Name, Description, Price and Category.
2. **Chart** – Visualizes the low-selling items, helping the admin identify which items are underperforming.
3. **MenuStrip** – Enables easy navigation to other administrative pages.

Business Flow:

1. The **DataGridView** presents a complete list of all menu items currently available in the system.
2. The system analyzes sales data and generates a chart displaying the items with the lowest sales.
3. This visual insight allows the admin to take action—such as promoting low-selling items or updating the menu.
4. The **MenuStrip** provides fast and convenient navigation to other management features, supporting smooth workflow and system control.




DATABASE

The Dilly Coffee System uses a relational database (SQL Server LocalDB) to store and manage all application data. The database consists of multiple interrelated tables that support customer details, orders, menu items, delivery details, payment and a bridge connecting between orders and Menu.

Relationships:

- **Orders** is linked to **Customer** via **CustID**.
- **Order_Item** references both **Orders** and **Menu**.
- **DeliveryDetails** is linked to **Orders** by **OrderID**.
- **Payments** is linked to **Orders** with **OrderID**.



These tables includes:

1. **Customer** – Stores user information such as CustomerID, customer name, phone number, address, birthday, gender, email, username, passwordHash, and PasswordSalt.

```
CREATE TABLE [dbo].[CUSTOMER] (
    [CustID] INT NOT NULL,
    [Name] VARCHAR (100) NOT NULL,
    [Phone] VARCHAR (100) NOT NULL,
    [Address] VARCHAR (MAX) NOT NULL,
    [Birthday] DATE NOT NULL,
    [Gender] NCHAR (10) NOT NULL,
    [Email] VARCHAR (100) NOT NULL,
    [Username] VARCHAR (500) NOT NULL,
    [PasswordHash] VARCHAR (500) NOT NULL,
    [PasswordSalt] VARCHAR (500) NOT NULL,
    PRIMARY KEY CLUSTERED ([CustID] ASC)
);
```

CustID	int			
Name	varchar(100)			
Phone	varchar(100)			
Address	varchar(MAX)			
Birthday	date			
Gender	nchar(10)			
Email	varchar(100)			
Username	varchar(500)			
PasswordHash	varchar(500)			
PasswordSalt	varchar(500)			

CustID	Name	Phone	Address	Birthday	Gender	Email	Username	PasswordHash	PasswordSalt
2983	Hana Tan Li Ying	0115643537	No.77, Jalan Bu...	4/2/1987	F	tanying@gmail...	TanYing	luYKlvX83gvQ6L...	wJ1FWiuGfhPm...
3201	testing	0101000100	testing	6/18/1970	M	testing@gmail...	test	dIM018EtobqHr...	bRdT8azU1wkD...
3330	Aiman Raj a/l ...	0148800533	No.45, Jalan Ta...	11/1/1994	M	aimanraj@gmai...	AimanRaj	oryfMB8KXigA...	r7lyTxqIV/zMHL...
3496	Siti Aisyah	0135207470	No.12, Jalan Ten...	6/13/1985	F	aisyahzul@gma...	AisyahZul	pk9aB5gYOh2+...	gmeee/OnntBq...
3584	Azyan Adiba	0174540517	No.34, Jalan Ha...	4/24/2005	F	adibazyan24@...	azyan	ERR/XaNiaoZF5...	V9l3TPzjWw2oT...
3813	Aina binti Azman	0118526767	No.41, Jalan Pa...	6/2/2025	F	ainazm@gmai...	AinaAzm	/C3pwS50lsPel1...	xvoOaQ26ndarj...
4292	Faizal bin Zakaria	0163008769	No.55, Jalan Ay...	6/2/2025	M	faizalzak@gmai...	FaizalZak	AStVN6CJJJOic2...	Mn+9wQUZfxj...
4559	Nur Syafiqah bi...	0107693909	No.67, Jalan Bu...	4/7/2005	F	syafiqahrosli@g...	SyafiqahRosli	0AVb0JXuWM9...	Lna0sAV3lgD+t...
4640	razak	0111112817	DT, Melaka	12/15/2000	M	razak@gmail.co...	jack	Ns9gbl1SsW3KJ...	gCKVMic9xfdlX...
4771	Adam Lee Jun ...	0144027694	No.22, Jalan Du...	5/9/1982	M	adamlee@gmai...	AdamLee	6/Zhi5pxXsux9P...	M+cTXaBmA1s...
4810	Ahmad Rashid ...	0193807136	No.31, Jalan Ala...	2/10/1988	M	rashidyusof@g...	RashidYusof	TenOHeCcYWh...	qYrHuLLrIZrQ+...
6287	Bunga	01128172568	No.12, Lilly Vall...	3/22/1983	F	bcl22383@gma...	bungacitralestari	5M45eifXnYNY...	40sbu6KVuZF5...
6317	Khairul Anuar bi...	0116449338	No.63, Jalan Bu...	6/12/1997	M	anuaridris@gm...	AnuarIdris	OJheotMPRCoV...	5fy2jsrWRVQob...
6727	Muhammad Ha...	0177411233	No.18, Jalan Kru...	1/15/2001	M	hafizomar@gm...	Hafiz Omar	iC2P7vUYA2J6Z...	OgP+k0wSumls...
7084	Miraa a/p Krish...	0175268042	No.17, Jalan Ta...	3/27/1993	F	miraa@gmail.c...	Miraa	mM3P9fgBucFY...	UzzJ5jeTAA2Vq...
7445	Liyana Mohd Faiz	0134440831	No.85, Jalan Pok...	12/12/1996	F	liyanafaiz	LiyanaFaiz	i0s8Cq9yk7gOO...	yiWVmC6SmNg...
7533	Irfan bin Salleh	0134281195	No.99, Jalan Ch...	12/26/1988	M	irfsalleh@gmai...	IrfSalleh	Wf0NIKByEKsIB...	BsW6o3q35nzd...
7682	Nadia Chong M...	0165596909	No.21, Jalan Jon...	4/11/2001	F	nadiachong@g...	Nadia	TqVmh13d3bED...	MZse7WT1RF2...
7908	Roslan bin Moh...	0104525845	No.29, Jalan Se...	8/4/1987	M	roslannor@gma...	RoslanNor	8w9iaSvKeNom...	2buunSF6HkuW...
8163	Azyan	0124567899	UTeM Melaka	4/24/2005	F	azyanzaidi4@g...	yan	JTWJlvZTewWtx...	0hWPk9kIsGfTx...
8801	Daniel Lim Wei ...	0131972423	No.56, Jalan Bu...	7/10/1983	M	daniellim@gma...	DanielLim	klhWfXNPIASR...	3fP+zwgH9Gvx...
8826	Farah Nabila bi...	0131340085	No.56, Jalan Bu...	6/3/1982	F	farahnabila@g...	FarahNabila	wAS5BuyttmXIT...	fdlps/ODgAWP...
9535	Siti Noraini bint...	0117061539	No.45, Jalan Ta...	6/2/2025	F	sitihasan@gm...	SitiHassan	DclJzYTONVkk...	6LC9F53L8tkwo...

2. **Orders** – Records each order made by users, including order ID, ID, order date, order type, total amount, and payment status.

```
CREATE TABLE [dbo].[ORDERS] (  
    [OrderID]      VARCHAR (10) NOT NULL,  
    [CustID]       INT          NOT NULL,  
    [OrderDate]    DATE          NOT NULL,  
    [OrderType]    VARCHAR (100) NOT NULL,  
    [TotalAmount]  MONEY         NOT NULL,  
    [PaymentStatus] VARCHAR (10) NOT NULL,  
    PRIMARY KEY CLUSTERED ([OrderID] ASC),  
    CONSTRAINT [FK_ORDER_ToCUSTOMER] FOREIGN KEY ([CustID]) REFERENCES [dbo].[CUSTOMER] ([CustID]),  
    CHECK ([PaymentStatus]='Unpaid' OR [PaymentStatus]='Paid')  
);
```

OrderID	varchar(10)			
CustID	int			
OrderDate	date			
OrderType	varchar(100)			
TotalAmount	money			
PaymentStatus	varchar(10)			

	OrderID	CustID	OrderDate	OrderType	TotalAmount	PaymentStatus
	O02978003	4640	6/19/2025	Delivery	231.0000	Paid
	O1000	460	8/28/2023	Pickup	75.0000	Paid
	O1001	2152	6/16/2023	Pickup	120.0000	Paid
	O1002	2983	10/8/2024	Pickup	30.0000	Paid
	O1003	3330	2/4/2025	Delivery	58.0000	Paid
	O1004	3496	12/4/2024	Delivery	14.0000	Unpaid
	O1005	3584	1/22/2023	Delivery	10.0000	Paid
	O1006	3813	4/1/2024	Pickup	8.0000	Paid
	O1007	4292	2/16/2024	Delivery	3.6000	Paid
	O1008	4559	7/3/2023	Delivery	24.0000	Unpaid
	O1009	4771	9/2/2024	Pickup	27.0000	Paid
	O1010	4810	7/16/2023	Pickup	50.0000	Unpaid
	O1011	6317	12/23/2023	Delivery	58.0000	Paid
	O1012	6727	4/16/2025	Pickup	80.0000	Unpaid
	O1013	7084	5/14/2023	Pickup	45.0000	Paid
	O1014	7445	10/16/2024	Delivery	67.0000	Paid
	O1015	7533	8/2/2023	Delivery	35.0000	Paid
	O1016	7682	2/10/2024	Pickup	8.0000	Unpaid
	O1017	7908	10/31/2023	Delivery	7.0000	Paid
	O1018	8801	2/12/2025	Delivery	6.0000	Paid
	O1019	8826	11/30/2023	Delivery	22.0000	Unpaid
	O15449618	3584	6/5/2025	Delivery	48.0000	Paid
	O37621862	3584	6/5/2025	Delivery	63.0000	Paid
	O41612485	3201	6/19/2025	Delivery	33.0000	Paid
	O49610717	3201	6/20/2025	Pickup	116.0000	Paid
	O53473989	2568	6/10/2025	Delivery	23.0000	Paid
	O60141979	3201	6/18/2025	Pickup	25.0000	Paid
	O63390623	6287	6/20/2025	Delivery	21.0000	Paid
	O98095325	3201	6/18/2025	Pickup	28.0000	Paid

3. **Menu** – A table storing MenuID, menu names, description, prices, and categories.

```
CREATE TABLE [dbo].[MENU] (
    [MenuID]      VARCHAR (10) NOT NULL,
    [MenuName]    VARCHAR (30) NOT NULL,
    [Description] VARCHAR (MAX) NOT NULL,
    [Price]       MONEY        NOT NULL,
    [Category]    VARCHAR (20) NOT NULL,
    PRIMARY KEY CLUSTERED ([MenuID] ASC)
);
```

MenuID	varchar(10)		
MenuName	varchar(30)		
Description	varchar(MAX)		
Price	money		
Category	varchar(20)		

	MenuID	MenuName	Description	Price	Category
	B01	Espresso	Strong black co...	6.0000	Coffee
	B02	Americano	Espresso dilute...	7.0000	Coffee
	B03	Cappuccino	Espresso with st...	9.0000	Coffee
	B04	Latte	Smooth blend ...	9.0000	Coffee
	B05	Mocha	Espresso with c...	10.0000	Coffee
	B06	Caramel Macchi...	Espresso with st...	11.0000	Coffee
	B07	English Breakfast	Bold and robust...	6.0000	Tea
	B08	Earl Grey	Black tea infuse...	6.0000	Tea
	B09	Chamomile	Calming herbal ...	7.0000	Tea
	B10	Matcha Latte	Green tea powd...	10.0000	Tea
	B11	Lemon Tea	Refreshing tea ...	6.0000	Tea
	B12	Chai Latte	Spiced tea with ...	9.0000	Tea
	B13	Hot/Cold Choc...	Rich chocolate ...	9.0000	Chocolate
	B14	Chocolate Milks...	Creamy milksha...	11.0000	Milkshake
	B15	Vanilla Milkshake	Classic vanilla-fl...	11.0000	Milkshake
	B16	Strawberry Milk...	Sweet strawberr...	11.0000	Milkshake
	B17	Caramel Milksh...	Smooth carame...	11.0000	Milkshake
	C01	Basque Burnt C...	Creamy cheesec...	15.0000	Cakes
	C02	Carrot Walnut C...	Moist spiced ca...	14.0000	Cakes
	C03	Chocolate Fudg...	Rich, moist cho...	14.0000	Cakes
	C04	Red Velvet	Classic red velv...	14.0000	Cakes
	P01	Butter Croissant	Flaky, buttery cr...	8.0000	Pastries
	P02	Pain au Chocolat	Classic French p...	10.0000	Pastries
	P03	Cinnamon Roll	Soft roll swirled...	10.0000	Pastries
	P04	Vanilla Whirl	Buttery pastry w...	11.0000	Pastries
	S01	Sausage Roll	Flaky puff pastr...	10.0000	Savoury
	S02	Chicken & Mush...	Creamy chicken...	11.0000	Savoury
	S03	Curry Puff	Spiced potato a...	8.0000	Savoury
	S04	Mini Croissant S...	Mini croissant fi...	12.0000	Savoury

4. **Order_Item Bridge** – A **bridge table** that connects **Orders** with **Menu** items, capturing the specific items in each order along with quantity and subtotal.

```
CREATE TABLE [dbo].[ORDER_ITEM] (  
    [OrderItemID] INT NOT NULL,  
    [OrderID] VARCHAR (10) NOT NULL,  
    [MenuID] VARCHAR (10) NOT NULL,  
    [Quantity] INT NOT NULL,  
    [Subtotal] MONEY NOT NULL,  
    PRIMARY KEY CLUSTERED ([OrderItemID] ASC),  
    CONSTRAINT [UQ_Order_Menu] UNIQUE NONCLUSTERED ([OrderID] ASC, [MenuID] ASC),  
    CONSTRAINT [FK_OrderItem_Menu] FOREIGN KEY ([MenuID]) REFERENCES [dbo].[MENU] ([MenuID]),  
    CONSTRAINT [FK_OrderItem_Order] FOREIGN KEY ([OrderID]) REFERENCES [dbo].[ORDERS] ([OrderID])  
);
```

	OrderItemID	int			
	OrderID	varchar(10)			
	MenuID	varchar(10)			
	Quantity	int			
	Subtotal	money			

	OrderItemID	OrderID	MenuID	Quantity	Subtotal
▶	1	O1000	C01	5	75.0000
	2	O1001	C02	4	56.0000
	3	O1001	C04	4	56.0000
	4	O1002	S01	3	30.0000
	5	O1003	C03	3	42.0000
	6	O1003	P03	1	10.0000
	7	O1003	S03	1	6.5000
	8	O1004	S02	1	11.0000
	9	O1004	P04	1	3.4000
	10	O1005	S01	1	10.0000
	11	O1006	P01	1	8.0000
	13	O1007	S03	1	3.6000
	14	O1008	P02	2	20.0000
	15	O1008	S03	1	4.0000
	16	O1009	P03	2	20.0000
	17	O1009	S01	1	7.0000
	18	O1010	P04	5	55.0000
	19	O1011	C03	3	42.0000
	20	O1011	P02	1	10.0000
	21	O1011	S03	1	6.5000
	22	O1012	C01	2	30.0000
	23	O1012	P03	5	50.0000
	24	O1013	C02	3	42.0000
	25	O1013	S03	1	3.0000
	26	O1014	C03	4	56.0000
	27	O1014	S01	1	11.5000
	28	O1015	C04	2	28.0000
	29	O1015	S03	1	7.0000
	30	O1016	S03	1	8.1000
	31	O1017	S02	1	7.0000

	OrderItemID	OrderID	MenuID	Quantity	Subtotal
	31	O1017	S02	1	7.0000
	32	O1018	P03	1	6.0000
	33	O1019	S02	2	22.0000
	34	O15449618	P04	1	11.0000
	35	O15449618	S01	1	10.0000
	36	O37621862	B06	3	33.0000
	37	O37621862	C01	2	30.0000
	38	O53473989	C02	1	14.0000
	39	O53473989	B04	1	9.0000
	40	O60141979	B06	1	11.0000
	41	O60141979	C04	1	14.0000
	42	O98095325	B01	1	6.0000
	43	O98095325	S02	1	11.0000
	44	O98095325	B15	1	11.0000
	45	O41612485	B17	1	11.0000
	46	O41612485	B05	1	10.0000
	47	O41612485	S04	1	12.0000
	48	O02978003	B06	11	121.0000
	49	O02978003	S02	10	110.0000
	50	O49610717	B01	1	6.0000
	51	O49610717	B10	1	10.0000
	52	O49610717	B14	2	22.0000
	53	O49610717	B05	1	10.0000
	54	O49610717	P03	2	20.0000
	55	O49610717	C03	2	28.0000
	56	O49610717	S03	1	8.0000
	57	O49610717	S04	1	12.0000
	58	O63390623	B16	1	11.0000
	59	O63390623	P03	1	10.0000

5. **DeliveryDetails** – Contains information related to delivery orders, such as recipient address, delivery time and delivery status.

```
CREATE TABLE [dbo].[DeliveryDetails] (
    [DeliveryID]    VARCHAR (10) NOT NULL,
    [OrderID]       VARCHAR (10) NOT NULL,
    [DeliveryAddress] VARCHAR (MAX) NOT NULL,
    [DeliveryTime]   DATETIME     NOT NULL,
    [DeliveryStatus] VARCHAR (20) NOT NULL,
    PRIMARY KEY CLUSTERED ([DeliveryID] ASC),
    UNIQUE NONCLUSTERED ([OrderID] ASC),
    CONSTRAINT [FK_Delivery_ToOrder] FOREIGN KEY ([OrderID]) REFERENCES [dbo].[ORDERS] ([OrderID]),
    CHECK ([DeliveryStatus]='Pending' OR [DeliveryStatus]='In Transit' OR [DeliveryStatus]='Delivered')
);
```

DeliveryID	varchar(10)		
OrderID	varchar(10)		
DeliveryAddress	varchar(MAX)		
DeliveryTime	datetime		
DeliveryStatus	varchar(20)		

	DeliveryID	OrderID	DeliveryAddress	DeliveryTime	DeliveryStatus
	D03194532	O02978003	FTMK,Utem	6/19/2025 11:4...	Pending
	D37859004	O37621862	No.34, Jalan Ha...	6/5/2025 3:43:2...	Pending
	D41800888	O41612485	testing	6/19/2025 10:3...	Pending
	D53743160	O53473989	Kolej Kediaman...	6/10/2025 1:15:...	Pending
	D63626582	O63390623	No.12, Lilly Vall...	6/20/2025 4:48:...	Pending
	DEL1003	O1003	No.45, Jalan Ta...	2/4/2025 10:30:...	Delivered
	DEL1004	O1004	No.12, Jalan Ten...	12/4/2024 4:00:...	Pending
	DEL1005	O1005	No.34, Jalan Ha...	1/22/2023 1:00:...	Delivered
	DEL1007	O1007	No.55, Jalan Ay...	2/16/2024 11:0...	Delivered
	DEL1008	O1008	No.67, Jalan Bu...	7/3/2023 9:30:0...	Pending
	DEL1011	O1011	No.63, Jalan Bu...	12/23/2023 3:4...	Delivered
	DEL1014	O1014	No.85, Jalan Pok...	10/16/2024 2:0...	Delivered
	DEL1015	O1015	No.99, Jalan Ch...	8/2/2023 12:00:...	Delivered
	DEL1017	O1017	No.29, Jalan Se...	10/31/2023 1:4...	Delivered
	DEL1018	O1018	No.56, Jalan Bu...	2/12/2025 10:1...	Delivered
	DEL1019	O1019	No.56, Jalan Bu...	11/30/2023 5:3...	Pending

6. **Payments** – Tracks payment information for each order, including payment date, payment method (e.g., Cash, TNG, Online Banking) and transaction amount.

```
CREATE TABLE [dbo].[Payment] (
    [PaymentID]    VARCHAR (20) NOT NULL,
    [PaymentDate]  DATE          NOT NULL,
    [PaymentMethod] VARCHAR (MAX) NOT NULL,
    [Amount]       MONEY         NOT NULL,
    [OrderID]      VARCHAR (10)  NOT NULL,
    PRIMARY KEY CLUSTERED ([PaymentID] ASC),
    CONSTRAINT [FK_Payment_ToOrder] FOREIGN KEY ([OrderID]) REFERENCES [dbo].[ORDERS] ([OrderID])
);
```

	PaymentID	varchar(20)			
	PaymentDate	date			
	PaymentMethod	varchar(MAX)			
	Amount	money			
	OrderID	varchar(10)			

	PaymentID	PaymentDate	PaymentMethod	Amount	OrderID
	P03224937	6/19/2025	Bank - Maybank	231.0000	O02978003
	P37894182	6/5/2025	Bank - RHB	63.0000	O37621862
	P41820935	6/19/2025	Cash	33.0000	O41612485
	P49954982	6/20/2025	Bank - Maybank	116.0000	O49610717
	P53783222	6/10/2025	TNG	23.0000	O53473989
	P60323224	6/18/2025	Cash	25.0000	O60141979
	P63676393	6/20/2025	Cash	21.0000	O63390623
	P98287208	6/18/2025	TNG	28.0000	O98095325
	P1000	8/28/2023	Bank - CIMB	75.0000	O1000
	P1001	6/16/2023	Cash	120.0000	O1001
	P1002	10/8/2024	Bank - Public B...	30.0000	O1002
	P1003	2/4/2025	Bank - Bank Isla...	58.5000	O1003
	P1005	1/22/2023	Cash	10.0000	O1005
	P1006	4/1/2024	Bank - CIMB	6.0000	O1006
	P007	2/16/2024	TNG	3.6000	O1007
	P1009	9/2/2024	Bank - RHB	27.0000	O1009
	P1011	12/23/2023	TNG	58.5000	O1011
	P1013	5/14/2023	Cash	45.0000	O1013
	P1014	10/16/2024	Bank - RHB	67.5000	O1014
	P1015	8/2/2023	TNG	35.0000	O1015
	P1017	10/31/2023	Bank - Maybank	7.0000	O1017
	P1018	2/12/2025	TNG	6.0000	O1018