
MediQore · Mockup-Based Requirements


SRS section 2.5 · 12 key screens per the updated final scope (20 Oct 2026).
Android screens at 390 × 844 in Urdu (right to left, Jameel Noori Nastaleeq); the supervisor portal at 1280 × 800.
Clinical Teal design. All names, IDs and values are synthetic (LI-10). ★ marks the key screens.



Mockup 1 · Home Dashboard

Scope: M1 FE-2, M3 FE-2, M5 FE-5, M6 FE-1, M8 FE-2


- Greets the signed-in LHW with her name, village and LHW ID.
- Sync card: online or offline, records waiting to be sent, last sync time and a Sync button; data stays safe on the phone offline.
- Alerts: an emergency still waiting for the supervisor, vaccination defaulters and missed ANC visits, each opening its list.
- Today's work: new registration, registered women, child register and the current polio campaign round.



Mockup 2 · Pregnant Woman Registration ★

Scope: M2 FE-1, FE-3


- Name, age, husband's name, optional contact number and village, in Urdu with validation; works fully offline.
- Pregnancy date from the LMP date, the EDD, or the pregnancy month only; the app stores the estimated delivery date and shows the gestational age.
- Household: a new household with its number and GPS, or an existing one; reused by the child, polio and nutrition modules.
- Patient ID [LHW code]-[activation number]-[sequence], unique before the first sync; a woman is registered once and each pregnancy is a separate file.



Mockup 3 · Home Visit Form ★

Scope: M3 FE-1, M4 FE-4

- Vitals as large cards: blood pressure, pulse (with the 30-second counter), temperature and weight; values outside the usual range are highlighted.
- Optional blood sugar with its unit (mmol/L or mg/dL), source and date.
- Fetal movement and other signs; fetal movement reads "Not applicable yet" before the gestational age in the Clinical Rules Table.
- Danger-sign checklist: every question answered yes or no before saving; a yes turns red. Saved offline with its outbox entry.



Mockup 4 · Risk Result ★

Scope: M4 FE-1 to FE-4, LI-5


- Colour-coded result (Green, Yellow, Red) from the on-device model and the danger-sign rules; the final level is the higher of the two.
- Explanation in Urdu: the triggered rule, or the SHAP phrase when the model sets the level; trend across the last visits.
- Obstetric and anaemia flags shown separately; they do not change the colour unless the signed table says so.
- A Red from the model alone opens the one-tap referral (no alarm); decision-support disclaimer; model version, input set and rules version stored.



Mockup 5 · Emergency Alert and Escalation

Scope: M5 FE-2, FE-4, FE-5, LI-4

- Opens only for a rule-based Emergency; patient, the triggering sign and the check bar for a typed value ("Correct / Edit").
- Three equal options, Internet, SMS and Call, plus Send all; each shows its status (sent, delivered, not yet).
- Waiting for the supervisor with the time elapsed; the phone checks the alert status every 30 seconds while online.
- After 15 minutes without acknowledgement the LHW contacts the secondary contact by SMS or call herself; nothing is sent automatically. The screen closes only with a logged reason.



Mockup 6 · ANC Schedule and Progress Summary

Scope: M6 FE-1, FE-3

- Gestational age and estimated delivery date at the top, with the number of visits.
- ANC contacts (WHO 2016) from the gestational age: done, missed (flagged) and next due date.
- TT doses and iron/folic acid compliance score.
- On-device trend graph per vital, flagging a vital rising across the last three visits near its threshold; bilingual PDF report generated on the server after sync.



Mockup 7 · Scan Health Report (OCR verify)

Scope: M6 FE-2, LI-8, LI-9


- In-app camera capture (not saved to the gallery) of a printed Latin-script report; ML Kit OCR fully offline.
- Extracted values with confidence: high-confidence values pre-filled, others to confirm, missing ones typed by hand.
- Anaemia flag from the verified Hb value, coloured only from the Clinical Rules Table.
- The image is stored encrypted on the phone and uploaded after the data rows; handwritten or Urdu reports use manual entry.



Mockup 8 · Polio Campaign House Visit ★

Scope: M7 FE-1, FE-2, M8 FE-1

- Campaign round (name, dates) created in the admin panel and pulled to the phone; works offline.
- The household with its registered children under 5; each child is marked Vaccinated, Refused (with reason) or Not available.
- Household status is derived from its children (all vaccinated, partially covered, refusal, not available, no eligible child).
- "New child found" and "New household" buttons; a revisit is scheduled in the same round for children not yet vaccinated.



Mockup 9 · Child Vaccination Timeline

Scope: M8 FE-1, FE-2


- Personal EPI timeline per child under 2 from the versioned schedule (National Immunization Policy 2022).
- Doses given, overdue and upcoming; catch-up due dates from the previous dose date plus the minimum interval.
- Defaulter alert on the LHW home screen when a dose passes its due date; the supervisor is notified after sync.
- Routine OPV kept separate from campaign doses; each record stores its schedule version.



Mockup 10 · Nutrition Screening and IMCI ★

Scope: M9 FE-1, FE-3


- MUAC for 6–59 months with the WHO bands (below 115 mm SAM, 115 to under 125 mm MAM, 125 mm or above normal) and the oedema check.
- Weight-for-age and height-for-age Z-scores from the bundled WHO tables (height only when measured).
- IMCI checklist: respiratory rate with a 60-second counter, chest indrawing, stool frequency and dehydration signs.
- Severity and the Urdu action come from the Clinical Rules Table (pending clinical review).



Mockup 11 · Supervisor Dashboard with Map ★

Scope: M10 FE-1, FE-3, M5 FE-2, FE-5

- Web portal for the supervisor's assigned areas; filters by district, tehsil, LHW and period; refreshes every 5 minutes.
- Cards: registered women, visits this week, high-risk cases, unacknowledged alerts, LHWs synced today.
- Leaflet map of households by risk colour with layers (high-risk cluster, malnutrition, coverage gaps).
- Emergency alerts with channel, time and an Acknowledge button; risk distribution; LHW activity with inactivity status.



Mockup 12 · Settings with the Language Switch (Design A)

Scope: M3 FE-3, LI-6

- Settings row "زبان · Language" shows the current language and opens a Material 3 bottom sheet.
- Two 76 dp options, "اردو / Urdu" and "English / انگریزی"; the chosen one has a teal border, light teal fill, filled radio and tick.
- Save switches the whole app at runtime (Urdu right to left in Jameel Noori Nastaleeq, English left to right) and keeps the choice; Urdu is the default.
- Implemented in the app on 20 Oct 2026 (Clinical Teal #00695C).