Assignment Topic :

Programming_Fundamental_Lab _03

Submitted by :

M. Zain Ul Abedein

Department :

BSCS__1st.

Roll No :

33

Section :

Section__D

Submitted To :

SIR ASAD.

CamScanner

Lab: 3

Task #01

```
#include <iostream>
using namespace std;
int main () {

int age;
cout << "Enter your age:";
 cin >> age;
char section;
cout << "Enter your section:";
 cin >> section;
double pay;
cout << "Enter your pay:";
 cin >> pay;

Return 0;
}
```


```
Enter your age: 16
Enter your section: D
Enter your pay: 3.14
```

output:

Scanned with CamScanner

CamScanner

```cpp
#include <iostream>
using namespace std ;
int main ()
{
    int age;
    cout<<"Enter your Age : ";
    cin>>age;
    char section ;
    cout<<"Enter your Section : ";
    cin>>section;
    double  pay;
    cout<<"What is your pay : ";
    cin>>pay;
      cin>>age;
      cin>>section;
      cin>>pay;
      return 0;
   }
```



Scanned with CamScanner

CamScanner

Task #02

```
#include <iostream>
using namespace std;
int main () {
cout << 28/4 - 2 << endl;
cout << 6+12* 2-8 << endl;
cout << 4+8* 2 << endl;
cout << 6+17 % 3-2 << endl;
cout << 2+22* (9-7) << endl;
cout << (8+7)* 2 << endl;
cout << (16+7)% 2 -1 << endl;
cout << 12/(10-6) << endl;
cout << (12-3) *(2+2)/4 << endl;
return 0;
}
```

```
5
22
20
6
46
30
0
3
9
```

outputs-

Scanned with CamScanner

CamScanner

```cpp
#include<iostream>
using namespace std;
int main ()
{
    cout<<28/4-2<<endl;
    cout<<6+12*2-8<<endl;

    cout<<4+8*2<<endl;
    cout<<6+17%3-2<<endl;

    cout<<2+22*(9-7)<<endl;
    cout<<(8+7)*2<<endl;

    cout<<(16+7)% 2-1<<endl;
    cout<<12/(10-6)<<endl;

    cout<<(12-3)*(2+2)/4<<endl;
    return 0;
}
```

```
C:\Users\Micro\Documents\Project3.exe
5
22
20
6
46
30
0
3
9

--------------------------------
Process exited after 0.302 seconds with return value 0
Press any key to continue . . .
```

CamScanner

Task #03


```
#include <iostream>
using namespace std;
int main () {
int units = 20;
float mass = 3.8;
double weight;
weight = mass * units;
cout << "weight: " << weight << endl;
cout << " As the answer is 76. It is an integer" << endl;
return 0;
}
```

```
weight = 76
As the answer is 76. It is an integer
```

output

Scanned with CamScanner

CamScanner


pf lab 03.cpp
[*] pf lab 03 ..2.cpp
Untitled4.cpp
#include<iostream>
using namespace std;
int main ()
{
int units = 20;
float mass = 3.8;
double weight;
weight = mass*units;
cout<<"Weight = "<<weight<<endl;
cout<<"As the answer is 76. It is an Integer data type"<<endl;
return 0;
}
Weight = 76
As the answer is 76. It is an Integer data type
Process exited after 0.3156 seconds with return value
Press any key to continue . . .

CamScanner

Task #04

```
#include <iostream>
using namespace std;
int main () {
int a, b =2;
 float c =4.2;

a = b*c;
cout<< "a =" << a << endl;
cout << "value stored in a = 8" << endl;


 return 0;

}
```

a = 8

value store in a = 8

CamScanner


#include<iostream>
using namespace std;
int main ()
{
int a,b = 2;
float c = 4.2;
a = b*c
;
cout<<"a = "<<a<<endl;
cout<<"Value stored in a = 8"<<endl;
return 0;
}
C:\Users\Micro\Documents\Project3.exe
a = 8
Value stored in a = 8
Process exited after 0.2613 seconds with return value 0
Press any key to continue . . .

CamScanner

Task #05

```
#include <iostream>
using namespace std;
int main () {
double uniteach;
int qty = 30, salesreps = 23;
uniteach = (double) qty/salesreps;
cout << "uniteach=" << uniteach << endl;
cin >> uniteach;
return 0;
}
```

uniteach = 1.30435

output

zain.cpp

```cpp
#include <iostream>
using namespace std;
int main () {
double uniteach;
int  qty = 30,  salesreps = 23;



uniteach = (double)qty/salesreps;
cout << "uniteach = "<<uniteach<<endl;
cin>>uniteach;


```

C:\Users\PMLS\OneDriv

```
uniteach = 1.30435
```

Compile Log | Debug | Find Results | Close

```
Compilation results...
--------
- Errors: 0
- Warnings: 0
- Output Filename: C:\Users\PMLS\OneDrive\Desktop\Tasks\ASSIGNMENT TASK\programs\zain.exe
- Output Size: 1.83212089538574 MiB
- Compilation Time: 0.59s
```

CamScanner

Task #06

```
#include <iostream>
using namespace std;
int main () {

int num1 = 247;
int num2 = 129;
cout << num1 << endl;
cout << "+" << num2 << endl;
cout << "------" << endl;
cin.get();

cout << num1 << endl;
cout << "+" << num2 << endl;
cout << "------" << endl;
cout << num1 + num2 << end;
sum = num1 + num2;
cout << "sum" << sum << endl;


return 0;
}
```

```
247
+129
------
247
+129
------
376
```

output

Scanned with CamScanner

CamScanner


#include <iostream>
#include<cstdlib>
using namespace std;
int main (){
int num1 = 247;
int num2 = 129;
cout << num1<<endl;
cout << " + "<<num2<<endl;
cout << "------"<<endl;
cin.get();
cout << num1<<endl;
cout<< " +"<<num2<<endl;
cout <<"------"<<endl;
cout <<num1+num2<<endl;
return 0;
}
C:\Users\Micro\Docu...
247
+ 129

247
+129

376
Process exited after 2.73 seconds w
ith return value 0
Press any key to continue . . .
Compiler
Resources
Compile Log
Debug
Find Results
Close
Abort Compilation
Shorten compiler paths
Compilation results...
- Errors: 0
- Warnings: 0
- Output Filename: C:\Users\Micro\Documents\task 6.exe
- Output Size: 1.83212089538574 MiB
- Compilation Time: 2.47s
Line: 13
Col: 11
Sel: 0
Lines: 17
Length: 319
Insert
Done parsing in 0.047 seconds

CamScanner

Home task #01


```
#include <iostream>
using namespace std;
int main (){
double number1, number2, sum;
cout << "Enter a number= ";
 cin >>number1;
cout << "Another number= ";
 cin>>number2;
sum =number1+number2;
cout << "sum is ="<< sum;
return 0;
}
```

```
Enter a number =12
Another number = 14
sum = 26
```

output

① 1st error is #include <iostream> is missing
② Replace void by main by int main.
③ In line ④ cin<< replace by cin>>-
④ In line ⑤ semi-colon(;)is missing.
⑤ After line ⑥ return 0; is missing.

Scanned with CamScanner



CamScanner

Home task:


(2) part (2)

```
#include <iostream>
using namespace std;
int main () {
int number1, number2;
float quotient;
cout<<"Enter two numbers and will divide \n";
cout<<" the first by the the second by you.\n";
cin>> number1 >> number2;
quotient = static_cast<float>(number1)/number2;
cout<< "Quotient:"<<quotient<<endl;
return 0;
}
```

① replace void by main by int main.

② quotient string is ming "Quotient".

Scanned with CamScanner



CamScanner


Home task:

(2) part (2)

```
#include <iostream>
using namespace std;
int main () {
int number1, number2;
float quotient;
cout<<"Enter two numbers and will divide \n";
cout<<" the first by the the second by you.\n";
cin>> number1 >> number2;
quotient = static_cast<float>(number1)/number2;
cout<< "Quotient: "<<quotient<<endl;
return 0;
}
```

1) replace void by main by int main.
2) Quotient string is ming "Quotient".

Scanned with CamScanner



CamScanner

PF LAB 03 COMPLETED ✔

THANK YOU,😊

CamScanner