Send Packet

From:

computer1

To:

computer1


Packet Type:

arp_request

Data:

computer6

Send Packet



Send Packet

From:

computer4

To:

computer4


Packet Type:


arp_request


Data:

computer6

Send Packet


Network D
10.4.0.0/16
Network A
10.1.100.0/24
Network C
10.3.200.0/24
Network B
10.2.0.0/16


nmap -PR -sn TARGET
ARP Request
ARP Reply
Case: Host is live.
nmap -PE -sn TARGET
ICMP Echo Request
ICMP Echo Reply
Case: Host is live.
nmap -PP -sn TARGET
ICMP Timestamp Request
ICMP Timestamp Reply
Case: Host is live.
nmap -PM -sn TARGET
ICMP Address Mask Request
ICMP Address Mask Reply
Case: Host is live.


computer4
computer2
computer6
switch2
router
switch1
computer1
computer5
computer3
ISO/OSI
TCP/IP
7 Application Layer
6 Presentation Layer
5 Session Layer
4 Transport Layer
3 Network Layer
2 Data Link Layer
1 Physical Layer
Application Layer
Transport Layer
Network Layer
Link Layer
HTTP, HTTPS, SMTP, POP3, IMAP, SSH, FTP, SNMP, Telnet, RDP,...
TCP, UDP
IPv4, IPv6, ICMP, IPsec
ARP, Ethernet (802.3), WiFi (802.11), DSL, Bluetooth,