# Using colors in ggplot

Greg Martin

### **Using colors**

Color has the power to convey emotions, highlight patterns, and bring attention to critical insights in your dataset. Using color creatively, you can give your data visualization the "look and feel" that fits with either your message or branding.

### An easy start


Whenever you create a plot that requires colors, R will automatically assign a set of colors that may or may not suit your data visualization objectives. If it does, then so be it. But more often than not, you'll want to bring a little of your own personality and style onto the canvas.

Of course you can specify exactly the color of each element of your plot (and we'll discus that below). A first step might be to simply select a range of colors from a palette that are known to work well together. ColorBrewer is a collection of color palettes that you can chose from and have applied to any data visualization. You'll need to install and call the RColorBrewer package with the following code:

```
install.packages("RColorBrewer")
library(RColorBrewer)
```


You can easily view the colorblind friendly palettes with the code:

```
display.brewer.all(colorblindFriendly=TRUE)
```



Each palette has a name and we'll be using those names in our ggplot code to set the colors used in any given plot using the scale\_color\_brewer function and then setting the palette argument to the name of the palette that you want to use. Take a look:


```
mpg %>%
  ggplot(aes(displ, hwy, color = drv))+
  geom_jitter(size = 5)+
  scale_color_brewer(palette = "Set2")+
  theme_minimal()
```



Not that in the code above we've used the function <code>scale\_color\_brewer</code> because the color aesthetic is being mapped to a variable. For many geometries (like <code>geom\_bar</code> or <code>geom\_density</code>), it is the <code>fill</code> aesthetic that is mapped against the variable (as a shape is being filled up). In these cases we use <code>scale\_fill\_brewer</code> instead.


### Take control

You can of course specify the color of an element directly by using a color name; here is an example:




### Be specific

As you've seen, if the color of the elements of a plot are to be allocated by the values of a variables (through the process of mapping that we've discuss), then ggplot will assign a color automatically. Can the colors that get assigned by specified? The answer is of course, yes. Take a look:



### Be even more specific

Can you use hex code to specify exactly what colors you'd like to use? Again, the answer is yes. To find the right code, simply do an internet search for "hex code" that will give you any number of webpages that will let you select from a palette and provide you with hex codes for the exact colors that you want to use. Take a look:



## More help

For more help and support, click on the title (hyperlink) or scan any of the QR codes below.

Using color

Wrangle your data video

Visualize your data video







Course on data analysis

Course on how to visualize data

Course on statistical analysis







# Learn More 365 Share this cheat sheet with others

# Course on:

- Introduction to R programming
- Data visualisation with R
- \* Advanced ggplot2
- Statistical analysis with R
- Research methods
- Epidemiology
   How to write an academic
- paper ... and more

Get access to the Resource Library by clicking the links below:

R Programming, Data Visualization and Research

Methods

Resource Library

Or scan this QR code to go to www.LearnMore365.com

