# **Facets**

Greg Martin

# **Using facets**

#### What are facets

Facets are used to create multiple plots, each showing a subset of your data. These plots are arranged in a grid, with each plot showing a different subset of the data, based on the values of one or more variables. As the saying goes, a picture is worth a thousand words; so let's look at a a few examples of facets in action.


Let's take a look at the gapminder dataset (that you can access once you've installed the gapminder package. The variables that are of interest below are gdpPercap (a crude indicator of a countries wealth) andlifeExp (which is, as the name suggests, life expectancy).

We're interested in the relationship between these two variables and how that may vary in different regions of the world.

We can see from the plot below that people living in richer countries do seem to live longer. It is also clear that that the relationship differs in the different regions but its difficult to see the details with all of the plot points overlapping each other.

```
# install.packages("gapminder")
library(gapminder)
view(gapminder)
gapminder %>%
  filter(gdpPercap < 40000 &
         continent != "Oceania") %>%
  ggplot(mapping = aes(x = gdpPercap,
                       y = lifeExp,
                       colour = continent))+
  geom_point(shape = "square",
             alpha = 0.4,
             size = 2)+
  labs(title = "Life Expectancy as a function of Wealth",
       x = "GDP per Capita",
       y = "Life Expectancy",
       colour = "Region")+
  theme_bw()
```


## Life Expectancy as a function of Wealth



#### facet\_wrap

A simple solution is to plot each of the continents of interest on a separate but adjacent graph so that we can more clearly see the difference between them. To do this we use the face\_wrap() function and specify which categorical variable to facet by using the ~ symbol.

# Life Expectancy as a function of Wealth



#### Note


You'll notice that because we no longer needed to use color to distinguish the continents, we can now map that aesthetic to another variables, in this case year.

The facet\_wrap function has a number of arguments that can be used to tweak your plot. Run the command ?facet\_wrap to see a list of all of the arguments. The more commonly used arguments are nrow and ncol to specific the number of rows and number of columns respectively.

In the example below, we've used the gss\_cat dataset that comes with the forcats package to illustrate the use of these arguments. From the gss\_cat dataset we plot histograms of age, disaggregated by partyid (political affiliation). To ensure that all of the facets are next to each other on the same row, we stipulate that nrow = 1. We've also changed the position of the strip that labels the facet but stipulating strip.position = "bottom":

```
library(forcats)
view(gss_cat)
gss_cat %>%
  filter(partyid %in% c("Strong democrat",
                         "Strong republican",
                         "Independent")) %>%
  ggplot(aes(age))+
  geom_histogram(binwidth = 5,
                 fill = "steelblue",
                 alpha = .8)+
    facet_wrap(~partyid,
               nrow = 1,
               ncol = 3,
               strip.position = "bottom")+
  labs(title = "Age distribution by political affiliation",
       x = "",
       y = "") +
  theme_bw()
```

#### Age distribution by political affiliation




#### facet\_grid

Can we facet in two directions? What does that even mean? The easiest way to describe a facet\_grid is to create one and then take a look at what it is and how to interpret it. So here we go.

# Data wrangling

Oh, but they way. The gss\_cat dataset that comes with the forcats package uses the very outdated spelling Moslem instead of the preferred Muslim in reference to people that adhere to the Islamic faith. So in the code below, the first thing we do is use the mutate and recode functions to fix that before creating the plot.

### TV watching by political and religious affiliation



Notice that in each facet, the data has been disaggregated by two factors (religion and political affiliation. By looking at the left column we can see difference between Christian and Muslim republicans, in terms of the distribution of their TV watching behavior. By looking at the first row, however, we can see the difference in the distribution of TV watching behavior across political affiliations.

# More help

For more help and support, click on the title (hyperlink) or scan any of the QR codes below.

**Facets** 

Wrangle your data video

Visualize your data video







Course on data analysis

Course on how to visualize data

Course on statistical analysis







# Learn More 365 Share this cheat sheet with others

# Course on:

- Introduction to R programming
- Data visualisation with R
- \* Advanced ggplot2
- Statistical analysis with R
- Research methods
- Epidemiology
   How to write an academic
- paper ... and more

Get access to the Resource Library by clicking the links below:

R Programming, Data Visualization and Research

Methods

Resource Library

Or scan this QR code to go to www.LearnMore365.com

