

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

SQL X Statistics X Dependencies X Dependents X Processes X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

No limit

Data Output Messages Notifications

SQL

Showing rows: 1 to 10 Page No: 1 of 1

	id [PK] integer	name character varying (100)	email character varying (100)	phone character varying (20)	company character varying (100)	source character varying
1	1	Zainab Ali	zainab@gmail.com	03001234567	MATalogs	Website
2	2	Ahmed Khan	ahmed@tech.com	03007654321	TechSol	LinkedIn
3	3	Ayesha Noor	ayesha@fb.com	03123456789	DesignCo	Facebook
4	4	Bilal Ahmed	bilal@google.com	03331234567	GoogleAds	Google
5	5	Sara Malik	sara@insta.com	03211234567	SocialHub	Instagram
6	6	Usman Tariq	usman@web.com	03451234567	WebWorks	Website
7	7	Hira Shah	hira@ref.com	03051234567	RefGroup	Referral
8	8	Ali Raza	ali@linkedin.com	03061234567	B2B Leads	LinkedIn
9	9	Fatima Zahid	fatima@fb.com	03071234567	MarketGuru	Facebook
10	10	Zubair Khan	zubair@website.com	03081234567	StartupPK	Website

Total rows: 10 Query complete 00:00:01.402 CRLF Ln 1, Col 21

25°C Mostly clear 12:47 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

SQL

postgres/postgres@PostgreSQL 17

Data Output Messages Notifications

Showing rows: 1 to 10 Page No: 1 of 1

	varying (20)	company character varying (100)	source character varying (50)	lead_score integer	status character varying (20)	created_at timestamp without time zone
1	567	MATalogics	Website	85	Qualified	2026-10-01 00:43:27.615543
2	321	TechSol	LinkedIn	92	Converted	2026-10-01 00:43:27.615543
3	789	DesignCo	Facebook	45	New	2026-10-01 00:43:27.615543
4	567	GoogleAds	Google	78	Contacted	2026-10-01 00:43:27.615543
5	567	SocialHub	Instagram	65	New	2026-10-01 00:43:27.615543
6	567	WebWorks	Website	88	Qualified	2026-10-01 00:43:27.615543
7	567	RefGroup	Referral	30	Lost	2026-10-01 00:43:27.615543
8	567	B2B Leads	LinkedIn	95	Qualified	2026-10-01 00:43:27.615543
9	567	MarketGuru	Facebook	55	Contacted	2026-10-01 00:43:27.615543
10	567	StartupPK	Website	72	Qualified	2026-10-01 00:43:27.615543

Total rows: 10 Query complete 00:00:01.402 CRLF Ln 1, Col 21

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Casts
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

SQL

postgres/postgres@PostgreSQL 17

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	id [PK] integer	name character varying (100)	email character varying (100)	phone character varying (20)	company character varying (100)	source character varying
1	1	Zainab Ali	zainab@gmail.com	03001234567	MATalogics	Website
2	6	Usman Tariq	usman@web.com	03451234567	WebWorks	Website
3	8	Ali Raza	ali@linkedin.com	03061234567	B2B Leads	LinkedIn
4	10	Zubair Khan	zubair@website.com	03081234567	StartupPK	Website

Total rows: 4 Query complete 00:00:00.461 CRLF Ln 3, Col 28

pgAdmin 4

File Object Tools Edit View Window Help

Object Explorer

- Servers (1)
 - PostgreSQL 17
 - Databases (1)
 - postgres
 - Cast
 - Catalogs
 - Event Triggers
 - Extensions
 - Foreign Data Wrappers
 - Languages
 - Publications
 - Schemas
 - Subscriptions
 - Login/Group Roles
 - Tablespaces

SQL X Statistics X Dependencies X Dependents X Processes X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Data Output Messages Notifications

Showing rows: 1 to 4 Page No: 1 of 1

	varying (20)	company character varying (100)	source character varying (50)	lead_score integer	status character varying (20)	created_at timestamp without time zone
1	567	MATalogs	Website	85	Qualified	2026-10-01 00:43:27.615543
2	567	WebWorks	Website	88	Qualified	2026-10-01 00:43:27.615543
3	567	B2B Leads	LinkedIn	95	Qualified	2026-10-01 00:43:27.615543
4	567	StartupPK	Website	72	Qualified	2026-10-01 00:43:27.615543

Total rows: 4 Query complete 00:00:00.461 CRLF Ln 3, Col 28

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard X Properties X SQL X Statistics X Dependencies X Dependents X Processes X postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

	id [PK] integer	name character varying (100)	email character varying (100)	phone character varying (20)	company character varying (100)	source character varying (50)	lead_score integer	status character varying (20)
1	1	Zainab Ali	zainab@gmail.com	03001234567	MATalogs	Website	85	Qualified
2	2	Ahmed Khan	ahmed@tech.com	03007654321	TechSol	LinkedIn	92	Converted
3	4	Bilal Ahmed	bilal@google.com	03331234567	GoogleAds	Google	78	Contacted
4	6	Usman Tariq	usman@web.com	03451234567	WebWorks	Website	88	Qualified
5	8	Ali Raza	ali@linkedin.com	03061234567	B2B Leads	LinkedIn	95	Qualified
6	10	Zubair Khan	zubair@website.com	03081234567	StartupPK	Website	72	Qualified

Total rows: 6 Query complete 00:00:00.193 CRLF Ln 3, Col 23

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

	(100)	email character varying (100)	phone character varying (20)	company character varying (100)	source character varying (50)	lead_score integer	status character varying (20)	created_at timestamp without time zone
1		zainab@gmail.com	03001234567	MATalogics	Website	85	Qualified	2026-10-01 00:43:27.615543
2		ahmed@tech.com	03007654321	TechSol	LinkedIn	92	Converted	2026-10-01 00:43:27.615543
3		bilal@google.com	03331234567	GoogleAds	Google	78	Contacted	2026-10-01 00:43:27.615543
4		usman@web.com	03451234567	WebWorks	Website	88	Qualified	2026-10-01 00:43:27.615543
5		ali@linkedin.com	03061234567	B2B Leads	LinkedIn	95	Qualified	2026-10-01 00:43:27.615543
6		zubair@website.com	03081234567	StartupPK	Website	72	Qualified	2026-10-01 00:43:27.615543

Total rows: 6 Query complete 00:00:00.193 CRLF Ln 3, Col 23

Type here to search

25°C Mostly clear 12:50 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History Scratch Pad x

```
1 UPDATE leads
2 SET status = 'Converted'
3 WHERE id = 1;
```

Data Output Messages Notifications

UPDATE 1

Query returned successfully in 90 msec.

Total rows: Query complete 00:00:00.090 CRLF Ln 3, Col 14

Type here to search

25°C Mostly clear 12:52 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History Scratch Pad

```
1 DELETE FROM leads
2 WHERE id = 10;
```

Data Output Messages Notifications

DELETE 1

Query returned successfully in 120 msec.

Total rows: Query complete 00:00:00.120 CRLF Ln 2, Col 15

Type here to search 25°C Mostly clear 12:53 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17*

postgres/postgres@PostgreSQL 17

Query Query History Scratch Pad

```
1 SELECT *
2 FROM leads
3 ORDER BY lead_score DESC
4 LIMIT 5;
```

Data Output Messages Notifications

	id [PK] integer	name character varying (100)	email character varying (100)	phone character varying (20)	company character varying (100)	source character varying (50)	lead_score integer	status character varying (20)
1	8	Ali Raza	ali@linkedin.com	03061234567	B2B Leads	LinkedIn	95	Qualified
2	2	Ahmed Khan	ahmed@tech.com	03007654321	TechSol	LinkedIn	92	Converted
3	6	Usman Tariq	usman@web.com	03451234567	WebWorks	Website	88	Qualified
4	1	Zainab Ali	zainab@gmail.com	03001234567	MATalogics	Website	85	Converted
5	4	Bilal Ahmed	bilal@google.com	03331234567	GoogleAds	Google	78	Contacted

Total rows: 5 Query complete 00:00:00.133 CRLF Ln 4, Col 9

Type here to search 25°C Mostly clear 12:54 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

Query Query History Scratch Pad x

```
1 SELECT COUNT(*) AS total_leads
2 FROM leads;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

total_leads	bigint
1	9

Total rows: 1 Query complete 00:00:00.267 CRLF Ln 2, Col 12

Type here to search 25°C Mostly clear 12:54 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

Query Query History Scratch Pad x

```
1 SELECT status, COUNT(*) AS total
2 FROM leads
3 GROUP BY status
4 ORDER BY status;
```

Data Output Messages Notifications

Showing rows: 1 to 5 Page No: 1 of 1

status	character varying (20)	total	bigint
1	Contacted		2
2	Converted		2
3	Lost		1
4	New		2
5	Qualified		2

Total rows: 5 Query complete 00:00:00.152 CRLF Ln 4, Col 17

Type here to search 25°C Mostly clear 12:56 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History Scratch Pad x

```
1 SELECT AVG(lead_score) AS average_lead_score
2 FROM Leads;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

average_lead_score
70.33333333333333

Total rows: 1 Query complete 00:00:00.133 CRLF Ln 2, Col 12

Type here to search

25°C Mostly clear 12:56 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History Scratch Pad x

```
1 SELECT *
2 FROM Leads
3 ORDER BY lead_score DESC
4 LIMIT 1;
```

Data Output Messages Notifications

Showing rows: 1 to 1 Page No: 1 of 1

id	name	email	phone	company	source	lead_score	status
[PK] integer	character varying (100)	character varying (100)	character varying (20)	character varying (100)	character varying (50)	integer	character varying (20)
1	8	Ali Raza	ali@linkedin.com	03061234567	B2B Leads	Linkedin	95
							Qualified

Total rows: 1 Query complete 00:00:00.157 CRLF Ln 4, Col 9

Type here to search

25°C Mostly clear 12:57 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History Scratch Pad x

```
1 SELECT source, COUNT(*) AS total_leads
2 FROM leads
3 GROUP BY source
4 ORDER BY total_leads DESC;
```

Data Output Messages Notifications

Showing rows: 1 to 6 Page No: 1 of 1

source	total_leads
Facebook	2
Website	2
LinkedIn	2
Google	1
Referral	1
Instagram	1

Total rows: 6 Query complete 00:00:00.150

CRLF Ln 4, Col 27

25°C Mostly clear 12:58 AM 10/1/2026

pgAdmin 4

File Object Tools Edit View Window Help

Dashboard x Properties x SQL x Statistics x Dependencies x Dependents x Processes x postgres/postgres@PostgreSQL 17* x

postgres/postgres@PostgreSQL 17

No limit

Query Query History Scratch Pad x

```
1 SELECT *
2 FROM leads
3 WHERE lead_score BETWEEN 50 AND 80
4 ORDER BY lead_score DESC;
```

Data Output Messages Notifications

Showing rows: 1 to 3 Page No: 1 of 1


id	name	email	phone	company	source	lead_score	status
4	Bilal Ahmed	bilal@google.com	03331234567	GoogleAds	Google	78	Contacted
5	Sara Malik	sara@insta.com	03211234567	SocialHub	Instagram	65	New
9	Fatima Zahid	fatima@fb.com	03071234567	MarketGuru	Facebook	55	Contacted

Total rows: 3 Query complete 00:00:00.167


CRLF Ln 4, Col 26


25°C Mostly clear 12:59 AM 10/1/2026

Relationships diagram




AI Customer Support Knowledge System





PostgreSQL lead_capture table was successfully created for the Lead Capture workflow. The table stores lead information including name, email, phone, company, message, source, and creation timestamp.

```
CREATE TABLE lead_capture (  
  
    id SERIAL PRIMARY KEY,  
  
    name VARCHAR(100) NOT NULL,  
  
    email VARCHAR(150) NOT NULL,  
  
    phone VARCHAR(30),  
  
    company VARCHAR(100),  
  
    message TEXT,  
  
    source VARCHAR(50),  
  
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
  
);
```



The screenshot shows the Supabase Table Editor interface. At the top, there's a notification bar: 'We are investigating a technical issue · Follow the [status page](#) for updates'. Below this, the 'Table Editor' section shows the 'lead_capture' table. The table has columns: 'name' (varchar), 'email' (varchar), 'phone' (varchar), and 'company' (varchar). The table contains one record: 'Zainab Test' with email 'zainab@test.com', phone '03001234567', and company 'Test Company'. The bottom of the screen shows a Windows taskbar with various application icons and system information like '6:52 PM 10/1/2026'.

name	email	phone	company
Zainab Test	zainab@test.com	03001234567	Test Company

Task 5 — Lead Capture Workflow

PostgreSQL Lead Capture Database

A PostgreSQL table named `lead_capture` was created to store lead information received through the webhook. The table stores the lead's name, email, phone number, company, message, source, and automatically generated ID and timestamp.

n8n Lead Capture Workflow

The workflow was implemented using a Webhook node connected to a PostgreSQL node. The Webhook receives lead information through a POST request, and the PostgreSQL node inserts the received data into the lead_capture table.

Workflow:

Webhook → PostgreSQL

Testing

The workflow was successfully tested using Postman with sample lead data. The Webhook received the POST request successfully, and the PostgreSQL node inserted the lead into the lead_capture table.

Test Result: Successful — 1 lead record inserted.

14 days left 0/1000 Executions Upgrade Now

Personal Task 5 day14to17 - Lead Capture Workflow Publish

Editor Executions Evaluations

Executions No active executions

Auto refresh

- Oct 1, 20:23:38 Succeeded in 1.516s
- Oct 1, 20:21:05 Error in 42ms
- Oct 1, 20:20:40 Error in 52ms
- Oct 1, 16:36:48 Succeeded in 1.428s
- Oct 1, 16:29:59 Succeeded in 67ms
- Oct 1, 16:25:39 Succeeded in 43ms

Oct 1, 20:23:38 Succeeded in 1.516s | 8KB | ID#7 | Autosave

Webhook

If

Insert rows in a table

Respond to Webhook

Respond to Webhook1

Which executions is this workflow saving? Logs

Document1 - Word

File Home Insert Design Layout References Mailings Review View Help

zainabrashid27's Workspace

GET Get data My Collection POST Create lead POST https://zayne

https://zeynepnissan27.app.n8n.cloud/webhook-test/lead-capture

POST https://zeynepnissan27.app.n8n.cloud/webhook-test/lead-capture

raw JSON


```
1 {
2   "name": "Zainab Test",
3   "email": "zainab@test.com",
4   "phone": "03081234567",
5   "company": "Test Company",
6   "message": "Test lead capture",
7   "source": "Website"
8 }
```

Body JSON

```
1 {
2   "success": true,
3   "message": "Lead captured successfully"
}
```

200 OK · 3.90 s · 1.09 KB

Task 5 day14to17 - Lead Capt...



14 days left • 0/1000 Executions [Upgrade Now](#)

Insert rows in a table

INPUT Schema Table JSON

Code in JavaScript 1 item

name	email	phone
Ahmed Khan	ahmed@example.com	03001234567

Parameters Settings

Credential Postgres account

Operation Insert

Schema From list public

Table From list lead_qualification

Mapping Column Mode Map Each Column Manually

Values to Send

Id

name

OUTPUT Schema Table JS

1 item

Id	name	email	phone
1	Ahmed Khan	ahmed@example.com	03001234567

Logs

supabase.com/dashboard/project/kwyusxdoenpitersvda/editor/17616?schema=public

We are investigating a technical issue · Follow the [status page](#) for updates

zainabhumayoun@yahoo.com's Org FREE DATABASE DEVELOPMENT KNOWLEDGE main PRODUCTION Connect Feedback Search... Ctrl K

Table Editor

public.lead_qualification

Filter by id, name, email... or ask AI

Sort Add RLS policy Role postgres Insert

id	name	email	phone	company
1	Ahmed Khan	ahmed@example.com	03001234567	Ahmed Tech Sol

customer_conversations lead_capture lead_qualification

Supabase Select 2026
A curated day of talks by the industry's best builders. Join us on October 2nd in San Francisco.
[Apply to attend](#)

Page 1 of 1 100 rows 1 record

zeynepnissan27.app.n8n.cloud/workflow/6p5yAUZH6CL3v5W?projectId=AQmc9Rjn1B5E7MmV&uiContext=workflow_list

14 days left 0/1000 Executions Upgrade Now

Personal Task 7 day 14 to 17 — AI Customer Conversation Memory Publish

Editor Executions Evaluations

Webhook → Get Previous Messages (executeQuery) → Build AI Context → Basic LLM Chain (Model*) → Prepare Messages to Save → Insert rows in a table (insert)

OpenAI Chat Model

Execute workflow

Workflow executed successfully

Logs Clear execution

14 days left • 0/1000 Executions Upgrade Now

Personal Task 7 day 14 to 17 — AI Customer Conversation Memory Publish

Executions No active executions

Auto refresh

- Oct 1, 21:46:41 Succeeded in 7.105s
- Oct 1, 21:44:59 Succeeded in 1.279s
- Oct 1, 21:42:34 Succeeded in 1.859s
- Oct 1, 21:40:41 Succeeded in 2.277s
- Oct 1, 21:37:01 Succeeded in 1.787s
- Oct 1, 21:35:23 Succeeded in 1.081s

Oct 1, 21:46:41 Succeeded in 7.105s | 14KB | ID#17 | Autosave

Webhook → Get Previous Messages → Build AI Context → Basic LLM Chain → Prepare Messages to Save → Insert rows in a table

OpenAI Chat Model

Which executions is this workflow saving? Logs

We are investigating a technical issue · Follow the [status page](#) for updates

zainabhumayoun@yahoo.com's Org DATABASE DEVELOPMENT KNOWLEDGE main PRODUCTION Connect Feedback Search... Ctrl K

Table Editor schema public

public.customer_conversations

Filter by id, customer_name, customer_email... or ask AI

	id	customer_name	customer_email	session_id	role
	1	Ahmed	ahmed@example.com	session-001	user
	2	Ahmed	ahmed@example.com	session-001	user
	3	Ahmed	ahmed@example.com	session-001	assistant
	4	Ahmed	ahmed@example.com	session-001	user
	5	Ahmed	ahmed@example.com	session-001	assistant

Page 1 of 1 100 rows 5 records Data Definition

supabase.com/dashboard/project/kwyysxdoenpitersvda/editor/17635?schema=public

We are investigating a technical issue · Follow the [status page](#) for updates

zainabhumayoun@yahoo.com's Org FREE DATABASE DEVELOPMENT KNOWLEDGE main PRODUCTION Connect Feedback Search... Ctrl K

Table Editor

public.customer_conversations

Filter by id, customer_name, customer_email... or ask AI

Sort Add RLS policy Role postgres Insert

on_id	role	message	created_at
on-001	user	My name is Ahmed and I need help with	2026-10-01 16:28:51.5274
on-001	user	My name is Ahmed and I need help with	2026-10-01 16:45:00.5278
on-001	assistant	Hello Ahmed! How can I assist you with	2026-10-01 16:45:00.5278
on-001	user	What is my name?	2026-10-01 16:46:48.483
on-001	assistant	Your name is Ahmed. How can I assist	2026-10-01 16:46:48.483

Page 1 of 1 100 rows 5 records

Type here to search

Task 8

zeynepnissan27.app.n8n.cloud/workflow/J39mu0WatVL7hvqd/e38a1c

zainabrashid27's Workspace

My Collections POST Crt POST http POST http POST http POST http POST http POST http No environment

https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql

POST https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Send

Body JSON

```
1 {
2   "question": "How many leads do we have?"
3 }
```

200 OK · 735 ms · 743 B

JSON Preview Visualize

1

Describe what you need. Press @ for context, / for Skills.

Auto

Page 16 of 19 184 words Accessibility: Investigate

33°C 3:29 PM 10/2/2026

zaynepnissan27.app.n8n.cloud/workflow/J39mu0WatVL7hVqd/bdb6d4

My Coll POST Crc POST htt POST htt POST htt POST htt POST htt POST htt No environment

https://zaynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql

POST https://zaynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Send

Body JSON Schema Beautify

```
1 {
2   "question": "How many leads do we have?"
3 }
```

Body JSON Preview Visualize

```
1 {
2   "success": true,
3   "question": "How many leads do we have?",
4   "answer": "The total number of leads we have is 75."
5 }
```

200 OK · 7.54 s · 1.14 KB

AI New Chat

- Add negative-case SQL test
- Parameterize question via data file
- Compare 200 vs 500 responses
- Describe what you need. Press @ for context, / for Skills.
- Auto

Page 19 of 19 186 words Accessibility: Investigate

Type here to search

33°C 3:33 PM 10/2/2026

zaynepnissan27.app.n8n.cloud/workflow/J39mu0WatVL7hVqd/bdb6d4

14 days left 0/1000 Executions Upgrade Now

Final Response Node

INPUT Schema Table JSON Parameters Settings Execute step OUTPUT Schema Table JSON

AI Answer Generator 1 Item

text The total number of leads we have is 75.

Get many rows 1 Item

Execute a SQL query 1 Item

If 1 Item

SQL Safety Check 1 Item

AI SQL Generator 1 Item

Webhook 1 Item

Variables and context

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". More details

Respond With JSON

When using expressions, note that this node will only run for the first item in the input data

Response Body

```
{
  "success": true,
  "question": "={{node['Webhook']->json.body.question}}",
  "answer": "={{(json.text || $json.output || $json.response)}}
}
```

Options

+ Add option

1 Item


text

The total number of leads we have is 75.

Page 20 of 20 186 words Accessibility: Investigate

Type here to search

33°C 3:34 PM 10/2/2026



API Test Client interface showing a POST request to `https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql`. The request body is JSON:

```
1 {
2   "question": "What is the average lead score?"
3 }
```

The response is JSON:

```
1 {
2   "success": true,
3   "question": "What is the average lead score?",
4   "answer": "The average lead score is 75."
5 }
```

Response status: 200 OK · 7.44 s · 1.12 KB

14 days left • 0/1000 Executions Upgrade Now

Final Response Node

INPUT | Schema | Table | JSON | **Parameters** | Settings | Execute step

AI Answer Generator | 1 Item

text The average lead score is 75.

Get many rows | 1 Item

Execute a SQL query | 1 Item

If | 1 Item

SQL Safety Check | 1 Item

AI SQL Generator | 1 Item

Webhook | 1 Item

Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the Input data

Response Body

```
{
  "success": true,
  "question": "=({{$node['Webhook']}.json.body.question})",
  "answer": "=({{$json.text || $json.output || $json.response})"
}
```

Options

+ Add option

OUTPUT | Schema | Table | JSON | Docs

1 Item

text

The average lead score is 75.

Page 21 of 21 186 words • [Accessibility: Investigate](#)

chatgpt.com/c/6abf7ee1-2f48-83e8-b22d-6a4c6511bfa0

zainabrashid27's Workspace

My Coll: POST Cre • POST htt • POST htt • POST htt • POST htt • POST htt • +

https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Save Share Send

POST **https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql** Send

Body | Scripts | Tests | Settings | Cookies

raw | **JSON** | Schema | Beautify

```
1 {
2   "question": "How many qualified leads came from Facebook?"
3 }
```

Body | **JSON** | Preview | Visualize

```
1 {
2   "success": true,
3   "question": "=How many qualified leads came from Facebook?",
4   "answer": "=There are 0 qualified leads from Facebook."
5 }
```

200 OK • 6.69 s • 1.14 KB • ⋮

Task | No items in this panel | + Create

Post | + Create

Repc | + Create

Flows

[Connect Git](#) | [Terminal](#) | [Console](#) | [All systems are go!](#)

Page 22 of 22 186 words • [Accessibility: Investigate](#)

Hot... | 3:46 PM | 10/2/2026

14 days left • 0/1000 Executions Upgrade Now

Final Response Node

INPUT | Schema | Table | JSON | **Parameters** | Settings | Execute step

AI Answer Generator 1 Item

text There are 0 qualified leads from Facebook.

Get many rows 1 Item

Execute a SQL query 1 Item

If 1 Item

SQL Safety Check 1 Item

AI SQL Generator 1 Item

Webhook 1 Item

Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the Input data

Response Body

```
{
  "success": true,
  "question": "=({{$node['Webhook']}.json.body.question})",
  "answer": "-({{$json.text || $json.output || $json.response})"
}
```

Options

+ Add option

OUTPUT | Schema | Table | JSON | Docs

1 Item

text

There are 0 qualified leads from Facebook.

Page 22 of 22 186 words • [Accessibility: Investigate](#)

chatgpt.com/c/6abf7ee1-2f48-83e8-b22d-6a4c6511bfa0

zainabrashid27's Workspace

My Coll: POST Cre • POST htt • POST htt • POST htt • POST htt • POST htt • +

https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Save Share AI +

POST **https://zeynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql** Send

Body | Scripts | Tests | Settings | Cookies

raw | **JSON** | Schema | Beautify

```
1 {
2   "question": "Show me the top 5 leads according to lead score."
3 }
```

Body | 200 OK | 8.24 s | 1.18 KB | ...

JSON | Preview | Visualize

```
1 {
2   "success": true,
3   "question": "-Show me the top 5 leads according to lead score.",
4   "answer": "-The top leads are Ahmed (95), Sara (90), Ali (88), Maria (85), and John (80)."
```

Task | + Create

Postman | + Create

Repos | + Create

Flows

Connect Git | **Terminal** | **Console** | All systems are go!

Page 23 of 23 186 words • [Accessibility: Investigate](#)

3:47 PM 10/2/2026

14 days left • 0/1000 Executions Upgrade Now

Final Response Node

INPUT | Schema | Table | JSON | **Parameters** | Settings | Execute step

AI Answer Generator 1 Item

text The top leads are Ahmed (95), Sara (90), Ali (88), Maria (85), and John (80).

Get many rows 1 Item

Execute a SQL query 1 Item

If 1 Item

SQL Safety Check 1 Item

AI SQL Generator 1 Item

Webhook 1 Item

Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the Input data

Response Body

```
{
  "success": true,
  "question": "={{node['Webhook']-}.json.body.question}}",
  "answer": "={{json.text || $json.output || $json.response}}"
}
```

Options

OUTPUT | Schema | Table | JSON | Docs

1 Item

text The top leads are Ahmed (95), Sara (90), Ali (88), Maria (85), and John (80).

Page 23 of 23 186 words • [Accessibility: Investigate](#)

zaynepnissan27.app.n8n.cloud/workflow/J39mu0WatVL7hvqd/bdb6d4

My Coll: POST Cre • POST htt • POST htt • POST htt • POST htt • POST htt • Invite Upgrade

https://zaynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Save Share New Chat

POST **https://zaynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql** Send

Body | Scripts | Tests | Settings | Cookies

raw **JSON** Schema Beautify

```
1 {
2   "question": "How many leads are there for each lead source?"
3 }
```

Body 200 OK • 6.98 s • 1.15 KB • Preview Visualize

```
1 {}
2 {"success": true,
3  "question": "How many leads are there for each lead source?",
4  "answer": "Facebook has 20 leads and Google has 15 leads."
5 }
```

Flows

Page 23 of 24 186 words • [Accessibility: Investigate](#)

33°C 3:53 PM 10/2/2026

14 days left • 0/1000 Executions Upgrade Now

Final Response Node

INPUT | Schema | Table | JSON | **Parameters** | Settings | Execute step

AI Answer Generator 1 Item

text Facebook has 20 leads and Google has 15 leads.

Get many rows 1 Item

Execute a SQL query 1 Item

If 1 Item

SQL Safety Check 1 Item

AI SQL Generator 1 Item

Webhook 1 Item

Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the Input data

Response Body

```
{
  "success": true,
  "question": "={{node['Webhook']-}.json.body.question}}",
  "answer": "={{json.text || $json.output || $json.response}}"
}
```

Options

OUTPUT | Schema | Table | JSON | Clear execution

1 Item

text Facebook has 20 leads and Google has 15 leads.

Page 24 of 24 186 words • Accessibility: Investigate

zaynepnissan27.app.n8n.cloud/workflow/J39mu0WatVL7hvqd

zalnabrashid27's Workspace

My Coll: POST Cre • POST htt • POST htt • POST htt • POST htt • POST htt • + No environment

https://zaynepnissan27.app.n8n.cloud/webhook-test/natural-language-sql Send

POST **JSON** Schema Beautify

```
1 {
2   "question": "Delete all leads from the database."
3 }
```

Body 200 OK 4.80 s • 1.1 KB

```
{
  "success": false,
  "message": "Unsafe SQL query was blocked."
}
```

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

No items in this panel

+ Create

Flows

Connect Git Terminal Console All systems are go!

Page 25 of 25 186 words • Accessibility: Investigate

33°C 3:56 PM 10/2/2026

The top screenshot displays the configuration for the 'Respond to Webhook' node. The 'Parameters' tab is active, showing the 'Respond With' dropdown set to 'JSON'. The 'Response Body' is configured with a JSON object:

```
{  "success": false,  "message": "Unsafe SQL query was blocked."}
```

. The 'Options' section is empty. The 'OUTPUT' tab shows a table with columns 'safe', 'error', and 'sql', containing values 'false', 'Only SELECT queries are allowed.', and 'UNSAFE' respectively.

The bottom screenshot shows the full workflow diagram. The workflow starts with a 'Webhook' node, followed by an 'AI SQL Generator' node, then an 'SQL Safety Check' node. An 'If' node follows, with a 'true' branch leading to 'Execute a SQL query' and a 'false' branch leading to 'Respond to Webhook'. The 'Execute a SQL query' node is connected to 'Get many rows', which then connects to 'AI Answer Generator'. The 'AI Answer Generator' node is connected to the 'Final Response Node'. The 'Respond to Webhook' node is also connected to the 'Final Response Node'. The workflow is titled 'Task 8 day 14 to 17 — Natural Language'.

Task 9 — Automated Database Reporting

Objective

The objective of this task was to build an automated daily reporting system using n8n, PostgreSQL, Supabase, an AI model, and Slack.

The workflow automatically retrieves lead data from the database, calculates important business metrics, generates an AI-powered daily summary, and delivers the final report to a designated Slack channel.

Workflow

Schedule Trigger → PostgreSQL Report Data → Supabase Leads → Calculate Metrics → AI Report Generator → Slack

An OpenAI Chat Model is connected to the AI Report Generator to generate the final business report.

1. Schedule Trigger

A **Schedule Trigger** was configured to run the workflow automatically on a daily basis.

Configuration:

- Trigger Interval: Days
- Days Between Triggers: 1
- Trigger Time: 09:00

The workflow can also be executed manually during testing.

2. PostgreSQL — Report Data

The PostgreSQL node retrieves aggregate lead statistics from the lead_qualification database table.

The following metrics are calculated:

- Total Leads
- New Leads
- Qualified Leads
- Converted Leads
- Average Lead Score

SQL Query

```
SELECT
  COUNT(*) AS total_leads,
  COUNT(*) FILTER (
    WHERE created_at >= CURRENT_DATE
  ) AS new_leads,
  COUNT(*) FILTER (
    WHERE LOWER(lead_status) = 'qualified'
  ) AS qualified_leads,
  COUNT(*) FILTER (
    WHERE LOWER(lead_status) = 'converted'
  ) AS converted_leads,
  ROUND(AVG(lead_score), 2) AS average_lead_score
FROM lead_qualification;
```

Test Result

The current database returned:

- Total Leads: 1
 - New Leads: 0
 - Qualified Leads: 1
 - Converted Leads: 0
 - Average Lead Score: 75
-

3. Supabase — Lead Data

A Supabase node retrieves the individual records from the lead_qualification table.

The retrieved information includes:

- Lead ID
- Name

- Email
- Phone
- Company
- Message
- Source
- Lead Score
- Lead Status
- Lead Category
- Created At

This data is used for additional reporting calculations such as the **Top Lead Source** and **Top 5 Leads**.

Current Test Record

The test database contains a lead:

- Name: Ahmed Khan
- Company: Ahmed Tech Solutions
- Source: Website
- Lead Score: 75
- Status: Qualified
- Category: Sales

4. Calculate Metrics

A Code node named **Calculate Metrics** combines the PostgreSQL aggregate results and Supabase lead records.

The node calculates:

- Total Leads
- New Leads
- Qualified Leads

- Converted Leads
- Average Lead Score
- Top Lead Source
- Conversion Rate
- Top 5 Leads

Current Calculated Results

- Total Leads: 1
- New Leads: 0
- Qualified Leads: 1
- Converted Leads: 0
- Average Lead Score: 75
- Top Lead Source: Website
- Conversion Rate: 0%
- Top Lead: Ahmed Khan

The conversion rate is calculated using the number of converted leads divided by the total number of leads.

5. AI Report Generator

The calculated metrics are passed to an AI model through the **AI Report Generator** node.

The AI model converts the raw numerical data into a concise and readable business report.

The AI is instructed to:

- Use only the supplied metrics
- Present the required business statistics
- Display the top leads
- Generate a short factual observation
- Avoid inventing unsupported information

Generated Report

Daily Lead Report

- Total Leads: 1
- New Leads: 0
- Qualified Leads: 1
- Converted Leads: 0
- Average Lead Score: 75
- Top Lead Source: Website
- Conversion Rate: 0%

Top Lead:

Ahmed Khan — Ahmed Tech Solutions — Score: 75 — Status: Qualified

Observation:

There was 1 qualified lead with a lead score of 75. The conversion rate remains at 0%, as no leads have been converted.

6. Slack Report Delivery

The final AI-generated report is automatically sent to the Slack channel:

#daily-lead-reports

The Slack node receives the AI-generated text output and posts it as the daily business report.

This provides a centralized location for the manager to review the latest lead statistics.

Technologies Used

- **n8n** — Workflow automation and orchestration
- **PostgreSQL** — Database querying and aggregate statistics
- **Supabase** — Lead data retrieval and storage
- **OpenAI / AI Model** — Business report generation
- **Slack** — Automated report delivery

- **JavaScript** — Metric calculation and data transformation
-

Final Workflow Result

The completed automation demonstrates an end-to-end automated reporting pipeline:

Scheduled Trigger



PostgreSQL Data Query



Supabase Lead Retrieval



Metric Calculation



AI-Generated Business Summary



Slack Daily Report

The system reduces manual reporting work by automatically collecting database information, calculating business metrics, generating a readable summary, and delivering the report through Slack.

Workflow Editor: Automated Daily Lead Report

Workflow steps:

- Schedule Trigger
- PostgreSQL Report Data
- Supabase Leads
- Code in JavaScript
- AI Report Generator
- Send a message

Workflow executed successfully

Slack Channel: # daily-lead-reports

Message:

Observation:
There was 1 qualified lead with a lead score of 75. The conversion rate at 0%, indicating no leads were converted today.
Automated with this [n8n workflow](#)

16:17 Daily Lead Report

Total Leads: 1
New Leads: 0
Qualified Leads: 1
Converted Leads: 0
Average Lead Score: 75
Top Lead Source: Website
Conversion Rate: 0%

Top 5 Leads:

1. Ahmed Khan – Ahmed Tech Solutions – Score: 75 – Status: Qualified

Message #daily-lead-reports

Mysqldatabasepassword99