




Personal My workflow + Add tag 0/1 Publish Star 200.024

Editor Executions Evaluations

Execute workflow

Logs Clear execution Search Contact Success in 113ms Input Output ... 1 item

Success in 7.869s

Webhook Prepare Contact Contact Valid? Search Contact Prepare API Error

valid	first_name	last_name	email	phone	title	department	office	error
true	Jane	Doe	existing@example.com	+15559999999	Senior Manager	Sales	New York	

Workflow executed successfully
the 'Execute workflow' button on the canvas, then

Aug 9, 22:32:44
Succeeded in 2.222s | 16KB | ID#371 | Autosave
+ Add tag

Copy to editor Add to evaluation dataset

Webhook Prepare Contact Contact Valid? Search Contact Contact Exists? Prepare Full Update Object Update Contact Prepare Updated Response Respond Updated 200 Prepare Validation Error Respond Validation Error 400 Prepare API Error Respond API Error

Logs Search Contact Success in 227ms Input Output ... 1 item

Success in 2.222s

Webhook

Respond Created 201

INPUT

- Prepare Created Response
 - status success
 - action created
 - contactId c_new1234
- Create Contact
- Contact Exists?
- Search Contact
- Contact Valid?
- Prepare Contact
- Webhook
- Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the input data

Response Body

```
[[ $json ]]
```

Options

Response Code

201

OUTPUT

```
{  "status": "success",  "action": "created",  "contactId": "c_new1234"}
```

Respond API Error

Execute step

OUTPUT

- Prepare API Error
 - status error
 - message CRM API request failed
 - httpStatus 500
- Search Contact
- Update Contact
- Create Contact
- Contact Valid?
- Prepare Full Update Object
- Contact Exists?
- Prepare Contact
- Webhook
- Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Respond With: JSON

When using expressions, note that this node will only run for the first item in the input data

Response Body

```
{  "status": $json.status,  "message": $json.message}
```

Options

Response Code

```
[[ $json.httpStatus ]]
```

500

+ Add option

OUTPUT

```
{  "status": "error",  "message": "CRM API request failed",  "httpStatus": 500}
```

Respond Updated 200

INPUT

- Prepare Updated Response
 - status: success
 - action: updated
 - contactId: c_8d7e6f5g
- Update Contact
- Prepare Full Update Object
- Contact Exists?
- Search Contact
- Contact Valid?
- Prepare Contact
- Webhook
- Variables and context

Parameters

Verify that the "Webhook" node's "Respond" parameter is set to "Using Respond to Webhook Node". [More details](#)

Response With

JSON

When using expressions, note that this node will only run for the first item in the input data

Response Body

`{{ $json }}`

Options

Response Code

200

+ Add option

OUTPUT

```
{
  "status": "success",
  "action": "updated",
  "contactId": "c_8d7e6f5g"
}
```

Mock CRM OAuth2

OAuth2 API

Save

Connection

Sharing

Details

OAuth Redirect URL

`https://oauth.n8n.cloud/oauth2/callback`

In the service you're connecting to, use the URL above when prompted to enter an OAuth callback or redirect URL

Grant Type

Authorization Code

Authorization URL *

`https://auth.mockcrm.cloudsync.io/authorize`

Access Token URL *

`https://auth.mockcrm.cloudsync.io/token`

Mock CRM OAuth2

OAuth2 API

Save

×

Connection

Sharing

Details

Client ID *

crm_sync_4n8n

Client Secret *

.....

Scope

contacts.read contacts.write

Auth URI Query Parameters

access_type=offline

Authentication

Mock CRM OAuth2

OAuth2 API

Save

×

Connection

Sharing

Details

access_type=offline

Authentication

Header

Ignore SSL Issues (Insecure)

☐

Token Expired Status Code

401

Allowed HTTP Request Domains

All