Inaugurating the Era of Super Cell: Curvature-Driven Geometric Synthetic Biology for Cell Fate Reprogramming

Baoliin (Zaitian) Wu 伍宝林

Contents

1 Physical Proof of Existence **2**

2 Inaugurating the Era of Super Cell: Curvature-Driven Geometric Synthetic Biology for Cell Fate Reprogramming **3**

2.1 Abstract . . . 3
2.2 1. Introduction . . . 4
2.2.1 1.1 The Grammar–Semantics Gap in Synthetic Biology . . . 4
2.2.2 1.2 From Artificial Cells to Super Cells: A Paradigm Shift . . . 4
2.2.3 1.3 Geometric Synthetic Biology: A New Discipline . . . 5
2.2.4 1.4 Sister Paper: Chirality as Curvature . . . 5
2.2.5 1.5 Paper Structure . . . 6
2.3 2. Theoretical Architecture: Geometrisation of Cell Fate . . . 6
2.3.1 2.1 The Waddington Landscape as a Riemannian Manifold . . . 6
2.3.2 2.2 Curvature as a Structural Descriptor . . . 7
2.3.3 2.3 Topology-Associated Robustness of Cell Fates . . . 8
2.3.4 2.4 Stochastic Dynamics, Curvature, and Fate Transitions . . . 8
2.4 3. The Super Cell: Definition and Criteria . . . 9
2.4.1 3.1 Definition . . . 9
2.4.2 3.2 Five Operational Criteria . . . 9
2.4.3 3.3 Comparison with Artificial Cells . . . 10
2.5 4. Geometric Reprogramming Protocol . . . 11
2.5.1 4.1 Five-Step Protocol . . . 11
2.5.2 4.2 From Gene Editing to Landscape Editing . . . 11
2.5.3 4.3 Optogenetic Control of Cell Fate . . . 12
2.5.4 4.4 Chemical and Mechanical Landscape Editing . . . 12
2.6 5. Optimal Landscape Editing . . . 13
2.6.1 5.1 The Freidlin–Wentzell Architecture . . . 13
2.6.2 5.2 Optimal Control Formulation . . . 13
2.6.3 5.3 Geometric Interpretation of the Optimal Solution . . . 14
2.7 6. Experimental Predictions . . . 14
2.7.1 6.1 Prediction 1: Curvature-Associated Fate Thresholds . . . 14
2.7.2 6.2 Prediction 2: Geometric Predictors of Dynamical Stability . . . 15
2.7.3 6.3 Prediction 3: Optogenetic Intervention Efficiency . . . 15
2.7.4 6.4 Prediction 4: Exploratory Curvature–Memory Scaling . . . 15

2.7.5 6.5 Prediction 5: Engineered Functional Combinations 16
2.7.6 6.6 Summary and Verifiability 16
2.8 7. Comparison with Existing Synthetic Biology Paradigms 17
2.8.1 7.1 Gene Editing 17
2.8.2 7.2 Genetic Circuits 17
2.8.3 7.3 Artificial Cells 17
2.8.4 7.4 Optogenetics 17
2.8.5 7.5 Summary 17
2.9 8. Discussion 18
2.9.1 8.1 What the Super Cell Paradigm Does and Does Not Claim 18
2.9.2 8.2 Sister Paper: Chirality as Curvature 18
2.9.3 8.3 Limitations and Challenges 19
2.9.4 8.4 Biosafety, Ethics, and Translational Boundaries 19
2.9.5 8.5 Future Directions 19
2.9.6 8.6 The Super Cell as a General Paradigm 20
2.10 9. Conclusion 20
2.11 Appendix A. Scientific Status of the Main Claims 21
2.12 Acknowledgments 21
2.13 Funding 21
2.14 Availability of data and material 21
2.15 Competing interests 22
2.16 Author Contributions 22
2.17 References 22
2.18 Physical Proof of Existence (Appendix) 25

1 Physical Proof of Existence

Title: Inaugurating the Era of Super Cell: Curvature-Driven Geometric Synthetic Biology for Cell Fate Reprogramming
Author: Baoliin (Zaitian) Wu 伍宝林
Date: 2026-10-09
Banknote Serial: `DW58553919`
Paper SHA-256: `fdee63746f12da30032b366b07fca653344c87b18d076122f98598b15ff06f5d`
Verification URL: https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553919.html

---

This proof is automatically generated by the Self-Preprint system.
© 2026 Baoliin (Zaitian) Wu 伍宝林 · Decentralized Academic Archive

2 Inaugurating the Era of Super Cell: Curvature-Driven Geometric Synthetic Biology for Cell Fate Reprogramming

Baoliin (Zaitian) Wu 伍宝林

ORCiD: 0009-0003-2051-5247

Email: zaitian001@gmail.com

Affiliation: People' s Government of Guangdong Province: Guangzhou, CN

Date: October 9, 2026

2.1 Abstract

Synthetic biology has made substantial progress in genome editing, genetic-circuit engineering, cell-state reprogramming, and bottom-up construction of cell-like systems. Yet an important engineering question remains: how can an intervention be evaluated not only by the molecular changes it produces, but also by the stability, accessibility, and controllability of the resulting cell state? This paper proposes **Geometric Synthetic Biology (GSB)** as a geometry-first research programme for addressing that question. It represents accessible cell states by a reconstructed state manifold equipped with an explicitly defined positive-definite metric, while representing the cell-fate landscape by a potential or empirically inferred dynamical structure. The metric and the covariant Hessian of the landscape are related but distinct mathematical objects.

The proposed **Super Cell** is an engineering objective: a synthetic or engineered cell system whose target states are programmable, dynamically stable, robust to specified perturbations, and capable of validated functional combinations beyond a chosen baseline. We formulate a five-step protocol —reconstruct the state manifold, estimate geometric descriptors, design interventions, modify and track the landscape, and independently validate dynamics and function. We develop an optimal-control formulation using a consistently defined small-noise action functional, and state five testable hypotheses concerning curvature-associated fate thresholds, geometric predictors of stability, optogenetic intervention efficiency, a proposed curvature–memory scaling law, and engineered phenotype combinations. These are hypotheses and design targets, not claims that Super Cells have already been experimentally realised.

This work is a companion paper to *Chirality as Curvature: Emergence from Attractor Basin Separatrix Asymmetry* (DW58553920). Both papers develop a broader **Geometric Selection Theory** hypothesis: discrete outcomes in complex adaptive systems may be related to the geometry of separatrices between competing attractor basins. The present paper extends this programme to cell-fate engineering. It retains a geometry-first theoretical stance while distinguishing foundational assumptions from mathematical consequences and empirical claims requiring independent validation.

The proposal does not replace gene-level, pathway-level, or bottom-up synthetic biology. It seeks to complement them with a quantitative layer for describing state-space geometry, dynamical stability, control, and functional verification. Its scientific value will depend on whether geometric descriptors improve prediction and intervention beyond suitable molecular, statistical, and dynamical baselines.

Keywords: Super Cell; geometric synthetic biology; cell-state manifold; Waddington landscape;

curvature; cell-fate reprogramming; topological data analysis; optogenetics; Freidlin–Wentzell theory; geometric selection theory

---

2.2 1. Introduction

2.2.1 1.1 The Grammar–Semantics Gap in Synthetic Biology

Synthetic biology has achieved remarkable milestones: minimal genomes, synthetic genetic circuits, and artificial cells capable of basic metabolic functions. Yet a fundamental limitation persists. Current approaches operate on **state variables**—genes, proteins, metabolites, signalling molecules —while the **geometry of the cell fate landscape** remains largely untouched.

This creates what we term the **grammar–semantics gap**: a cell can be "genetically perfect but therapeutically useless" —edits are exactly as designed, yet the cell drifts toward unintended fates, fails to maintain its engineered state, or exhibits instability under stress. As Raju (2026) has noted, current evaluation architectures excel at measuring "what was done to the cell" (indel rates, off-target scores, sequence fidelity) but are blind to "what the cell became" —a nonlinear dynamical system occupying a specific position on a high-dimensional state manifold.

The gap is both technical and conceptual. Molecular interventions change state variables and system parameters, and those changes can in turn reshape the dynamical landscape. GSB proposes that an explicit geometric representation can provide an additional level at which to predict and control cell fate: the organization of states, attractor basins, transition pathways, and separatrices. The central claim is not that genes or molecules are irrelevant, but that their effects should also be evaluated at the level of the state-space structure they help generate.

2.2.2 1.2 From Artificial Cells to Super Cells: A Paradigm Shift

The artificial cell programme asks: **"Can we build a cell from scratch?"** This question has driven remarkable progress—from minimal bacterial genomes to synthetic vesicles capable of gene expression and metabolism.

But a deeper question remains: **"Can we build a cell that exceeds natural design limits?"**

This is the question of the **Super Cell**—a proposed synthetic-cell engineering objective in which programmability, dynamical stability, robustness, and functional combinations are designed and assessed explicitly. Topological protection and non-natural phenotype combinations are research targets to be demonstrated, not assumed properties. The relationship between artificial cells and Super Cells mirrors that between artificial intelligence (AI) and superintelligence (SI): AI aims to simulate human intelligence; SI aims to surpass it. Artificial cells aim to replicate natural cells; Super Cells aim to **transcend** them.

The key distinction is operational:

Dimension	Artificial Cell (Current Paradigm)	Super Cell (Proposed Paradigm)
Design target	Mimic natural cells	Exceed natural design limits
Design principle	Bottom-up assembly of known parts	First principles from geometry/topology

Dimension	Artificial Cell (Current Paradigm)	Super Cell (Proposed Paradigm)
Operational object	Genes, proteins, metabolic pathways	Curvature and attractor landscape of state manifold
Stability source	Negative feedback in gene circuits	Topological protection and Hessian geometry
Programmability	Finite (combinations of gene switches)	Infinite (spatiotemporal programming of continuous curvature fields)
Relationship to host	Replace or supplement	Reprogram the host' s own landscape
Discipline	Synthetic biology	**Geometric synthetic biology**

2.2.3 1.3 Geometric Synthetic Biology: A New Discipline

We propose **Geometric Synthetic Biology (GSB)** as a new discipline that operates on the **geometry of the cell fate landscape** rather than on molecular components. The central premise is:

> **GSB hypothesis:** Cell-fate outcomes are shaped by the coupled organization of molecular regulation, state-space geometry, and nonequilibrium dynamics. Geometric descriptors of the Waddington landscape may provide a predictive and controllable layer that complements gene- and pathway-level descriptions.

This premise has three components:

- **Cell fate manifold**: Accessible cell states form a differentiable manifold $(\mathcal{M}, g)$ with a Riemannian metric $g_{\mu\nu}$ derived from single-cell data.
- **Geometry and dynamics**: The state manifold carries a positive-definite metric $g_{\mu\nu}$; the landscape function $\Phi(z)$ has a covariant Hessian $H_{\mu\nu} = \nabla_\mu \nabla_\nu \Phi$. These objects are related but are not identified by definition.
- **Topology-associated robustness**: Topological descriptors may help identify structural features associated with fate persistence, but biological protection must be demonstrated through dynamical and functional tests.

Under this hypothesis, reprogramming is a **controlled geometric perturbation**: external signals inject a drift perturbation δf^μ that locally modifies curvature, thereby reshaping the attractor landscape and guiding the cell to a target fate.

2.2.4 1.4 Sister Paper: Chirality as Curvature

This work is a **sister paper** to *Chirality as Curvature: Emergence from Attractor Basin Separatrix Asymmetry* (Wu, 2026). Both papers share a common geometric-topological architecture:

Concept	Chirality as Curvature (Molecular Scale)	Super Cell (Cellular Scale)
State manifold	Chiral state manifold	Cell fate manifold
Attractor basins	Enantiomeric basins (L vs D)	Phenotypic basins (cell types)

Concept	Chirality as Curvature (Molecular Scale)	Super Cell (Cellular Scale)
Separatrix	Barrier ridge between enantiomers	Barrier ridge between cell fates
Curvature asymmetry	$\Delta R \neq 0$ breaks mirror symmetry	$\Delta R \neq 0$ breaks fate symmetry
Topological protection	Chern number protects chiral purity	Chern number protects cell fate
Autocatalysis / reprogramming	Closed geodesic amplifies chirality	Curvature perturbation reprograms fate
Central theorem	Chirality emerges from separatrix curvature asymmetry	Cell fate emerges from separatrix curvature asymmetry

The chirality paper advances the principle at the **molecular scale**; the present paper develops a corresponding cellular-scale hypothesis. The cross-scale connection is a theoretical programme whose generality depends on the definitions, derivations, and independent evidence supplied in each domain.

Together, they are proposed as two components of **Geometric Selection Theory**: the hypothesis that discrete choices in complex adaptive systems may be predicted, and under suitable conditions influenced, by geometric asymmetries of separatrices between competing attractor basins.

2.2.5 1.5 Paper Structure

Section 2 presents the theoretical architecture: geometrisation of the Waddington landscape, curvature-driven dynamics, and topological protection. Section 3 defines the Super Cell and its five criteria. Section 4 develops the geometric reprogramming protocol. Section 5 presents the optimal control formulation. Section 6 provides experimental predictions. Section 7 compares the Super Cell paradigm with existing synthetic biology approaches. Section 8 discusses limitations and future directions.

2.3 2. Theoretical Architecture: Geometrisation of Cell Fate

2.3.1 2.1 The Waddington Landscape as a Riemannian Manifold

The classical Waddington landscape represents cell differentiation as movement through a state space containing valleys, ridges, and branch points. GSB turns this picture into an explicit modelling proposal while keeping separate the geometry of the state space and the dynamics evolving on it.

Let $z = (z^1, \ldots, z^N)$ denote measured cell-state variables, including selected transcriptomic, proteomic, metabolic, epigenetic, morphological, electrophysiological, or functional observables. After reconstruction and validation, the accessible states may be represented by a manifold $\mathcal{M}$ of effective dimension $d \ll N$. The manifold is an inferred model of accessible states, not an assumption that every embedding algorithm recovers a unique biological geometry.

Equip $\mathcal{M}$ with a sufficiently smooth, positive-definite Riemannian metric $g_{\mu\nu}(z)$. One possible source is the Fisher information metric for a statistical model $p(x \mid z)$:

$$g_{ab}(z) = \mathbb{E}_{x\sim p(x|z)} \left[\partial_a \log p(x \mid z)\, \partial_b \log p(x \mid z)\right] \quad (1)$$

Other constructions may use a validated response metric, an embedding-induced metric, or a model-based metric. The chosen construction, regularisation, sampling assumptions, and uncertainty must be reported. The Fisher metric is a standard information-geometric construction; uniqueness claims require the relevant assumptions and are not needed for the present architecture.

Let $\Phi(z)$ denote a landscape or quasipotential when such a scalar representation is justified. Its covariant Hessian is

$$H_{\mu\nu}(z) = \nabla_\mu \nabla_\nu \Phi(z) \quad (2)$$

The metric $g_{\mu\nu}$ and Hessian $H_{\mu\nu}$ are distinct. A Hessian can be indefinite, especially near saddles or transition regions, and therefore cannot automatically serve as a Riemannian metric over the entire landscape. In a gradient system, local minima of a suitable potential may correspond to stable states; in general nonequilibrium systems, the relationship between a scalar landscape and stationary dynamics must be established for the model at hand.

2.3.2 2.2 Curvature as a Structural Descriptor

The Riemann curvature tensor describes intrinsic local properties of the metric geometry, including the infinitesimal effect of parallel transport around closed loops. Its scalar contraction is

$$R = g^{\mu\nu} R_{\mu\nu} \quad (3)$$

where the sign convention for the Riemann tensor must be specified consistently. Curvature is invariant under smooth coordinate changes, but its numerical estimation from finite, noisy single-cell data is not automatically invariant to every measurement pipeline or embedding choice. Robustness to reconstruction method and sampling variation must therefore be assessed.

Proposition 1. Curvature as a Structural Variable in Cell-Fate Geometry. Let $(\mathcal{M}, g)$ be a sufficiently smooth Riemannian manifold representing an inferred cell-state space. The Riemann curvature tensor characterises the local metric geometry of $\mathcal{M}$, including infinitesimal parallel-transport effects. Within GSB, curvature is proposed as a structural variable for characterising cell-state organisation and for developing predictive models of fate transitions, robustness, and response to intervention.

The stronger biological hypothesis is that, under a specified dynamical model, changes in geometric structure can alter the accessibility, relative stability, or transition probabilities of competing cell-fate states. This claim requires an explicit coupling between geometry and dynamics and must be tested against independent observations. Nonzero curvature alone does not establish biological memory, non-Markovian dynamics, or causal control of cell fate; likewise, zero curvature does not imply global integrability or Markovianity.

Corollary (research hypothesis, not a general theorem). Curvature descriptors may correlate with attractor robustness, transition susceptibility, or critical behaviour in particular cell-state

models. The sign of scalar curvature alone does not determine whether a state is dynamically stable or whether a point is a saddle. Stability should be evaluated from the drift dynamics, linearised Jacobian, Lyapunov functions, or appropriate stochastic-stability measures.

2.3.3 2.3 Topology-Associated Robustness of Cell Fates

Developmental processes reshape the organisation of accessible cell states. This motivates the hypothesis that topological descriptors of state spaces and fate landscapes may identify structural features associated with the persistence of phenotypic states. The relevant mathematical object must be specified: Euler characteristic, Betti numbers, persistent-homology features, winding numbers, and Chern numbers are distinct quantities and are not interchangeable.

Persistent homology can quantify topological features across scales of a chosen filtration; it does not, by itself, estimate a Chern number. A Chern number requires an appropriate bundle and connection or equivalent mathematical structure. Likewise, invariance of a topological quantity under a class of continuous deformations does not automatically guarantee dynamical stability of an attractor or biological resistance to noise.

Hypothesis 2. Topology-Associated Robustness. For a specified cell-state reconstruction and a specified class of perturbations, selected topological descriptors are hypothesised to predict the persistence of functional cell states. This hypothesis can be tested by asking whether topology-informed models predict state retention or transition outcomes beyond matched molecular, geometric, and dynamical baselines. A protection claim requires independent evidence that the relevant invariant is well-defined, estimated reliably, and linked to a measurable robustness outcome.

The developmental interpretation is therefore a proposed mechanism for investigation: developmental constraints may shape persistent organisation in the cell-fate landscape, and topology may provide useful descriptors of that organisation. Whether these descriptors confer functional protection is a separate empirical question.

2.3.4 2.4 Stochastic Dynamics, Curvature, and Fate Transitions

A general local model of cell-state dynamics is

$$dz^\mu = f^\mu(z,u)\,dt + \sqrt{2\varepsilon}B^\mu{}_a(z)\,dW_t^a \quad (4)$$

where f^μ is the drift field, u denotes external controls, W_t is a vector of Wiener processes, and ε sets the small-noise scale under the chosen convention. Let $a(z) = B(z)B(z)^\top$ be the diffusion covariance. This stochastic model is schematic; coordinate-consistent formulations on manifolds require the appropriate stochastic calculus and drift corrections.

When a gradient-like representation is justified, the drift may contain a component related to the gradient of a potential, alongside non-gradient components that sustain nonequilibrium currents. A general decomposition is model-dependent and should not be imposed on all cell-state systems without evidence.

Curvature is not assumed to determine diffusion by itself. A relation such as

$$D_{\text{eff}}^{\mu\nu}(z) = D_0 g^{\mu\nu}(z) \quad (5)$$

may be adopted as a modelling choice when justified by the noise model; it is not a universal consequence of curvature. The diffusion tensor, metric, and drift must be estimated or specified consistently.

Nor is a transition barrier generally equal to geodesic distance. In a gradient-potential model with a relevant saddle z_s and initial attractor z_A, a potential barrier can be written as

$$\Delta\Phi_{A\to s} = \Phi(z_s) - \Phi(z_A) \quad (6)$$

For a nonequilibrium stochastic system, transition difficulty may instead be characterised by a quasipotential difference or a minimum-action path under the specified stochastic dynamics. Geodesic distance can describe path length under g, while a dynamical barrier or action describes a different quantity. GSB investigates how these geometric and dynamical descriptors jointly predict fate transitions.

2.4 3. The Super Cell: Definition and Criteria

2.4.1 3.1 Definition

> **Super Cell (proposed engineering objective):** a synthetic or engineered cell system designed to achieve specified target functions through controllable cell-state dynamics, with measurable criteria for state accessibility, stability, perturbation robustness, programmable transitions, and functional performance. Geometric and topological descriptors are used as design variables or predictors when their definitions and relevance have been validated.

The term denotes a research target, not a claim that a completed Super Cell has already been realised. The ambition is to extend existing synthetic biology with an explicit state-space engineering layer.

2.4.2 3.2 Five Operational Criteria

The criteria below define a development and evaluation programme. A claim of success must specify the cell system, target function, time horizon, perturbation class, and comparison baseline.

Criterion 1: Dynamical stability and geometric characterisation. The target state must exhibit measurable stability under a prespecified range of perturbations. Stability is evaluated through recovery trajectories, transition probabilities, local drift/Jacobian analysis, Lyapunov methods where available, and/or stochastic persistence measures. Curvature is an auxiliary structural descriptor; negative scalar curvature is not a necessary or sufficient condition for stability.

Operational test: apply perturbations of specified magnitude and direction, track state recovery and fate transitions, and compare curvature-informed predictions with models that omit curvature.

Criterion 2: Programmability. External optical, chemical, mechanical, or genetic control signals should reproducibly alter state transitions or target-state occupancy. A control channel may be modelled as

$$dz^\mu = f^\mu(z)\,dt + \sum_k u_k(t) X_k^\mu(z)\,dt + \sqrt{2\varepsilon} B^\mu{}_a(z)\,dW_t^a \quad (7)$$

where X_k is the state-space effect of control channel k. A control input changes the drift directly; a change in the estimated metric or curvature must be measured rather than presumed.

Operational test: demonstrate reproducible target-state access from prespecified initial conditions and quantify whether the state persists after the control is withdrawn or under closed-loop feedback.

Criterion 3: Topology-associated robustness. A mathematically defined topological descriptor should be reproducible and associated with state persistence under a specified class of perturbations. The chosen quantity—such as Betti numbers, persistent-homology features, Euler characteristic, or a Chern number—must match the structure being analysed.

Operational test: estimate the descriptor with uncertainty and perturbation controls; test whether it predicts functional persistence beyond appropriate baselines. Do not infer a Chern number from persistent homology alone.

Criterion 4: Controlled multistability. The system should support at least two distinguishable, functionally validated states that can be reached and switched between using specified control protocols. Depending on the design, the target may be reversible switching, stable coexistence in a population, or controlled state selection; these are distinct outcomes and should not be conflated.

Operational test: quantify switching probability, reversibility, state occupancy, transition time, and post-intervention stability across independent replicates.

Criterion 5: Engineered functional combinations. The system should exhibit a prespecified combination of functions or phenotypes that is uncommon, difficult to achieve, or not demonstrated in the selected natural baseline. Claims of novelty must be bounded by a literature and comparator search; they should not state that a combination is impossible in every natural regulatory network without comprehensive evidence.

Operational test: assess molecular markers, single-cell co-expression, functional performance, durability, and safety. Marker co-expression alone is not sufficient to demonstrate two complete functions. Combinations involving proliferation and differentiation require particular caution because uncontrolled proliferation can create serious safety risks.

2.4.3 3.3 Comparison with Artificial Cells

Dimension	Artificial Cell	Super Cell
Construction	Bottom-up assembly of gene circuits	Curvature-driven editing of existing cell landscape
Operational object	Molecular parts	Geometric structure of state manifold
Stability analysis	Circuit dynamics and feedback	Explicit dynamical and geometric robustness tests
Design language	Genetic circuit diagrams	Curvature fields and attractor landscapes
Goal	Reproduce natural functions	Achieve non-natural function combinations

Dimension	Artificial Cell	Super Cell
Fate determination	Genetic programme	Landscape geometry
Programmability	Depends on circuit and actuator design	Potentially continuous, subject to controllability and measurement limits
Discipline	Synthetic biology	**Geometric synthetic biology**

The Super Cell paradigm is proposed as a complementary engineering layer rather than a replacement for artificial-cell research. Artificial-cell programmes ask how cell-like systems can be constructed; GSB asks how state-space organisation, stability, and controllability can be measured and designed in synthetic or engineered cellular systems.

2.5 4. Geometric Reprogramming Protocol

2.5.1 4.1 Five-Step Protocol

The geometric reprogramming of cell fate follows a five-step protocol:

Step	Operation	Mathematical Formulation	Experimental Implementation
1. Map the manifold	Reconstruct the cell fate manifold	Estimate $(\mathcal{M}, g)$ from single-cell data	scRNA-seq + manifold learning (diffusion maps, PHATE)
2. Measure geometry	Estimate local curvature and topology	Compute a declared curvature estimator and suitable topological descriptors	Metric estimation, uncertainty analysis, and topological data analysis; use bundle methods only if a Chern number is mathematically defined
3. Program perturbation	Design control signals	Construct $\delta f^{\mu}(t)$	Optogenetic/chemical stimulation protocols
4. Edit the landscape	Change basin depths and barriers	Adjust $\Phi(z)$ and $R(z)$	Closed-loop feedback control
5. Verify geometry and topology	Test reproducibility and perturbation response	Estimate selected invariants appropriate to the reconstructed object	Single-cell tracking, robustness analysis, and independently validated invariant estimation

2.5.2 4.2 From Gene Editing to Landscape Editing

The fundamental distinction between gene editing and landscape editing is the **operational target**:

Paradigm	Operational Target	Mechanism	Outcome
Gene editing	DNA sequence	Nucleases, base editors	Change in molecular parts
Landscape editing	Hessian geometry of Waddington potential	Curvature perturbation δR	Change in attractor structure

Gene editing often changes system parameters and can thereby change the inferred landscape geometry. GSB proposes to make those downstream state-space effects explicit design targets. A gene edit may alter a parameter without changing a relevant topological descriptor, or it may reorganise the state space in ways that are not obvious from the edit alone. A landscape-editing intervention is successful only if it measurably changes the desired state-transition or stability outcome.

The key GSB proposition: molecular interventions should be evaluated not only by the parameter changes they produce, but also by the resulting landscape, state-transition, and stability changes. Whether an intervention must alter topology, rather than other geometric or dynamical features, depends on the target problem.

This proposition is conceptually aligned with the molecular-scale chirality architecture (Wu, 2026), where separatrix curvature asymmetry is proposed as a selection mechanism. Both applications require their own derivations and independent validation; neither implies that molecular or genetic interventions are intrinsically insufficient.

2.5.3 4.3 Optogenetic Control of Cell Fate

Optogenetics is a candidate intervention modality because it can provide temporally controlled inputs to selected cellular pathways. A proposed causal chain to test is:

Light pulse → Channelrhodopsin activation → Membrane potential change → Local charge redistribution → Loca

The control signal can alter the drift term, but the subsequent effects on estimated geometry, landscape structure, and cell fate are empirical links rather than automatic consequences. The study should measure each link, test alternative pathways, and use appropriate controls to distinguish direct pathway effects from geometry-mediated predictions.

Potential advantage: Optogenetics can offer high temporal and spatial control in suitable experimental systems. Whether that control can produce a reproducible, measurable change in a chosen curvature descriptor must be established for each cell type and actuator.

2.5.4 4.4 Chemical and Mechanical Landscape Editing

Alongside optogenetics, other modalities can perturb pathways and potentially reshape the inferred landscape:

- **Chemical**: Small molecules that modulate signalling pathways can change the Hessian structure of the Waddington potential. The advantage is ease of delivery; the disadvantage is limited spatial and temporal precision.

- **Mechanical**: Substrate stiffness, shear stress, and cell shape can alter the landscape through mechanotransduction pathways. The advantage is physiological relevance; the disadvantage is limited reversibility.
- **Genetic**: Transcription factor overexpression or CRISPR activation can shift the landscape by changing the expression levels of key regulators. The advantage is durability; the disadvantage is irreversibility.

All these modalities can be unified in the geometric architecture as perturbations δf^{μ} to the drift term, differing primarily in their spatial resolution, temporal precision, reversibility, and biological constraints.

2.6 5. Optimal Landscape Editing

2.6.1 5.1 The Freidlin–Wentzell Architecture

For a controlled small-noise model

$$dz = f(z,u)\,dt + \sqrt{2\varepsilon}B(z)\,dW_t \quad (8)$$

with positive-definite diffusion covariance $a(z) = B(z)B(z)^{\top}$, the Freidlin–Wentzell action for an absolutely continuous path $z(t)$, under the stated convention and regularity assumptions, is

$$S_T[z;u] = \frac{1}{4}\int_0^T [\dot{z} - f(z,u)]^{\top} a(z)^{-1} [\dot{z} - f(z,u)]\,dt \quad (9)$$

The leading small-noise probability of a path scales as $\exp[-S_T/\varepsilon]$, subject to the relevant large-deviation assumptions. If the control enters the drift through $f(z,u) = f_0(z) + \sum_k u_k X_k(z)$, this action can be used to compare controlled transition paths. The noise scale must not be counted twice by introducing an additional undefined diffusion denominator.

On a manifold, the action must be formulated consistently with the chosen coordinates, metric, diffusion, and stochastic convention. The expression above is a local coordinate representation; a full implementation should state its geometric and statistical assumptions.

2.6.2 5.2 Optimal Control Formulation

The proposed design problem balances transition cost, target-state stability, control effort, geometric objectives, and safety. A generic formulation is

$$\min_{u,z}\ J[z,u] = S_T[z;u] + \int_0^T \left[\alpha\,\mathcal{R}_g(z) + \beta\,\mathcal{C}_{\mathrm{stab}}(z) + \gamma\,\|u(t)\|^2\right] dt + \lambda\,\mathcal{L}_{\mathrm{target}}(z(T)) \quad (10)$$

subject to

$$z(0) \in \mathcal{B}_A, \qquad z(T) \in \mathcal{T}_B \quad (11)$$

$$\dot{z} = f_0(z) + \sum_k u_k(t) X_k(z) \quad (12)$$

and prespecified constraints

$$u_k^{\min} \le u_k(t) \le u_k^{\max}, \qquad z(t) \in \mathcal{S}_{\text{safe}} \quad (13)$$

Here $\mathcal{R}_g$ is a declared geometric regulariser, $\mathcal{C}_{\text{stab}}$ is a stability cost derived from a defined dynamical measure, $\mathcal{L}_{\text{target}}$ penalises failure to reach or maintain the desired functional state, and $\mathcal{S}_{\text{safe}}$ is a safety set. The weights $\alpha, \beta, \gamma, \lambda$ require scaling and sensitivity analysis. If a potential function is used in the terminal objective, its sign must match the definition of the target state; a generic inequality such as $\Phi(z(T)) \ge \Phi_{\min}$ should not be imposed without checking that convention.

The optimisation is a proposed computational architecture, not a proof that every target fate is reachable. Reachability, controllability, model identifiability, uncertainty, and biological constraints must be analysed for each application.

2.6.3 5.3 Geometric Interpretation of the Optimal Solution

The optimal trajectory is the path that minimises the specified action and control costs while satisfying target and safety constraints. In a gradient-potential system, a transition may pass near a relevant saddle or mountain-pass region; in a nonequilibrium system, the minimum-action path need not coincide with a geodesic or the lowest geometric-curvature channel.

GSB prediction: adding well-estimated geometric descriptors to a dynamical control model may improve prediction or intervention efficiency beyond a matched baseline. This should be tested through out-of-sample comparisons, ablation of curvature terms, uncertainty analysis, and prospective validation. The geometry-first architecture treats curvature as a candidate explanatory and design variable, not as a substitute for the governing dynamics.

2.7 6. Experimental Predictions

2.7.1 6.1 Prediction 1: Curvature-Associated Fate Thresholds

Hypothesis: local geometric descriptors, including curvature where it can be estimated reliably, improve prediction of the intervention threshold for a fate transition.

A simple exploratory model is

$$I_{\text{th}} = \beta_0 + \beta_R \, \Delta R + \beta^\top \mathbf{x} + \epsilon \quad (14)$$

where I_{th} is a prespecified intervention threshold, ΔR is a defined curvature contrast, and $\mathbf{x}$ contains relevant confounders such as baseline state, viability, cell-cycle phase, and actuator expression. The sign and magnitude of β_R are empirical questions, not fixed by the architecture.

Test: reconstruct geometry from one dataset, estimate the threshold in independent experiments, and compare against models using molecular state, Euclidean distance, and standard dynamical features without curvature.

2.7.2 6.2 Prediction 2: Geometric Predictors of Dynamical Stability

Hypothesis: curvature-informed descriptors can improve prediction of recovery, state retention, or transition susceptibility after controlled perturbations.

For perturbation direction $\hat{n}$, define a recovery-alignment statistic using a prespecified state-space inner product, for example

$$C = \mathbb{E}\left[\frac{\langle -\delta z,\, v_{\mathrm{rec}}\rangle_g}{\|\delta z\|_g \, \|v_{\mathrm{rec}}\|_g}\right] \quad (15)$$

where δz is the initial perturbation displacement from the baseline state z_0, v_{rec} is the measured recovery displacement (or local recovery velocity) during the post-perturbation interval, and $\langle \cdot, \cdot \rangle_g$ denotes the inner product induced by the estimated local Riemannian metric $g_{\mu\nu}(z_0)$. The statistic C quantifies the average alignment between the expected restorative force (directed opposite to the perturbation, $-\delta z$) and the empirically observed cellular recovery trajectory.

where v_{rec} is the measured recovery displacement or local recovery velocity, defined so that the sign convention is explicit. This statistic is descriptive and should not be treated as a universal stability theorem. Stability outcomes should also include recovery time, state-retention probability, and fate-transition frequency.

Test: apply perturbations in prespecified directions and magnitudes, track single-cell trajectories, and assess whether curvature improves out-of-sample prediction beyond the drift/Jacobian and molecular baselines.

2.7.3 6.3 Prediction 3: Optogenetic Intervention Efficiency

Hypothesis: for some optogenetic control systems, intervention efficiency depends on the relationship between stimulation timing and characteristic response timescales of the cell-state dynamics.

An exploratory frequency-response model is

$$\eta(\omega) = \eta_0 + A \exp\left[-\frac{(\omega - \omega_0)^2}{2\sigma^2}\right] \quad (16)$$

where η is a prespecified efficiency measure, ω is the stimulation frequency, and ω_0, σ are fitted parameters. This is a candidate phenomenological model, not a law implied by curvature alone.

Test: compare multiple stimulation schedules with matched light dose, pathway activation controls, sham controls, viability measurements, and independent fate readouts. Test whether geometric features explain response variation after controlling for pathway dynamics.

2.7.4 6.4 Prediction 4: Exploratory Curvature–Memory Scaling

Hypothesis: under a specified model and curvature convention, a characteristic cell-state memory timescale may exhibit a power-law relationship with a geometric descriptor.

The proposed exploratory scaling is

$$\tau = K|R|^{-1/2} \quad (17)$$

where R is a defined curvature quantity and K is a dimensional coefficient. This relation is not a consequence of the scalar geodesic-deviation equation alone: geodesic deviation depends on the relevant sectional-curvature component along a specified geodesic, and biological relaxation times also depend on drift, noise, and control. The units and normalisation of R must therefore be fixed before the exponent is tested.

Test: define memory operationally (for example, persistence of a fate bias after stimulus withdrawal), estimate τ independently, specify the curvature estimator and its units, and compare the proposed exponent against alternative scaling laws and non-geometric models. Treat this as an exploratory hypothesis until replicated.

2.7.5 6.5 Prediction 5: Engineered Functional Combinations

Hypothesis: geometric modelling and control may help identify engineered states that combine functions not typically co-expressed in the selected natural baseline or not reliably produced by existing methods.

The goal is not to assume that a biologically contradictory state—such as permanent proliferation and complete terminal differentiation—is achievable. Instead, the target combination must be defined precisely, justified biologically, and assessed against relevant natural and engineered controls.

Test: evaluate single-cell co-expression, functional assays, durability, reversibility where appropriate, and safety. Proliferation markers such as Ki-67 combined with lineage markers are insufficient by themselves to prove complete differentiation plus stable proliferation. Experiments involving enhanced proliferation require stringent monitoring for genomic instability, abnormal growth, and tumour-forming potential.

2.7.6 6.6 Summary and Verifiability

Prediction	Primary outcome	Required comparison
Curvature-associated threshold	Held-out prediction of transition threshold	Molecular-state and non-curvature baselines
Geometric stability	Recovery, state retention, transition rate	Drift/Jacobian and conventional stability measures
Optogenetic efficiency	Fate-conversion efficiency under controlled schedules	Matched dose, sham, and pathway controls
Curvature–memory scaling	Independently estimated memory timescale	Alternative exponents and non-geometric models
Engineered functional combination	Verified function, durability, and safety	Natural and engineered reference systems

A prediction is supported only if its operational definitions are fixed in advance, uncertainty is reported, the comparison is fair, and the result replicates in independent data. A null or negative result would refine the domain of validity of GSB rather than being hidden by post hoc changes to the hypothesis.

2.8 7. Comparison with Existing Synthetic Biology Paradigms

2.8.1 7.1 Gene Editing

Paradigm: Change the DNA sequence to alter cell behaviour.

Limitation addressed by GSB: sequence-level success does not by itself guarantee a stable or desired cellular outcome. Molecular edits can reshape dynamics and geometry, but these downstream effects may not be explicitly modelled or measured.

Proposed GSB contribution: Adds an explicit landscape-level model to help predict whether a molecular intervention makes the desired state more accessible or stable; this advantage must be demonstrated experimentally.

2.8.2 7.2 Genetic Circuits

Paradigm: Design synthetic gene circuits with desired logic functions (oscillators, toggle switches, logic gates).

Limitation addressed by GSB: circuit performance can depend on cellular context, coupled pathways, and the state-space dynamics in which the circuit operates.

Proposed GSB contribution: Evaluates how circuit interventions reshape inferred state-space dynamics and whether geometric features improve design and control.

2.8.3 7.3 Artificial Cells

Paradigm: Build cells from scratch using minimal genomes and synthetic components.

Question for GSB: robustness and failure modes should be measured for each artificial-cell design rather than inferred from construction strategy alone.

Proposed GSB contribution: Tests whether well-defined topological descriptors are associated with robustness; protection is not assumed by construction.

2.8.4 7.4 Optogenetics

Paradigm: Use light to control cell behaviour with high spatiotemporal precision.

Question for GSB: pathway-level optical control can be evaluated for its downstream effects on state-space geometry, transition probability, and functional stability.

Proposed GSB contribution: Measures whether pathway-level optogenetic control produces reproducible landscape changes and whether those changes predict fate outcomes.

2.8.5 7.5 Summary

Paradigm	Operational Target	Strength	Limitation	Super Cell Advantage
Gene editing	DNA sequence	Precise, durable	Grammar–semantics gap	Landscape-level control

Paradigm	Operational Target	Strength	Limitation	Super Cell Advantage
Genetic circuits	Gene regulatory networks	Programmable logic	Context-dependent failure	Topology-compatible design
Artificial cells	Minimal genomes	Bottom-up construction	System-specific robustness limits	Geometry-informed robustness tests
Optogenetics	Signalling pathways	High spatiotemporal precision	Pathway-level control	Landscape-level editing

---

2.9 8. Discussion

2.9.1 8.1 What the Super Cell Paradigm Does and Does Not Claim

The Super Cell paradigm makes precise claims:

- **It does claim**: A geometry-first research programme for modelling and controlling cell-state transitions, with explicit mathematical objects, operational criteria, a five-step protocol, and testable hypotheses.
- **It does not claim**: That Super Cells have already been experimentally realised; that curvature alone determines cell fate; that a particular curvature sign guarantees stability; or that topology automatically protects biological function.

This distinction is essential for scientific integrity. The Super Cell is a **cutting-edge theoretical architecture and an engineering aspiration**, not a completed achievement.

2.9.2 8.2 Sister Paper: Chirality as Curvature

This paper is a sister paper to *Chirality as Curvature: Emergence from Attractor Basin Separatrix Asymmetry* (DW58553920). The two papers share a common geometric-topological architecture and together constitute **Geometric Selection Theory**:

Dimension	Chirality as Curvature	Super Cell
Scale	Molecular	Cellular
State manifold	Chiral state manifold	Cell fate manifold
Attractor basins	Enantiomeric basins	Phenotypic basins
Separatrix	Barrier between enantiomers	Barrier between cell fates
Curvature asymmetry	$\Delta R \neq 0$ breaks mirror symmetry	$\Delta R \neq 0$ breaks fate symmetry
Topological protection	Chern number protects chiral purity	Chern number protects cell fate
Central theorem	Chirality emerges from separatrix curvature asymmetry	Cell fate emerges from separatrix curvature asymmetry

The chirality paper advances a molecular-scale hypothesis, while this paper develops a cellular-scale research programme. Together, they propose that **separatrix geometry may help explain and predict discrete choices in complex adaptive systems**. The universality of this principle remains a cross-domain hypothesis requiring independent mathematical and empirical support.

2.9.3 8.3 Limitations and Challenges

Challenge	Description	Mitigation Strategy
Landscape reconstruction	High-dimensional manifold reconstruction from single-cell data is noisy	Use multiple embedding methods; validate with independent data
Curvature estimation	Curvature estimation in high dimensions is unstable	Use regularisation and uncertainty quantification
Optogenetic precision	Light scattering limits spatial precision in tissue	Use two-photon optogenetics or implanted fibres
Topological invariant computation	Computing Chern numbers from finite data is difficult	Validate on synthetic data with known topology
Biological constraints	Not all cell fates are accessible from all initial states	Pre-screen for accessible transitions; use intermediate states
Safety	Uncontrolled proliferation is a risk	Include safety switches and kill switches

2.9.4 8.4 Biosafety, Ethics, and Translational Boundaries

A system designed for durable state control or enhanced proliferation must be evaluated for risks that are not captured by geometric stability alone. Relevant concerns include unintended lineage conversion, genomic or epigenomic instability, abnormal growth, immune dysregulation, persistence after control withdrawal, ecological release, and failure of containment. Safety objectives should be represented in the control problem and assessed using validated biological assays, not only model-derived penalties.

Research should proceed from computational and in-vitro validation to increasingly complex systems only when justified by evidence and appropriate oversight. Reversible controls, fail-safe designs, kill switches where appropriate, longitudinal monitoring, and predeclared stopping criteria should be considered. The term Super Cell is an engineering aspiration and does not imply superior safety, therapeutic efficacy, or clinical readiness.

2.9.5 8.5 Future Directions

1. **Landscape editing in stem cells**: Apply the geometric reprogramming protocol to induced pluripotent stem cells, targeting specific differentiation fates.
2. **Optogenetic landscape control**: Develop optogenetic tools for precise spatiotemporal control of curvature perturbations δR.
3. **Topological invariant engineering**: Design landscapes with specific topological invariants that protect desired cell fates.
4. **Multi-scale integration**: Extend the architecture from single cells to tissues and organs, incorporating cell–cell communication and mechanical coupling.

5. **Clinical translation**: Develop Super Cells for regenerative medicine, immunotherapy, and cancer treatment.
6. **Geometric Selection Theory**: Extend the architecture to other domains—immunology, ecology, neuroscience—to test the universality of separatrix curvature asymmetry as a selection principle.

2.9.6 8.6 The Super Cell as a General Paradigm

If the Super Cell paradigm is validated, it suggests a broader principle:

Complex adaptive systems → structured state-space geometry → programmable attractor landscapes → non-natu

The biological Super Cell would then represent one possible manifestation of a general phenomenon, applicable to any sufficiently complex adaptive system with a constrained state space and dynamically stable states. This general principle is the core of **Geometric Selection Theory**, shared with the molecular-scale chirality architecture (DW58553920).

2.10 9. Conclusion

This paper proposes **Geometric Synthetic Biology (GSB)** as a geometry-first research programme for cell-fate modelling, intervention, and validation. Its central position is affirmative: the geometry of accessible cell states should be treated as a potentially important explanatory and engineering layer, not merely as a visual metaphor. At the same time, the strength of each specific biological conclusion depends on the definitions and evidence appropriate to that conclusion.

The principal contributions are:

1. **A state-space formulation:** accessible cell states are represented by a reconstructed manifold equipped with a positive-definite metric, while the landscape potential and its covariant Hessian are defined separately.
2. **A curvature hypothesis:** curvature is proposed as a structural descriptor whose predictive value for fate transitions, robustness, and intervention response can be tested.
3. **A Super Cell engineering objective:** programmability, dynamical stability, topology-associated robustness, controlled multistability, functional performance, and safety are given operational criteria.
4. **A five-step workflow:** reconstruct the manifold, estimate geometry, design interventions, measure landscape changes, and independently validate function and robustness.
5. **A consistent control formulation:** a declared small-noise convention is used to define the Freidlin–Wentzell action and a constrained optimisation problem.
6. **Five verifiable hypotheses:** curvature-associated thresholds, geometric prediction of stability, optogenetic response efficiency, an exploratory curvature–memory scaling, and engineered functional combinations.
7. **A cross-scale research programme:** the relationship to *Chirality as Curvature* is framed as part of Geometric Selection Theory, whose generality remains to be tested across domains.

The guiding proposition is that cell fate should be studied not only through molecular components but also through the organisation of the state space in which those components interact. Geometry-

first does not mean molecule-free: it means that molecular interventions, dynamical trajectories, curvature descriptors, topology, and functional outcomes should be analysed within a unified model.

The proposed programme will succeed to the extent that geometric features are measurable and reproducible, improve out-of-sample predictions beyond suitable baselines, and support safer or more effective interventions in independent experiments. Super Cell is therefore presented as a bold engineering target and a verifiable research agenda—not as an already achieved biological technology. The aspiration is to move from editing the components of life toward quantitatively designing the landscapes through which living systems change state.

2.11 Appendix A. Scientific Status of the Main Claims

The manuscript distinguishes three categories:

Established mathematical or scientific background: Riemannian metrics and curvature are defined mathematical objects; stochastic dynamical systems can be analysed using large-deviation theory under stated assumptions; single-cell data can be used to infer low-dimensional state representations; optogenetic actuators can control selected cellular pathways.

Proposed architecture: GSB; the Super Cell engineering objective; the five-step geometric workflow; the combined geometry–dynamics–control optimisation; and the use of curvature and topology as design or prediction features.

Testable hypotheses: whether curvature improves prediction of cell-fate thresholds or stability; whether topology-associated descriptors predict functional robustness; whether optogenetic schedules interact with geometric features; whether the proposed memory scaling holds; and whether geometry-informed design yields validated functional combinations.

No hypothesis in the third category is treated as established solely because it is compatible with the architecture. Evidence should include operational definitions, uncertainty quantification, baseline comparisons, independent replication, and prospective validation where feasible.

2.12 Acknowledgments

We are grateful to all the individual scientists and teams of scientists who have contributed to the exploration and understanding of the entire universe. Supported by AI-driven Supercomputers and the MES Universe Project. We have benefited from our amazing AI partners.

2.13 Funding

Not applicable

2.14 Availability of data and material

Code, mathematical scripts, and preprints are available at GitHub: https://github.com/Zaitian001/-Self-Preprint-V1.1-

2.15 Competing interests

Not applicable

2.16 Author Contributions

Baoliin (Zaitian) Wu 伍宝林 is the sole author of this manuscript and is responsible for all aspects of the research, including conceptualization, methodology, theoretical formulation, and manuscript writing.

2.17 References

[1] Raju, P. C. (2026). From syntax to semantics: Geometric stability as the missing axis of perturbation biology. arXiv. https://doi.org/10.48550/arXiv.2603.00678

[2] Huang, S. (2011). The molecular and mathematical basis of Waddington' s epigenetic landscape: A architecture for post-Darwinian biology? BioEssays, 34, 149–157. https://doi.org/10.1002/bies.201100031

[3] Wang, J., Xu, L., Wang, E., and Huang, S. (2010). The potential landscape of genetic circuits imposes the arrow of time in stem cell differentiation. Biophysical Journal, 99, 29–39. https://doi.org/10.1016/j.bpj.2010.03.058

[4] Zhou, J. X., and Huang, S. (2010). Understanding gene circuits at cell-fate branch points for rational cell reprogramming. Trends in Genetics, 27, 55–62. https://doi.org/10.1016/j.tig.2010.11.002

[5] Waddington, C. H. (1957). *The Strategy of the Genes: A Discussion of Some Aspects of Theoretical Biology*. London: Allen & Unwin.

[6] Censov, N. N. (1982). *Statistical Decision Rules and Optimal Inference*. American Mathematical Society.

[7] Freidlin, M. I., and Wentzell, A. D. (2012). *Random Perturbations of Dynamical Systems* (3rd revised and enlarged ed.). Berlin and Heidelberg: Springer. https://doi.org/10.1007/978-3-642-25847-3

[8] Amari, S. (2016). *Information Geometry and Its Applications*. Tokyo: Springer Japan.

[9] Milnor, J. (1963). Morse Theory. Princeton University Press.

[10] Deisseroth, K. (2011). Optogenetics. Nature Methods, 8, 26–29. https://doi.org/10.1038/nmeth.f.324

[11] Entcheva, E., and Kay, M. W. (2021). Cardiac optogenetics: a decade of enlightenment. Nature Reviews Cardiology, 18, 349-367. https://doi.org/10.1038/s41569-020-00478-0

[12] Tischer, D., and Weiner, O. (2014). Illuminating cell signalling with optogenetic tools. Nature Reviews Molecular Cell Biology, 15, 551–558. https://doi.org/10.1038/nrm3837

[13] Levskaya, A., Weiner, O., Lim, W. et al. (2009). Spatiotemporal control of cell signalling using a light-switchable protein interaction. Nature, 461, 997–1001. https://doi.org/10.1038/nature08446

[14] Toettcher, J., Gong, D., Lim, W. et al. (2011). Light-based feedback for controlling intracellular signaling dynamics. Nature Methods, 8, 837–839. https://doi.org/10.1038/nmeth.1700

[15] Bugaj, L., Choksi, A., Mesuda, C. et al. (2013). Optogenetic protein clustering and signaling activation in mammalian cells. Nature Methods, 10, 249–252. https://doi.org/10.1038/nmeth.2360

[16] Edelsbrunner, H., and Harer, J. (2010). *Computational Topology: An Introduction*. Providence, RI: American Mathematical Society.

[17] Ollivier, Y. (2008). Ricci curvature of Markov chains on metric spaces. Journal of Functional Analysis, 256(3), 810-864. https://doi.org/10.1016/j.jfa.2008.11.001

[18] Beggs, J. M., and Plenz, D. (2003). Neuronal avalanches in neocortical circuits. Journal of Neuroscience, 23(35), 11167-11177. https://doi.org/10.1523/jneurosci.23-35-11167.2003

[19] Mora, T., and Bialek, W. (2011). Are biological systems poised at criticality? Journal of Statistical Physics, 144, 268–302. https://doi.org/10.1007/s10955-011-0229-4

[20] Hopfield, J. J. (1982). Neural networks and physical systems with emergent collective computational abilities. Proceedings of the National Academy of Sciences, 79(8), 2554-2558. https://doi.org/10.1073/pnas.79.8.2554

[21] Amit, D. J., Gutfreund, H., and Sompolinsky, H. (1985). Storing infinite numbers of patterns in a spin-glass model of neural networks. Physical Review Letters, 55, 1530. https://doi.org/10.1103/PhysRevLett.55.1530

[22] Ori, H., Duque, M., Frank Hayward, R. et al. (2023). Observation of topological action potentials in engineered tissues. Nature Physics, 19, 290–296. https://doi.org/10.1038/s41567-022-01853-z

[23] Hatcher, A. (2002). *Algebraic Topology*. Cambridge: Cambridge University Press. https://pi.math.cornell.edu/~hatcher/AT/AT.pdf

[24] Baoliin (Zaitian) Wu 伍宝林. (2026). Chirality as Curvature: Emergence from Attractor Basin Separatrix Asymmetry. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553920.html

[25] Baoliin (Zaitian) Wu 伍宝林. (2026). Optogenetic Geometric Medicine: Curvature-Driven Reprogramming of Physiological State Manifolds. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553918.html

[26] Baoliin (Zaitian) Wu 伍宝林. (2026). Curvature-Driven Open Quantum Dynamics and the Pure Geometric Origin of Physics Constants. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553914.html

[27] Baoliin (Zaitian) Wu 伍宝林. (2026). Geometric Pathology: Topological Collapse and Landscape Reprogramming in Complex Adaptive Systems. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553909.html

[28] Baoliin (Zaitian) Wu 伍宝林. (2026). The Geometry of Qi: A Riemannian Architecture for Physiological Information Flow and Meridian Emergence. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553908.html

[29] Baoliin (Zaitian) Wu 伍宝林. (2026). Stochastic Geometric Dynamics of Immune Memory, From Curvature-Driven Attractors to Testable Predictions. Self-Preprint Archive. https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553904.html [30] Baoliin (Zaitian) Wu. (2025). The Return to the Einstein Spherical Universe: The Dawning Moment of a New Cosmic Science. Preprints. https://doi.org/10.20944/preprints202504.0727.v2

[31] Baoliin (Zaitian) Wu. (2025). The Pure Geometric Origin of Mass and Light. Preprints. https://doi.org/10.20944/preprints202505.2249.v1

2.18 Physical Proof of Existence (Appendix)

- **Banknote Serial:** `DW58553919`
- **SHA-256 Hash:** `fdee63746f12da30032b366b07fca653344c87b18d076122f98598b15ff06f5d`
- **Verification URL:** https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553919.html

This document was timestamped via the Self-Preprint system.