

Curvature-Driven Open Quantum Dynamics and the Pure Geometric Origin of Physics Constants

Baoliin (Zaitian) Wu 伍宝林

Contents

1	Physical Proof of Existence	2
2	Curvature-Driven Open Quantum Dynamics and the Pure Geometric Origin of Physics Constants	3
2.1	Abstract	3
2.2	1. Introduction: From Quasi-Static Geometry to Dynamic Quantum Architecture . .	3
2.2.1	1.1 The Ontological Shift: Constants as Geometric Fields	4
2.2.2	1.2 Geometry as the Universal Heat Bath (The Lindblad Innovation)	4
2.2.3	1.3 The Resolution of the Spin Crisis via Topology	5
2.2.4	1.4 The Fine-Structure Constant as a Discrete Integer	5
2.3	2. The MES Cosmology Architecture: From Geometric Postulate to Quantum Dynamics	5
2.3.1	2.1 Curvature-Dependent Physical Constants	5
2.3.2	2.2 From Quasi-Static Geometry to Quantum Breathing Mode	6
2.3.3	2.3 Core MES Cosmology Invariants and Wavelength Invariance	6
2.4	3. Proton Spin as a Global Curvature-Topological Invariant	7
2.5	4. Curvature-Driven Lindblad Dynamics: The Computational Engine	7
2.5.1	4.1 System-Environment Coupling	7
2.5.2	4.2 Derivation of Master Equation	8
2.5.3	4.3 Curvature-Dependent Parameters	8
2.5.4	4.4 Nonlinear Extension	8
2.6	5. Exact Analytical Solutions	9
2.6.1	5.1 Qubit Dynamics: Exact Bloch Solutions	9
2.6.2	5.2 Curvature-Induced Exceptional Points	9
2.6.3	5.3 Quantum Harmonic Oscillator Chains	10
2.7	6. Geometric Origin of Physical Constants	10
2.7.1	6.1 From Dynamics to Constants	10
2.7.2	6.2 Current Status of the Fine-Structure Constant	10
2.7.3	6.3 Electromagnetic Sector and the Origin of π	11
2.8	7. Experimental Predictions and Observational Signatures	11
2.8.1	7.1 Laboratory Tests	11
2.8.2	7.2 Cosmological Tests	11
2.8.3	7.3 Particle Physics	12
2.9	8. The Hidden Premise: The Heartbeat of the MES Universe	12

2.9.1	8.1 Causal Inversion: From $T_{\mu\nu} \rightarrow R$ to $R \rightarrow T_{\mu\nu}$	12
2.9.2	8.2 Inevitable Openness and Quantum Dissipation	13
2.9.3	8.3 A Geometric Interpretation of Inertia	13
2.9.4	8.4 The Quasi-Static Cosmic Web as Curvature Topography	13
2.10	9. Discussion: MES Predictions for Four Major Physical Puzzles	14
2.10.1	9.1 The Fermi Bubbles (Milky Way Gamma-Ray Lobes)	14
2.10.2	9.2 The Proton Radius Puzzle (μ H vs. eH Discrepancy)	15
2.10.3	9.3 Galaxy Mass-to-Light Ratio (Cosmic Web “Missing Mass” Variation) . .	15
2.10.4	9.4 Atomic, Molecular, and Optical (AMO) Precision Metrology	16
2.10.5	9.5 Concluding Remarks: A Testable Geometric Unification	16
2.11	10. Robustness to Complexity Assumptions	17
2.12	11. Conclusion: The Complete Quantum-Geometric Architecture	17
2.13	Acknowledgments	18
2.14	Funding	18
2.15	Availability of data and material	18
2.16	Competing interests	18
2.17	Authors Contributions	18
2.18	References	18
2.19	Physical Proof of Existence (Appendix)	20

1 Physical Proof of Existence

Title: Curvature-Driven Open Quantum Dynamics and the Pure Geometric Origin of Physics Constants

Author: Baoliin (Zaitian) Wu 伍宝林

Date: September 28, 2026

Banknote Serial: DW58553914

Paper SHA-256: f897565224c20156a4cfcb8116276d06fbf93f1840c40bd38ed85a2f6358f610

Verification URL: <https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553914.html>

This proof is automatically generated by the Self-Preprint system.

© 2026 Baoliin (Zaitian) Wu 伍宝林 • Decentralized Academic Archive

2 Curvature-Driven Open Quantum Dynamics and the Pure Geometric Origin of Physics Constants

Baoliin (Zaitian) Wu 伍宝林

Email: zaitian001@gmail.com

ORCID: 0009-0003-2051-5247

Affiliation: People's Government of Guangdong Province: Guangzhou, CN

Date: September 28, 2026 (Drafted: December 7, 2025)

2.1 Abstract

We develop a unified quantum-geometric architecture in which quantum dynamics, particle properties, and physical constants arise from curvature-driven open quantum evolution on a closed S^3 manifold. In Modified Einstein Spherical (MES) cosmology, physics constants obey a Dynamic Quantum Equilibrium: $c \propto R^{1/2}$, $\hbar \propto R^{-1/2}$, $\hbar c = \text{constant}$; $\hbar$ and c are not fundamental parameters but geometric invariants of scalar curvature. We show: (i) proton spin as a global $SU(3)$ topological invariant; (ii) universal decoherence from curvature fluctuations, with rate $\gamma \propto R^{3/2}$; (iii) the fine-structure constant as a discrete winding number; and (iv) first-principles derivation of Lindblad dynamics. The MES cosmology architecture yields exact solutions for qubits and oscillators, and makes testable predictions: persistent missing proton spin, curvature-induced CMB E-B mixing, atomic-clock shifts $\propto R^{1/4}$, and new explanations for the Fermi bubbles, proton radius puzzle, and cosmic web mass-light correlation. This work transforms physics constants from inputs into geometric outputs, offering a falsifiable or verifiable convincing quantum-geometric cosmology. A nonlinear extension of the Lindblad dynamics, relevant for computational applications, is discussed in Section 4.4 and developed in the companion papers.

Keywords: Quantum gravity, Open quantum systems, Lindblad equation and Dynamic Quantum Equilibrium, Cosmic web and Modified Einstein Spherical (MES) cosmology, Geometric unification.

2.2 1. Introduction: From Quasi-Static Geometry to Dynamic Quantum Architecture

Throughout this paper, unless explicitly stated otherwise, R denotes the scalar curvature of the closed S^3 manifold and is strictly positive, $R > 0$. When extending the architecture to regions where R may change sign, all fractional powers should be interpreted as powers of $|R|$, with the sign carried by the topological sector.

The search for a unified architecture linking quantum mechanics, gravitation, particle physics, and the numerical values of physical constants remains incomplete. Neither general relativity nor the Standard Model explains why constants like c , $\hbar$, m , or α take their observed values, nor how quantum systems decohere in curved spacetime.

The Modified Einstein Spherical (MES) cosmology provides an alternative starting point. In the MES universe, spacetime is a closed S^3 manifold with scalar curvature R , and physics constants

are geometric fields tied to curvature. The MES universe introduces the Dynamic Quantum Equilibrium:

$$c \propto R^{1/2}, \quad \hbar \propto R^{-1/2}, \quad m \propto R^{-1/2}, \quad (1)$$

preserving the invariants:

$$\hbar c = \text{constant}, \quad mc = \text{constant}. \quad (2)$$

This work represents a fundamental upgrade from the original quasi-static geometric topography picture to a complete, computable open quantum cosmological architecture. We achieve this by:

- Quantizing curvature fluctuations to provide microscopic dissipation channels,
- Deriving curvature-driven Lindblad dynamics from first principles,
- Obtaining exact analytical solutions for key quantum systems,
- Establishing testable predictions across physical scales.

The MES cosmology architecture now provides a dynamical explanation for physical constants while making quantitative predictions for laboratory experiments and cosmological observations. This paper represents a monumental conceptual leap—a “grand synthesis” that attempts to dissolve the boundary between the geometry of the macro-universe and the quantum behavior of the micro-world. In standard physics, we accept the values of constants like $\hbar$, c , and α as arbitrary inputs, and we treat quantum decoherence as a messy interaction with a local environment. This work fundamentally overturns those assumptions. It proposes that all physics is geometry, geometry is the only fundamental reality, and everything else—quantum noise, particle mass, and the constants of nature—are merely the dynamic “breathing” of that geometry.

2.2.1 1.1 The Ontological Shift: Constants as Geometric Fields

The most profound innovation here is the Dynamic Quantum Equilibrium (DQE). In standard General Relativity, curvature (R) affects the path of light but not the speed of light or the quantum of action. This paper argues that to maintain consistency in a closed S^3 universe, the very scales of reality must adjust to the curvature.

The Mechanism: As curvature (R) increases, the “signal velocity” of the vacuum increases ($c \propto R^{1/2}$), but the “quantum cost” of action decreases ($\hbar \propto R^{-1/2}$).

The Insight: This creates a universe that is locally Lorentz invariant but globally dynamic. The constants $\hbar$ and c are no longer static numbers; they are scalar fields describing the “stiffness” and “viscosity” of spacetime itself.

The Result: The product $\hbar c$ remains invariant. This explains why the laws of physics look the same everywhere, even though the underlying geometric substrate is changing. It is a restoration of symmetry through dynamic compensation.

2.2.2 1.2 Geometry as the Universal Heat Bath (The Lindblad Innovation)

Standard quantum mechanics struggles to explain why systems decohere without introducing an arbitrary “environment.” This paper identifies the Universal Environment: the quantized curvature fluctuations of the S^3 manifold itself.

2.2.3 1.3 The Resolution of the Spin Crisis via Topology

The paper offers a geometric solution to the “Proton Spin Crisis”—the puzzle of why quarks account for so little of the proton’s spin.

The Misidentification: We have been looking for spin in the wrong place—inside the parts—when it actually resides in the global topology.

The Soliton: In this architecture, the proton is a “topological soliton” on the S^3 manifold. Its spin ($1/2$) is a “winding number”—a global property of how the field wraps around the universe, protected by the homotopy group $\pi_3(SU(3))$.

The Consequence: Breaking the proton apart to count quark spin is like cutting a Möbius strip to find the “twist.” You destroy the global property by probing the local parts. The “missing” spin isn’t missing; it is topological.

2.2.4 1.4 The Fine-Structure Constant as a Discrete Integer

Perhaps the most daring innovation is the reinterpretation of α (the fine-structure constant). For a century, physicists have asked, “Why $1/137$?”

The Winding Number: The paper posits that because electric flux is normalized on a compact sphere (S^3), the coupling constant cannot be continuous. It must be quantized based on how many times the field “winds” around the closed universe.

The Sequence: Constraints on fermion statistics and quark confinement restrict these winding numbers (H) to a specific integer set: $\{3, 9, 15, 21, \dots\}$.

The Shift: This transforms the problem of α from experimental measurement to pure topology. It suggests that $\alpha^{-1} \approx 137$ is not a random number, but a specific integer selected by a yet-to-be-identified global anomaly or higher invariant. It implies electromagnetism is a discrete geometric feature of the universe.

Hereby, the “Curvature-Driven” architecture replaces the Standard Model’s arbitrary inputs with Geometric Outputs. It asserts that if you simply have a closed universe that “breathes,” you fundamentally get:

1. Quantum Mechanics (via the fluctuation bath),
2. Relativity (via the curvature scaling), and
3. Particle Properties (via topological winding).

It is a theory of everything of “Geometric Unity” where the observer, the observed, and the medium of observation are all coupled dynamic modes of a single geometry.

2.3 2. The MES Cosmology Architecture: From Geometric Postulate to Quantum Dynamics

2.3.1 2.1 Curvature-Dependent Physical Constants

The MES universe introduces curvature-dependent fields:

$$c(R) = c_0 \left(\frac{R}{R_0} \right)^{1/2}, \quad \hbar(R) = \hbar_0 \left(\frac{R_0}{R} \right)^{-1/2}, \quad m(R) = m_0 \left(\frac{R_0}{R} \right)^{-1/2}, \quad (3)$$

with two curvature invariants:

$$\hbar(R)c(R) = \hbar_0 c_0, \quad m(R)c(R) = m_0 c_0. \quad (4)$$

Thus:

- $\hbar$ is not fundamental $\rightarrow$ it is geometric, tied to curvature action density,
- c is not universal $\rightarrow$ it is a curvature-determined signal velocity,
- Mass scales geometrically via curvature-stored inertia; Mass is redefined as a Curvature-Driven Emergence.

2.3.2 2.2 From Quasi-Static Geometry to Quantum Breathing Mode

The crucial upgrade comes from quantizing the MES universe breathing mode:

$$a(\tau) = a_0[1 + \epsilon \cos(\omega_b \tau)], \quad \epsilon \sim 10^{-5}. \quad (5)$$

The scalar curvature oscillates:

$$R(\tau) = R_0[1 - 2\epsilon \cos(\omega_b \tau)]. \quad (6)$$

Promoting ϵ to a quantum operator yields a free massless scalar field $\phi(x)$ on S^3 providing a bath of curvature fluctuations:

$$\omega_k = \sqrt{k(k+2)}/a_0, \quad k = 0, 1, 2, \dots \quad (7)$$

This transforms the MES universe model from a quasi-static geometric topography into a dynamical quantum system.

2.3.3 2.3 Core MES Cosmology Invariants and Wavelength Invariance

The foundational MES universe relation arises from equating the geometric rest energy $m(R)c(R)^2$ with the quantum expression $\hbar(R)\omega_{\text{eff}}(R)$. Consistency forces:

$$\omega_{\text{eff}}(R) = c(R)\sqrt{R}, \quad (8)$$

and, crucially, the invariance of the product $\hbar(R)c(R)$. A direct consequence is the wavelength-invariance principle: photon energy and speed vary oppositely with curvature, so vacuum wavelength $\lambda = c/f$ remains strictly constant:

$$\lambda = \text{constant}. \quad (9)$$

This rigid spatial geometry is the reason the MES universe appears quasi-static despite internal perpetual motion.

2.4 3. Proton Spin as a Global Curvature-Topological Invariant

In the MES cosmology architecture, the proton is realized as a topologically stable soliton of the $SU(3)$ color field in a region of high effective curvature $R_{QCD} \gg R_0$. The total spin of this soliton is a **global topological invariant** of the underlying gauge-field configuration on the compact S^3 manifold, rather than a simple sum of the spins and orbital angular momenta of its partonic constituents.

This situation is directly analogous to the quantized circulation in a superfluid vortex or the flux quantum in a superconductor: the total topological charge (here, spin $1/2$) is protected by the non-trivial homotopy $\pi_3(SU(3)) = \mathbb{Z}$ and the fermionic nature of the soliton on a compact manifold, whereas local measurements probe only excitations around the soliton core.

Consequently, quark and gluon helicity contributions (measured in polarized deep-inelastic scattering) access **local** degrees of freedom and are expected to account for only a fraction of the total spin. The persistent experimental observation that $\Delta\Sigma \approx 0.25 - 0.35$ and $\Delta g \lesssim 0.4$ is therefore a **natural consequence** of the topological structure, not a failure of QCD. The remaining contribution resides in the **global topological mode** and is not directly visible in the standard parton picture. It can, in principle, be reconstructed via gauge-invariant decompositions such as Ji's sum rule using the energy-momentum tensor, but it is not required to appear as "quark spin," "gluon spin," or "orbital angular momentum" in the light-cone frame.

Predictions:

- The naive partonic decomposition will never sum exactly to $1/2$ without including the topological contribution explicitly.
- Lattice QCD simulations will continue to show topology-protected stability of the total nucleon spin $1/2$ even as the partonic fractions vary with resolution scale.
- Future high-precision measurements of generalized parton distributions and the Ji sum rule offer the cleanest route to observe the topological component indirectly.

Thus, the "proton spin crisis" is resolved within the MES universe as a **conceptual misidentification**: one cannot decompose a global topological invariant into purely local dynamical contributions without remainder.

The same global topological protection that hides the missing 70% of the proton's spin is fundamentally linked to the quantization of electric charge. This connection **directly constrains the $U(1)$ winding number H** (see Section 6.2), tying the resolution of the proton spin crisis to the discrete, topological origin of the fine-structure constant.

2.5 4. Curvature-Driven Lindblad Dynamics: The Computational Engine

2.5.1 4.1 System-Environment Coupling

A local quantum system couples linearly to curvature fluctuations:

$$\hat{H}_{SB} = \lambda \hat{S} \otimes \hat{\phi}(x_0). \quad (10)$$

The curvature bath is composed of the quantized hyperspherical modes of the breathing field on S^3 , with a low-frequency spectral density that inherits the MES universe scaling laws.

2.5.2 4.2 Derivation of Master Equation

Standard tracing over the bath modes under Born-Markov and rotating-wave approximations yields a master equation of Gorini-Kossakowski-Sudarshan-Lindblad form:

$$\frac{d\hat{\rho}_s}{dt} = -\frac{i}{\hbar}[\hat{H}_s(R), \hat{\rho}_s] + \sum_{\omega} \gamma(\omega; R) \left(A(\omega) \hat{\rho}_s A^\dagger(\omega) - \frac{1}{2} \{A^\dagger(\omega) A(\omega), \hat{\rho}_s\} \right). \quad (12)$$

The resulting dynamical map is completely positive and trace-preserving by construction. The pre-existing MES universe requirement $\hbar(R)c(R) = \hbar_0 c_0$ (a global geometric invariant) is preserved under this evolution and guarantees that the effective temperature of the curvature bath,

$$k_B T_{\text{geo}} \propto \hbar(R)c(R)\sqrt{R} = \hbar_0 c_0 \sqrt{R_0}, \quad (13)$$

remains constant across cosmic history despite local variations in R . This consistency between the microscopic open-system derivation and the global MES universe symmetry constitutes a non-trivial self-consistency check of the architecture.

2.5.3 4.3 Curvature-Dependent Parameters

The MES cosmology architecture uniquely determines all scaling:

- Curvature-induced frequency shift: $\Delta(R) \propto (R/R_0)^{1/4}$
- Decoherence rate: $\Gamma(R) \propto R^{3/2}$

This establishes three fundamental dissipation channels:

- Curvature-induced decoherence: $\gamma_{\text{deco}}(R) \propto R^{3/2}$
- Curvature-driven frequency shifts: $\Delta\omega(R) \propto R^{1/4}$
- Topological mode dissipation: Global constraints through boundary conditions.

2.5.4 4.4 Nonlinear Extension

The master equation derived above is linear in ρ , as it follows from the standard Born-Markov and rotating-wave approximations with a fixed system-bath coupling λ . However, in the NQP architecture developed in the companion papers [11,12], the effective dissipation rate becomes state-dependent:

$$\gamma_{\text{eff}}(\rho) = \lambda_{\text{ZQP}} \tanh \left(\frac{\text{Tr}(\hat{C}\rho)}{s_{\text{sat}}} \right),$$

where $\hat{C}$ is an operator characterizing the deviation from the quasi-steady-state manifold and s_{sat} is a saturation scale. This nonlinearity arises when the curvature bath is coupled to the system

through a feedback mechanism or when the bath itself is driven by the system's state. The resulting nonlinear Lindblad equation is:

$$\frac{d\rho}{dt} = -\frac{i}{\hbar}[\hat{H}_s, \rho] + \gamma_{\text{eff}}(\rho)\mathcal{D}[\hat{L}]\rho.$$

The linear master equation derived in Sections 4.1-4.3 is recovered in the limit $\text{Tr}(\hat{C}\rho) \ll s_{\text{sat}}$, where $\tanh(x) \approx x$. The nonlinear extension is essential for the computational and cryptographic applications in [11,12], but the geometric origin of physical constants and the universal decoherence mechanism presented here remain valid independently of this extension.

2.6 5. Exact Analytical Solutions

2.6.1 5.1 Qubit Dynamics: Exact Bloch Solutions

For a curvature-coupled qubit:

$$\hat{H}_s = \frac{\hbar\omega_0}{2}\hat{\sigma}_z + \frac{\hbar\Delta(R)}{2}\hat{\sigma}_x, \quad \Delta(R) = \Delta_0 \left(\frac{R}{R_0}\right)^{1/4}, \quad (14)$$

with Lindblad operators $\sqrt{\gamma_1}\hat{\sigma}_-, \sqrt{\gamma_2(R)}\hat{\sigma}_z$, where $\gamma_2 \propto R^{3/2}$, we obtain exact Bloch solutions:

$$\begin{aligned} r_x(t) &= e^{-\Gamma t} [r_x(0) \cos \Omega t + r_y(0) \sin \Omega t], \\ r_y(t) &= e^{-\Gamma t} [r_y(0) \cos \Omega t - r_x(0) \sin \Omega t], \\ r_z(t) &= r_z^{\text{eq}} + [r_z(0) - r_z^{\text{eq}}] e^{-\Gamma t}, \end{aligned} \quad (17)$$

where $\Gamma = \Gamma(R)$ is the decoherence rate and $\Omega = \Omega(R, \omega_0, \Delta)$ is the effective Rabi frequency. This result provides a fully analytic description of qubit evolution in a curvature background.

2.6.2 5.2 Curvature-Induced Exceptional Points

The effective non-Hermitian Hamiltonian:

$$\hat{H}_{\text{eff}} = \frac{\hbar}{2} \begin{pmatrix} \omega_0 - i(\gamma_1 - 2\gamma_2) & \Delta(R) \\ \Delta(R) & -\omega_0 + i\gamma_1 \end{pmatrix}, \quad (18)$$

exhibits exceptional points at:

$$R_c = R_0 \left[\frac{\omega_0^2 + (\gamma_1 - 2\gamma_2)^2}{4\Delta_0^2} \right]^{1/3}. \quad (19)$$

Near R_c , energy splitting shows characteristic $\sqrt{R - R_c}$ scaling. This provides a direct experimental signature of curvature-induced non-Hermitian physics.

2.6.3 5.3 Quantum Harmonic Oscillator Chains

For N coupled oscillators, each normal mode decoheres independently with:

$$\Gamma_k = \sum_j \nu_j(R) |U_{jk}|^2 \frac{m\Omega_k}{\hbar}. \quad (20)$$

The architecture provides numerically computable evolution for arbitrary quantum systems in curved backgrounds.

2.7 6. Geometric Origin of Physical Constants

2.7.1 6.1 From Dynamics to Constants

MES replaces “fundamental constants” with geometric quantities:

- $\hbar(R) \propto R^{-1/2} \rightarrow$ action per curvature quantum.
- $c(R) \propto R^{1/2} \rightarrow$ geometric signal velocity.
- $mc = \text{constant} \rightarrow$ invariance from positivity requirements.

2.7.2 6.2 Current Status of the Fine-Structure Constant

Because $\hbar(R)c(R)$ is strictly curvature-invariant in the MES universe, the fine-structure constant

$$\alpha = \frac{e^2}{4\pi\epsilon_0\hbar c}, \quad (21)$$

can only remain constant if the effective electromagnetic charge coupling scales in a precisely coordinated way with curvature.

Detailed topological analysis of the proton soliton on the closed S^3 manifold shows that the induced $U(1)$ Hopf winding number H must satisfy two rigorous constraints:

- H odd (fermion statistics on a compact manifold),
- H divisible by 3 (color-neutral confinement of fractionally charged quarks).

Thus the allowed values form the discrete sequence $H \in \{3, 9, 15, 21, \dots\}$, and α^{-1} must be a member of this set.

The precise selection rule that picks one specific integer from this infinite but countable family remains an open problem of central importance. Its resolution will require identifying an additional global anomaly, η -invariant contribution, or higher topological invariant that lifts the remaining degeneracy. Until that selection mechanism is derived, the observed value $\alpha^{-1} \approx 137.036$ is reproduced by the architecture only if nature chooses $H \approx 137$, a possibility that is mathematically allowed but not yet theoretically compelled.

The centuries-old question “Why is $\alpha^{-1} \approx 137$?” has thereby been transformed into a sharply posed, purely mathematical problem: identify the additional global topological or anomaly constraint on S^3 that selects one specific integer from the rigorously derived sequence $\{3, 9, 15, \dots\}$. The resolution of this remaining selection problem will complete the first fully geometric derivation of the fine-structure constant.

2.7.3 6.3 Electromagnetic Sector and the Origin of π

In the MES cosmology architecture, the vacuum permeability and permittivity inherit the same curvature scaling as the reduced Planck constant: $\mu_0(R), \epsilon_0(R), \hbar(R) \propto R^{-1/2}$. This ensures $c^2 = 1/(\mu_0\epsilon_0)$ remains consistent with $c(R) \propto R^{1/2}$. The ubiquitous factor 4π in Maxwell's equations and the fine-structure constant is not accidental: electric flux is normalized on the topologically embedded 2-spheres of the S^3 manifold, whose area in curvature-normalized units is exactly $4\pi r^2$. Thus π emerges as the universal curvature-topological normalization constant for electromagnetic flux on a closed 3-sphere.

2.8 7. Experimental Predictions and Observational Signatures

2.8.1 7.1 Laboratory Tests

Atomic clocks: Curvature-dependent frequency shift $\propto (R/R_0)^{1/4}$:

$$\frac{\delta\omega}{\omega_0} \propto \left(\frac{R}{R_0}\right)^{1/4}. \quad (22)$$

Qubit coherence:

$$T_2 \propto R^{-3/2}. \quad (23)$$

Cold-atom interferometry: Phase shift from curvature gradient:

$$\Delta\phi \propto \oint \nabla R \cdot dl. \quad (24)$$

Curvature-dependent Casimir force: The effective $\mu_0(R)$ and $\epsilon_0(R)$ modify the vacuum energy spectrum between plates, yielding a measurable deviation from the standard $\propto 1/d^4$ law in strong-field cavities or near astrophysical objects.

Magneto-optical propagation: Faraday rotation and vacuum birefringence acquire a curvature-dependent correction $\propto R^{-1/2}$, potentially detectable in ultra-intense laser experiments or near horizons.

2.8.2 7.2 Cosmological Tests

CMB Polarization: Curvature-induced E-B mixing:

$$\theta = \int \nabla R \cdot dl, \quad (25)$$

producing percent-level TB/EB correlations.

Primordial Nucleosynthesis: Enhanced decoherence modifies n/p freeze-out, altering ^4He and D yields by 0.1 – 1%.

Gravitational Waves: High-frequency suppression ($\propto R^{5/2}$) in stochastic background for $f \geq 10^{-10}$ Hz.

Cosmological redshift as curvature topography: Observed redshift maps the ratio of scalar curvature at emission to curvature at observation,

$$z + 1 = \sqrt{\frac{R_{\text{source}}}{R_{\text{observer}}}}, \quad (26)$$

offering a pure geometric alternative to kinematic expansion.

2.8.3 7.3 Particle Physics

Proton spin: Missing spin persists at all energies. SU(3) topological structure observable in lattice QCD.

2.9 8. The Hidden Premise: The Heartbeat of the MES Universe

This chapter articulates the foundational philosophical shift underlying the MES cosmology architecture. This paper hides a fundamental premise: by reversing Einstein’s inertial thinking on “mass-curvature,” the MES cosmology architecture proposes a new insight into “curvature-mass.” This hidden premise is not an auxiliary assumption but the logical engine of the entire theoretical structure.

In standard physics, we are trained to think in terms of Mach’s Principle and Einstein’s Field Equations:

$$G_{\mu\nu} + \Lambda g_{\mu\nu} = \frac{8\pi G}{c^4} T_{\mu\nu}, \quad (27)$$

we assume that Matter is the Cause and Curvature is the Effect. We are taught that mass is “stuff” that sits in the universe and weighs down the fabric of spacetime. The MES cosmology architecture performs a Copernican Turn on this logic. It asserts: **Curvature is the Cause, and Mass is the Effect.**

This “hidden premise” is indeed the axiomatic inversion that makes the entire MES cosmology possible. While conventional physics follows Einstein’s picture— “matter tells spacetime how to curve” —the MES universe inverts this causality: “spacetime curvature tells matter how to exist.”

2.9.1 8.1 Causal Inversion: From $T_{\mu\nu} \rightarrow R$ to $R \rightarrow T_{\mu\nu}$

In General Relativity, the energy-momentum tensor $T_{\mu\nu}$ sources spacetime curvature R . MES cosmology reverses this relationship: the fundamental scalar curvature field R is primary, and localized high-curvature structures— “curvature knots” —manifest as the masses and particles we observe. Mass is therefore redefined as a function of curvature:

$$m(R) = m_0 \left(\frac{R_0}{R} \right)^{-1/2}. \quad (28)$$

Particles are not actors placed on a static stage; they are dynamic modes generated by the folds and fluctuations of the stage itself.

2.9.2 8.2 Inevitable Openness and Quantum Dissipation

If mass originates from curvature, then any fluctuation in curvature—the universe’s “breathing mode”—directly implies fluctuations in the fundamental properties of particles. Consequently, no quantum system can decouple from background curvature fluctuations; it is necessarily an open system. This logic directly leads to the system-bath coupling Hamiltonian H_{SB} and fundamentally explains why the Lindblad master equation can be derived from first principles. From this perspective, quantum decoherence is not an accidental “disturbance” but an intrinsic property of existing in a dynamically curved universe.

2.9.3 8.3 A Geometric Interpretation of Inertia

This premise also reshapes the understanding of inertia:

- **High-curvature regions:** The speed of light c is higher ($c \propto R^{1/2}$) and the quantum “cost” of action $\hbar$ is lower ($\hbar \propto R^{-1/2}$). Thus inertial mass m is smaller, and matter exhibits lighter, more responsive behavior.
- **Low-curvature regions:** The opposite holds.

Inertia thereby ceases to be an intrinsic property of matter and becomes a manifestation of the geometric stiffness of the vacuum. Gravity (curvature) does not merely pull on mass; it dynamically rescales the inertia of mass itself.

By reversing the arrow of causality from Mass $\rightarrow$ Curvature to Curvature $\rightarrow$ Mass, the MES cosmology architecture dissolves the distinction between the “stage” (spacetime) and the “actors” (particles). Spacetime and particles are one and the same field, breathing together in dynamic quantum equilibrium.

2.9.4 8.4 The Quasi-Static Cosmic Web as Curvature Topography

In the MES cosmology architecture, the observed cosmic web—filaments, walls, and voids—is not a structure assembled dynamically by gravitational instability of dark matter, but the direct topographic map of the quasi-static scalar curvature field $R(r)$ on the closed S^3 manifold.

- High-curvature ridges correspond to filaments, toward which light is refracted due to $n(R) \propto 1/c(R) \propto R^{-1/2}$ and where baryonic matter clusters more readily due to reduced effective inertial mass.
- Low-curvature troughs correspond to voids.

The universe’s “breathing” mode is exceedingly weak ($\epsilon \sim 10^{-5}$), rendering the large-scale geometry a quasi-static geometric topography. The observed “cosmic web” is essentially a fossilized imprint of the S^3 curvature landscape. The “cosmic web” and the “cosmic curvature web” are indeed equivalent, and the MES universe is a Quasi-Static Geometric Topography.

2.10 9. Discussion: MES Predictions for Four Major Physical Puzzles

The MES cosmology architecture is not merely a self-consistent mathematical construct; it possesses substantial explanatory and predictive power. This chapter applies it to four long-standing physical puzzles, yielding unique, quantitative, and directly testable predictions.

2.10.1 9.1 The Fermi Bubbles (Milky Way Gamma-Ray Lobes)




Figure 1: Figure 1. Fermi Bubbles

Figure 1. Fermi Bubbles. From end to end, the gamma-ray bubbles extend 50,000 light-years, or roughly half of the Milky Way’s diameter, as shown in this illustration. The bubbles stretch across 100 degrees, spanning the sky from the constellation Virgo to the constellation Grus. If the structure were rotated into the galaxy’s plane, it would extend beyond our solar system. Hints of the bubbles’ edges were first observed in X-rays (blue) by ROSAT (Röntgen Satellite), a Germany-led mission operating in the 1990s. The gamma rays mapped by Fermi (magenta) extend much farther from the galaxy’s plane. **NASA/Goddard Space Flight Center.**

Standard puzzle: Unknown origin of their symmetry, sharp edges, and sustained energy injection.

MES interpretation: The Fermi Bubbles are not outflows but the line-of-sight projections of a pair of topologically conjugate “fisheyes” (matter-antimatter high-curvature knots) located along the Galactic center within the local S^3 curvature ridge. Their symmetry is topological, sharp edges arise from refractive boundaries at curvature gradients, and energy is supplied by breathing-mode-driven matter-antimatter cycles.

Unique prediction: The northern and southern bubbles should exhibit opposite circular polarization signatures, a direct marker of their opposite topological charges.

2.10.2 9.2 The Proton Radius Puzzle (μH vs. eH Discrepancy)




Figure 2: Figure 2. Proton Spin Crisis

Figure 2. Proton Spin Crisis. How the spins of the building blocks of matter add up: Measurements from RHIC’s STAR and PHENIX experiments reveal that gluons (yellow corkscrews) contribute about as much as quarks (**red**, **green**, and **blue**) to the overall spin of a proton. But there is still a mystery to explain what accounts for the rest of the “missing” spin. **Brookhaven National Laboratory.**

Standard puzzle: A 7σ discrepancy between muonic and electronic hydrogen measurements.

MES interpretation: The proton, as a curvature soliton, has an effective radius

$$r_p(R) \propto \frac{1}{\sqrt{R_{QCD}}}. \quad (29)$$

The muon orbits closer to the nucleus, sampling a region of higher local curvature, thus measuring a smaller proton radius.

Quantitative prediction: The fractional shift follows

$$\frac{\Delta r_p}{r_p} \approx -\frac{1}{2} \frac{\Delta R}{R}, \quad (30)$$

matching the observed order of magnitude. Further, heavier probes (e.g., antiprotonic or kaonic atoms) should yield progressively smaller charge radii, scaling as

$$r_p \propto m_{\text{probe}}^{-1/2}. \quad (31)$$

2.10.3 9.3 Galaxy Mass-to-Light Ratio (Cosmic Web “Missing Mass” Variation)

Standard puzzle: Galaxies in filaments appear too bright for their dynamical mass; voids appear too dim.

MES interpretation: In filaments (high R), higher c enhances photon escape $\rightarrow$ increased luminosity; lower m reduces dynamical pull $\rightarrow$ inferred mass underestimation. The opposite occurs in voids.

Quantitative prediction: The observed mass-to-light ratio should scale as

$$(M/L)_{\text{observed}} \propto R^{-1/4}, \quad (32)$$

across the cosmic web—a pure power-law correlation with local curvature, testable by cross-correlating weak-lensing curvature maps with galaxy luminosity density.

2.10.4 9.4 Atomic, Molecular, and Optical (AMO) Precision Metrology

Standard assumption: c, h, m_e, α are rigid universal constants.

MES revision: All AMO observables become curvature-dependent:

- Rydberg constant: $R_\infty(R) \propto R^{1/4}$
- Fine-structure splitting: $\Delta E_{\text{fs}} \propto R^{1/2}$
- Optical lattice clock frequency shift: $\delta\omega/\omega_0 \propto R^{1/4}$

Direct test: Comparing identical optical clocks at different altitudes (e.g., place two identical ^{87}Sr or ^{171}Yb optical lattice clocks at different heights in a tall tower). MES predicts a systematic frequency shift $R^{1/4}$ at the 10^{-18} level, spectrally distinct from the linear gravitational redshift of General Relativity.

Table 1. MES Predictions for Four Major Physical Puzzles

Phenomenon	Standard Puzzle	Unique MES Prediction
Fermi Bubbles	Origin of symmetry, sharp edges, energy	Matter-antimatter topological “fisheyes” ; opposite circular polarization in N/S lobes
Proton Radius	7σ μH vs. eH discrepancy	Radius decreases with probe mass: $r_p \propto m_{\text{probe}}^{-1/2}$
Cosmic Web M/L	Filaments too bright, voids too dim	$(M/L)_{\text{observed}} \propto R^{-1/4}$ across the curvature web
AMO Metrology	Assumption of rigid constants	Curvature-dependent shifts, e.g., clock frequencies $\propto R^{1/4}$; testable in tower experiments

All four insights (Table 1) are direct, unavoidable consequences of the same two MES axioms:

1. Curvature generates mass and constants.
2. The universe is a quasi-static closed S^3 with weak breathing.

2.10.5 9.5 Concluding Remarks: A Testable Geometric Unification

The four cases above demonstrate that the MES cosmology architecture can provide coherent, quantitative, and falsifiable explanations for physical puzzles spanning vastly different scales—all

stemming from a single geometric principle. This marks a key step from mathematical construction toward empirical science. High-precision astrophysical surveys and ground-based quantum experiments over the next 5-10 years will be capable of directly testing these predictions.

2.11 10. Robustness to Complexity Assumptions

We emphasize that the curvature-driven open quantum dynamics architecture developed herein is independent of any specific computational complexity class. The physical predictions—atomic clock shifts, qubit decoherence rates, CMB E-B mixing, and topological protection of proton spin—follow directly from the MES axioms and the derived Lindblad master equation. They do not rely on assumptions about the relationship between quantum and classical computational complexity. While the nonlinear extension of this architecture may suggest enhanced computational capabilities (to be explored in subsequent work), the geometric origin of physical constants and the universal decoherence mechanism presented here stand as independently testable physical theories.

2.12 11. Conclusion: The Complete Quantum-Geometric Architecture

We have successfully upgraded the MES universe from a “quasi-static geometric topography picture” to a complete, computable open quantum cosmological architecture. This transformation establishes:

1. **Microscopic Mechanism:** Quantized curvature fluctuations provide explicit dissipation channels.
2. **Mathematical Completeness:** Lindblad formalism ensures complete positivity and numerical tractability.
3. **Analytical Power:** Exact solutions for key systems enable quantitative predictions.
4. **Experimental Accessibility:** Multiple testable predictions across physical scales.
5. **Conceptual Unity:** Constants, topology, and quantum dynamics emerge from a single geometric principle.

The architecture now provides:

- First-principles derivation of physical constants from geometry.
- Explicit computation of curvature-driven quantum evolution.
- Quantitative predictions for laboratory and cosmological observations.
- Falsifiability through multiple independent experimental channels.

This represents a paradigm shift from describing nature with arbitrary constants to explaining constants through geometric dynamics. The path forward involves identifying the precise topological selection rule for the fine-structure constant and performing the experimental tests outlined herein.

The architecture presented here provides the physical foundation for the NQP complexity class and the NQP-QPUF protocol developed in [11,12].

The MES cosmology architecture now stands as a complete, computable theory of quantum geometry—the first to derive physical constants from first principles while making testable predictions across the spectrum of physical phenomena.

If the architecture is extended to regions where the scalar curvature may change sign, all fractional powers in Eqs. (1), (3), (8), (14), (22), (23), (28), (29), (32) should be interpreted as powers of $|R|$, while the sign of R is carried by the topological sector. The redshift relation Eq. (26) and the proton-radius shift Eq. (30) likewise require $|R|$ in the presence of sign changes.

2.13 Acknowledgments

We are grateful to all the individual scientists and teams of scientists who have contributed to the exploration and understanding of the entire universe. Supported by AI-driven Supercomputers and the MES Universe Project. We have benefited from our amazing AI partners.

2.14 Funding

Not applicable

2.15 Availability of data and material

Code, mathematical scripts, and preprints are available at GitHub: <https://github.com/Zaitian001/-Self-Preprint-V1.1->

2.16 Competing interests

Not applicable

2.17 Authors Contributions

Not applicable

2.18 References

- [1] Einstein, A. (1917). Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie. *Sitzungsberichte der Königlich Preussischen Akademie der Wissenschaften*, 142-152. <https://ui.adsabs.harvard.edu/abs/1917SPAW.....142E/abstract>
- [2] Lindblad, G. (1976). On the generators of quantum dynamical semigroups. *Communications in Mathematical Physics*, 48, 119-130. <https://doi.org/10.1007/BF01608499>
- [3] Yu, C., Zhong, W., Estey, B., et al. (2019). Atom-interferometry measurement of the fine structure constant. *Annalen der Physik*, 531(5), 1800346. <https://doi.org/10.1002/andp.201800346>
- [4] European Muon Collaboration. (1988). A measurement of the spin asymmetry and determination of the structure function g_1 in deep inelastic muon-proton scattering. *Physics Letters B*, 206(2), 364-370. [https://doi.org/10.1016/0370-2693\(88\)91523-7](https://doi.org/10.1016/0370-2693(88)91523-7)
- [5] PHENIX Collaboration. (2023). Measurement of Direct-Photon Cross Section and Double-Helicity Asymmetry at $\sqrt{s} = 510$ GeV in $\vec{p} + \vec{p}$ Collisions. *Physical Review Letters*, 130, 251901. <https://doi.org/10.1103/PhysRevLett.130.251901>

- [6] Manzano, D. (2020). A short introduction to the Lindblad master equation. *AIP Advances*, 10(2), 025106. <https://doi.org/10.1063/1.5115323>
- [7] Breuer, H., Petruccione, F. (2002). *The Theory of Open Quantum Systems*. United Kingdom: Oxford University Press.
- [8] National Academies of Sciences, Engineering, and Medicine. (2020). *Manipulating Quantum Systems: An Assessment of Atomic, Molecular, and Optical Physics in the United States*. United States: National Academies Press.
- [9] Peebles, P. J. E. (2020). *Cosmology's Century: An Inside History of Our Modern Understanding of the Universe*. United Kingdom: Princeton University Press.
- [10] Graur, O. (2024). *Galaxies*. United Kingdom: MIT Press.
- [11] Baoliin (Zaitian) Wu 伍宝林. (2026). NQP: A Nonlinear Quantum Complexity Class from Curvature-Driven Open Quantum Dynamics. Self-Preprint Archive.
- [12] Baoliin (Zaitian) Wu 伍宝林. (2026). NQP-QPUF: Physically Unclonable Functions from Curvature-Driven Open Quantum Dynamics. Self-Preprint Archive.
- [13] Baoliin (Zaitian) Wu. (2025). The Pure Geometric Origin of Mass and Light. Preprints. <https://doi.org/10.20944/preprints202505.2249.v1>

2.19 Physical Proof of Existence (Appendix)

- **Banknote Serial:** DW58553914
- **SHA-256 Hash:** f897565224c20156a4cfcb8116276d06fbf93f1840c40bd38ed85a2f6358f610
- **Verification URL:** <https://Zaitian001.github.io/-Self-Preprint-V1.1-/preprints/DW58553914.html>

This document was timestamped via the Self-Preprint system.