

CRUD - Méthodes de base

Create (Créer)

```
Model::create([...]);
```

```
$objet = new Model; $objet->champ = 'valeur'; $objet->save();
```

Read (Lire)

```
Model::all(); Model::find($id); Model::where(...)->get(); Model::first();
```

Update (Mettre à jour)

```
$objet = Model::find($id); $objet->champ = 'valeur'; $objet->save();
```

```
Model::where(...)->update([...]);
```

Delete (Supprimer)

```
Model::destroy($id); Model::where(...)->delete(); $objet->delete();
```

Méthodes utiles Eloquent

count()

```
Model::count(); Model::where(...)->count();
```

orderBy()

```
Model::orderBy('champ', 'asc')->get();
```

pluck()

```
Model::pluck('champ');
```

select()

```
Model::select('champ1', 'champ2')->get();
```

distinct()

```
Model::select('champ')->distinct()->get();
```

groupBy()

```
Model::select('champ')->groupBy('champ')->get();
```

limit() / take()

```
Model::limit(5)->get(); Model::take(5)->get();
```

skip()

```
Model::skip(5)->take(10)->get();
```

firstOrCreate()

```
Model::firstOrCreate(['email' => '...'], ['nom' => '...', ...]);
```

updateOrCreate()

```
Model::updateOrCreate(['email' => '...'], ['nom' => '...']);
```

Requêtes Conditionnelles

```
Model::where('champ', '=', 'valeur')->get();
```

```
Model::where('champ', 'like', '%valeur%')->get();
```

```
Model::whereBetween('champ', [10, 50])->get();
```

```
Model::whereIn('champ', [1,2,3])->get();
```

```
Model::orWhere('champ', 'valeur')->get();
```