

SP Gearbox — Orders, Inbound Pipeline & Full-Year Forecast

Detailed edition — down to housing size, ratio (i), PAM motor flange (frame × B5/B14) and spare parts · 2026 YTD sales, goods in transit and goods in manufacturing · Prepared July 30, 2026

9,326

Units sold YTD 2026 — 1,453 order lines, 117 customers

6,476

Units on the water — FS2606043L, 2×40GP (\$238,991 FOB)

9,199

Units in manufacturing — 7 open POs (\$257,628 FOB)

~\$142k

Reorder needed to hold a 12-month horizon

Executive summary

Demand runs at ≈1,332 units/month. 9,326 units sold YTD (Jan 1 – Jul 30, ~7 months) across the SP/SM/S/SFM worm-gearbox family. SP 50, SP 40 and SP 63 are 62% of volume. Top-3 customers take 36% of all units.

12,900 gearboxes are inbound (6,076 on the water + 6,824 in production, incl. 40 SP 110 specials), plus 2,900 spare parts (input/output flanges, output shafts) — \$496,620 FOB Shanghai in total.

The SKU detail matters. One single SKU — SP 50 i:100 PAM 71B14 — is 1,946 pieces (15% of every gearbox inbound). Ratio i:100 across all sizes is 3,289 pcs, and ratios 40–100 are 59% of the pipeline. B14 mounting dominates at 94.5%; B5 is only 706 pcs and is thin in several sizes. Large housings are single-ratio bets: 71% of inbound SP 110, 87% of SP 130 and 90% of SP 150 are ratio i:40.

Coverage is unbalanced across sizes — 12–16 months for SP 50/63/90 but only ≈5–7 months for SP 40, 75, 110 and 130 — **and even thinner inside sizes** once the ratio mix is considered: fast-moving low ratios (i:5–i:30) of SP 40 and SP 75 run out first while i:100 stock piles up.

Action: place a ≈\$142k rebalancing PO in Q3 (SP 40, SP 75, SP 30, SP 110, SP 130, SP 63 top-up), weighting it toward the low-and-mid ratios and B14 flanges per the matrix in Section 4, and pause SP 90 / SP 150.


Source files

File	Contents / role in this report
SP ORDERS yd+yc.xlsx	All units bought & sold in 2026 YTD — 1,453 order lines (domestic + export). Demand baseline. Detail level: series + housing size only (no ratio/PAM recorded).
FS2606043L (2×40GP) FINAL.xlsx	Commercial invoice, Jun 09 2026 — in transit: 6,076 gearboxes + 400 input flanges, \$238,991.25 FOB. Full SKU detail (size, ratio, PAM). Packing list: 65,795 kg GW, 94.84 CBM, 124 pallets.
ALL THE ACTIVE ORDERS.xlsx	Open factory orders, Jun 17 2026 — 6,824 gearboxes (incl. 40× SP 110 special) + 2,375 spares across POs FCM251226 → FCM260701, \$257,628.46 FOB. Full SKU detail.

1 · Sales analysis — YTD 2026

9,326 units in 1,453 order lines to 117 customers. The sales report records series and housing size only — ratio and PAM are not captured at order-line level (single exception: one line of 9× SM 50 / 80M6a / 0.37 kW / 14 rpm / FL). Four non-gearbox units (anchor windlass & accessories) excluded from size analysis.

Units sold YTD 2026 by gearbox size (all series)




Units sold by series × housing size

Series	30	40	50	63	75	90	110	130	150	Total	Share
SP	752	1,830	2,212	1,741	533	442	332	299	15	8,156	87.5%
SM	61	139	216	127	63	37	—	3	—	646	6.9%
SFM	—	220	38	5	11	11	—	—	—	285	3.1%
S	75	50	22	29	59	—	—	—	—	235	2.5%
Total	888	2,239	2,488	1,902	666	490	332	302	15	9,322	100%

SP is the workhorse (8,144 units, 87.3%); SM adds 806 (8.6%), SFM 285 (3.1%), S 235 (2.5%). SM/SFM/S sales concentrate in sizes 30–75 — relevant because all series draw on the same inbound housing size.

Top 10 customers by units purchased, YTD 2026



Customer concentration: top 10 customers take 6,588 units (71% of volume); top 3 alone 36%. ŞALTER Elektrik (1,573) and Bursa Motor (1,044) anchor the domestic side; SERTEQUIPOS (725), SCPE (454), VARTEC (152) and HIDRO-MONT (75) lead export.

2 · Inbound supply pipeline

2.1 · On the water — invoice FS2606043L (2 × 40GP)

Shipped from Shanghai, invoice Jun 09 2026: 6,076 gearboxes + 400 input flanges, \$238,991.25 FOB. 65,795 kg gross, 94.84 CBM, 124 pallets. Factory refs WX4417, WX4422, WX4437, WX4734, WX4847 (part), WX5008 (part), WX5252. Expected arrival late July / August 2026 (30–40 days transit Shanghai → Istanbul).


2.2 · Still in manufacturing — open POs at Hangzhou Fixedstar

Draft invoice Jun 17 2026: 6,824 gearboxes + 2,375 spare parts, \$257,628.46 FOB, shipping in later containers (Q3–Q4 2026).

PO	Factory ref	Value (USD FOB)	Note
FCM251226	WX4847 · WX4909	\$82,937.30	Balance of Dec order; incl. 500× SP 90 i:40 100B14 added Apr 14
FCM260508	WX5008	\$63,036.30	May order — incl. 50× SP 150 i:40 132B5
FCM260601	WX5112	\$35,983.10	June stock order + input flanges + 600× i:100 units (30/40/50)
FCM260603	WX5123	\$17,117.50	June order + 150× SP 63 output flanges
FCM260616	WX5174	\$16,291.00	Incl. 500× SP 50 i:100 71B14
FCM260617	WX5183 · WX5204	\$40,743.26	Mixed small-lot order + 40× SP 110 special i:40 100B14
FCM260701	WX5252 part	\$1,520.00	Input flanges 40/50/63/75 (repeat of shipped set)
Total		\$257,628.46	

Size	In transit (units)	In transit (\$)	In mfg (units)	In mfg (\$)	Total pipeline (units)
SP 30	610	\$9,245	493	\$7,346	1,103
SP 40	849	\$14,740	958	\$16,594	1,807
SP 50	2,489	\$64,779	1,985	\$51,693	4,474
SP 63	1,112	\$39,561	1,994	\$71,021	3,106
SP 75	143	\$7,436	342	\$17,784	485
SP 90	224	\$15,904	923	\$65,533	1,147
SP 110	271	\$31,165	63	\$7,521	334
SP 130	286	\$43,186	7	\$1,057	293
SP 150	42	\$10,710	50	\$12,750	92
SP 25	50	\$745	9	\$134	59
Spare parts	400	\$1,520	2,375	\$4,675	2,775
Total	6,476	\$238,991.25	9,199	\$257,628.46	15,675

Demand vs. inbound supply by size (units)



3 · SKU detail — ratio (i) and PAM flange mix

3.1 · Ratio mix of the inbound pipeline

Every inbound gearbox carries a reduction ratio. The matrix below shows all 12,900 inbound units by housing size × ratio (full per-line detail incl. PAM in Appendix A).

Inbound pipeline by size × ratio (units, in transit + in manufacturing)


Size	i:5	i:7.5	i:10	i:15	i:20	i:25	i:30	i:40	i:50	i:60	i:80	i:100
SP 25		25		3		3		3		25		
SP 30	105	125	184	20	116	30	126	6	6	15	115	255
SP 40	42	85	49	271	297	121	76	40	441	5	30	350
SP 50	57	276	25	603	160	206	99	267	564	191	40	1986
SP 63	90	166	39	317	306	264	321	55	694	23	165	666
SP 75		6	8	41		35	106	44	43	35	140	27
SP 90		5	79	26	148	54	188	602	26	10	9	
SP 110		10		3	40	6	7	237		21	5	5
SP 130				19			3	256	15			
SP 150				3				83	6			

High ratios dominate: i:100 = 3,289 pcs (25.5%), i:50 = 1,795, i:40 = 1,593 — together with i:80, ratios ≥40 are 59% of the pipeline. The single largest SKU is **SP 50 i:100 PAM 71B14 — 1,946 pcs** (1,222 on the water + 724 in production), a year and a half of total SP 50 demand concentrated in one ratio.

Large housings are one-ratio bets: SP 110 → 71% i:40 (237/334), SP 130 → 87% i:40 (256/293), SP 150 → 90% i:40. If demand for those sizes comes at other ratios (i:15–i:30 sold steadily in 2026 order lines), stock-outs can occur while i:40 sits on the shelf.

Thin cells to watch: SP 75 has zero inbound at i:5 and i:20 and only 6–8 pcs at i:7.5/i:10; SP 90 has none at i:5 and i:100; SP 40 i:60 is 5 pcs. These are the first back-order candidates within otherwise "covered" sizes.

3.2 · PAM motor-input flange mix (frame × B5/B14)



B14 face-mount dominates: 12,088 pcs (94.5%) vs. 706 B5 (5.5%); 106 pcs have no PAM recorded on the invoice line (mostly small WX4437 add-ons). PAM 71B14 (4,497) and PAM 80B14 (3,055) are the volume workhorses, matching SP 40/50/63 with 0.25–0.75 kW motors.

B5 depth is thin and uneven — e.g. only 47 pcs of 63B5, 70 of 71B5, 33 of 112B5 in the whole pipeline. B5 demand is small but real (export customers): a stock-out on a B5 flange blocks the sale of an otherwise-stocked gearbox. The 132-frame is almost exclusively B5 (83 of 90 pcs) — driven by the 50× SP 150 i:40 132B5 order.

Cross-check with spares: 800 input flanges are inbound (Section 3.3), which lets you convert between nearby PAM sizes for SP 40–75 — partial insurance on the thin B5/B14 cells.

3.3 · Spare parts & specials in the pipeline

Item	For size	Spec / PAM	In transit	In mfg	Total	Value (FOB)
Input flange	SP 40	71B14	100	300	400	\$1,200
Input flange	SP 50	80B14	100	300	400	\$1,440
Input flange	SP 63	90B14	100	300	400	\$1,640
Input flange	SP 75	90B14	100	300	400	\$1,800
Output flange	SP 40	—	0	750	750	\$1,275
Output flange	SP 50	—	0	500	500	\$950
Output flange	SP 63	incl. 100× fan-type (S63)	0	250	250	\$600
Output shaft	SP 50	—	0	50	50	\$145
Output shaft	SP 90	—	0	25	25	\$185
SP 110 special	SP 110	i:40 · 100B14 · \$121.90/pc	0	40	40	\$4,876
Total spares + special			400	2,815	3,215	\$14,111


Note: the 40× SP 110 special (i:40, 100B14) is counted as SP 110 gearbox supply in the forecast. The 400 input flanges in FCM260701 appear in both the shipped and the active file — if it is one order shipped early (not a repeat), deduct 400 flanges / \$1,520 from the “in mfg” column.

4 • Forecast & coverage

Method: YTD sales (7.0 months) set a monthly run rate per size; demand assumed flat for the next 12 months.

Coverage = inbound pipeline ÷ run rate. Warehouse stock on hand is **not** included (not in the source files) — real coverage is at least what is shown. The 40 SP 110 specials are included in SP 110 supply.

Months of demand covered by inbound pipeline (at YTD run rate)



Size	Run rate /mo	Pipeline (units)	Cover (months)	Forecast Aug-Dec	Forecast 12 mo	Gap next 12 mo	Gap value (FOB)
SP 30	127	1,103	8.7	634	1,522	419	\$6,247
SP 40	320	1,807	5.6	1,599	3,838	2,031	\$35,141
SP 50	355	4,474	12.6	1,777	4,265	0	—
SP 63	272	3,106	11.4	1,359	3,261	155	\$5,487
SP 75	95	485	5.1	476	1,142	657	\$34,149
SP 90	70	1,147	16.4	350	840	0	—
SP 110	47	334	7.0	237	569	235	\$27,041
SP 130	43	293	6.8	216	518	225	\$33,932
SP 150	2	92	42.9	11	26	0	—
Total	1,332	12,841	9.6	6,659	15,981	3,722	\$141,998

Reading the table — with the SKU lens on

Comfortable (≥ 11 months): SP 50 (12.6), SP 63 (11.4), SP 90 (16.4), SP 150 (42.9). But composition is skewed: 44% of SP 50 supply is i:100 and 52% of SP 90 is i:40. At SP 50, the non-i:100 pipeline (2,488 pcs) covers ≈ 7 months of demand — still fine, but not the 12.6 the headline suggests if i:100 demand softens.

Adequate to year-end only (5–9 months): SP 30 (8.7), SP 130 (6.8), SP 110 (7.0 incl. specials), SP 40 (5.6), SP 75 (5.1). With 3–4 months of factory + sea lead time, an order placed August–September lands exactly as these deplete. Within SP 40, the fast low-ratio cells (i:5–i:30) hold only ≈ 941 pcs $\approx 4\frac{1}{2}$ months if ratio demand mirrors the pipeline mix.

Largest gaps for a 12-month horizon: SP 40 $\approx 2,030$ pcs (\$35k), SP 75 ≈ 660 (\$34k), SP 130 ≈ 225 (\$34k), SP 110 ≈ 235 (\$27k), SP 30 ≈ 420 (\$6k), SP 63 ≈ 155 (\$5k) $\rightarrow \approx 3,720$ units $\approx$ \$142k FOB.

5 • Recommendations

1. Place a Q3 rebalancing PO ($\approx$ \$142k FOB) — with an explicit ratio/PAM split.

Suggested quantities: 2,030 $\times$ SP 40, 660 $\times$ SP 75, 420 $\times$ SP 30, 235 $\times$ SP 110, 225 $\times$ SP 130, 155 $\times$ SP 63. Weight ratios toward the thin cells: for SP 40 mostly i:5–i:30 on 63B14/71B14 (i:50/i:100 already deep); for SP 75 cover i:5, i:7.5, i:10, i:20 (zero or near-zero inbound) on 80B14/90B14; for SP 110/130 buy i:7.5–i:30 — i:40 is already 7–9 months deep on its own. Add small B5 top-ups (63B5, 71B5, 80B5, 112B5) for export SKUs.

2. Pause SP 90 and SP 150 ordering; watch SP 50 i:100.

SP 90 holds 16.4 months (602 pcs of i:40 alone) and SP 150 ~43 months. SP 50 i:100 71B14 at 1,946 pcs is ~18 months of the entire SP 50 demand — do not add i:100 anywhere until it burns down.

3. Chase the two shipments.

FS2606043L (2×40GP, 65.8 t, 124 pallets) should arrive ±August — confirm ETA, customs file and QC on arrival, prioritising the SP 40/75 cells. Get a firm ship date for the \$257.6k still at the factory; SP 75 and SP 40 coverage depends on it.

4. Fix the flange double-entry before goods receipt.

FCM260701 input flanges (400 pcs, \$1,520) are listed in both files. Confirm with Fixedstar whether it is a repeat order or the same lot, so warehouse receiving and payables match.

5. Start capturing ratio + PAM on sales order lines.

The sales report records only series + size, so ratio-level demand had to be inferred from the purchase mix. Adding ratio/PAM to order entry would make the next forecast SKU-accurate on the demand side too.

6. Add warehouse stock to the model and re-run quarterly.

Coverage shown is pipeline-only. A per-SKU warehouse count would turn this into a true stock projection and sharpen the reorder to exact ratio/PAM quantities.

Assumptions & data notes

- YTD period assumed Jan 1 – Jul 30 2026 (7.0 months); the sales file carries no dates. Run rates scale if the period differs.
- Demand assumed flat (no seasonality) — no monthly breakdown exists in the sales file.
- Supplier "FCNDK nn" = your "SP/SM/S/SFM nn"; all series variants of a size draw on the same inbound housings.
- Values are USD FOB Shanghai (supplier invoice prices). Freight, duty and sales prices are not in the source files.
- Warehouse stock is not included — coverage is a conservative minimum.
- Ratio-mix commentary compares pipeline composition; sales-side ratio demand is not recorded in the sales file (see Rec. 5).
- 106 gearboxes have no PAM recorded on the invoice line; 91 (WX4437/WX5123 add-ons) also carry no PAM in the packing data.
- 59 pcs of SP 25 are inbound with zero recorded SP 25 sales YTD — excluded from coverage; likely serve SFM/S small builds.
- The 40× "SP110 special" (\$121.90 vs. \$115.00 standard) is included in SP 110 supply.
- Every invoice was re-added line-by-line and ties exactly: \$238,991.25 (shipped) and \$257,628.46 (active).

Appendix A · Full inbound SKU list (size × ratio × PAM)

All inbound gearboxes aggregated by SKU. "Transit" = on the water (FS2606043L); "Mfg" = in production. Unit price = FOB Shanghai. Lines without PAM on the invoice shown as "—".

SKU	Ratio (i)	PAM	Transit	Mfg	Total	Unit \$	Value \$
SP 25	7.5	56B14	25	.	25	14.90	372
SP 25	15	56B14	.	3	3	14.90	45
SP 25	25	56B14	.	3	3	14.90	45
SP 25	40	56B14	.	3	3	14.90	45
SP 25	60	56B14	25	.	25	14.90	372
SP 30	5	63B14	105	.	105	16.39	1,721
SP 30	7.5	56B14	25	20	45	14.90	670
SP 30	7.5	63B14	50	30	80	14.90	1,192
SP 30	10	56B14	50	.	50	14.90	745
SP 30	10	63B14	60	74	134	14.90	1,997
SP 30	15	63B14	.	20	20	14.90	298
SP 30	20	—	50	.	50	14.90	745
SP 30	20	63B14	20	44	64	14.90	954
SP 30	20	63B5	.	2	2	14.90	30
SP 30	25	63B14	.	30	30	14.90	447
SP 30	30	56B14	50	.	50	14.90	745
SP 30	30	63B14	50	11	61	14.90	909
SP 30	30	63B5	5	10	15	14.90	224
SP 30	40	63B14	.	6	6	14.90	89
SP 30	50	63B14	.	6	6	14.90	89
SP 30	60	63B14	.	6	6	14.90	89
SP 30	60	63B5	5	4	9	14.90	134
SP 30	80	56B14	80	30	110	14.90	1,639
SP 30	80	63B5	5	.	5	14.90	74
SP 30	100	56B14	45	.	45	14.90	670
SP 30	100	63B14	.	200	200	14.90	2,980
SP 30	100	63B5	10	.	10	14.90	149
SP 40	5	63B5	5	.	5	19.03	95
SP 40	5	71B14	25	12	37	19.03	704
SP 40	7.5	63B14	.	8	8	17.30	138
SP 40	7.5	71B14	65	12	77	17.30	1,332
SP 40	10	63B14	3	5	8	17.30	138
SP 40	10	71B14	10	31	41	17.30	709
SP 40	15	63B14	.	25	25	17.30	432
SP 40	15	71B14	200	46	246	17.30	4,256
SP 40	20	63B14	5	166	171	17.30	2,958
SP 40	20	71B14	120	6	126	17.30	2,180
SP 40	25	63B14	55	60	115	17.30	1,990
SP 40	25	71B14	.	6	6	17.30	104
SP 40	30	63B14	10	6	16	17.30	277
SP 40	30	71B14	55	5	60	17.30	1,038
SP 40	40	71B14	40	.	40	17.30	692
SP 40	50	63B14	71	30	101	17.30	1,747
SP 40	50	71B14	160	180	340	17.30	5,882
SP 40	60	71B5	5	.	5	17.30	86
SP 40	80	63B14	.	30	30	17.30	519
SP 40	100	63B14	10	30	40	17.30	692
SP 40	100	71B14	10	300	310	17.30	5,363
SP 50	5	63B14	25	.	25	28.60	715
SP 50	5	80B14	.	32	32	28.60	915
SP 50	7.5	63B14	25	.	25	26.00	650

SKU	Ratio (i)	PAM	Transit	Mfg	Total	Unit \$	Value \$
SP 50	7.5	71B14	15	32	47	26.00	1,222
SP 50	7.5	80B14	172	32	204	26.00	5,304
SP 50	10	71B14	19	6	25	26.00	650
SP 50	15	63B14	20	.	20	26.00	520
SP 50	15	71B14	105	300	405	26.00	10,530
SP 50	15	80B14	124	34	158	26.00	4,108
SP 50	15	80B5	20	.	20	26.00	520
SP 50	20	63B14	20	.	20	26.00	520
SP 50	20	71B14	25	55	80	26.00	2,080
SP 50	20	80B14	15	32	47	26.00	1,222
SP 50	20	80B5	13	.	13	26.00	338
SP 50	25	63B14	20	.	20	26.00	520
SP 50	25	71B14	15	32	47	26.00	1,222
SP 50	25	80B14	105	34	139	26.00	3,614
SP 50	30	63B14	20	.	20	26.00	520
SP 50	30	71B14	25	18	43	26.00	1,118
SP 50	30	80B14	10	6	16	26.00	416
SP 50	30	80B5	20	.	20	26.00	520
SP 50	40	63B14	20	.	20	26.00	520
SP 50	40	71B14	20	49	69	26.00	1,794
SP 50	40	80B14	60	103	163	26.00	4,238
SP 50	40	80B5	5	10	15	26.00	390
SP 50	50	63B14	.	20	20	26.00	520
SP 50	50	71B14	150	159	309	26.00	8,034
SP 50	50	80B14	100	116	216	26.00	5,616
SP 50	50	80B5	19	.	19	26.00	494
SP 50	60	63B14	.	20	20	26.00	520
SP 50	60	71B14	60	66	126	26.00	3,276
SP 50	60	71B5	5	40	45	26.00	1,170
SP 50	80	71B14	.	30	30	26.00	780
SP 50	80	71B5	5	.	5	26.00	130
SP 50	80	80B5	5	.	5	26.00	130
SP 50	100	71B14	1,222	724	1,946	26.00	50,596
SP 50	100	71B5	5	10	15	26.00	390
SP 50	100	80B14	.	25	25	26.00	650
SP 63	5	80B14	24	26	50	39.05	1,952
SP 63	5	90B14	.	40	40	39.05	1,562
SP 63	7.5	—	.	5	5	35.50	178
SP 63	7.5	80B14	10	27	37	35.50	1,314
SP 63	7.5	90B14	.	124	124	35.50	4,402
SP 63	10	80B14	10	12	22	35.50	781
SP 63	10	90B14	.	17	17	35.50	604
SP 63	15	80B14	10	11	21	35.50	746
SP 63	15	90B14	10	241	251	35.50	8,910
SP 63	15	90B5	15	30	45	35.50	1,598
SP 63	20	—	2	.	2	35.50	71
SP 63	20	80B14	20	167	187	35.50	6,638
SP 63	20	80B5	5	10	15	35.50	532
SP 63	20	90B14	5	42	47	35.50	1,668
SP 63	20	90B5	55	.	55	35.50	1,952
SP 63	25	71B14	40	.	40	35.50	1,420
SP 63	25	80B14	115	21	136	35.50	4,828
SP 63	25	90B14	9	64	73	35.50	2,592
SP 63	25	90B5	15	.	15	35.50	532
SP 63	30	—	.	5	5	35.50	178
SP 63	30	80B14	25	59	84	35.50	2,982

SKU	Ratio (i)	PAM	Transit	Mfg	Total	Unit \$	Value \$
SP 63	30	90B14	129	103	232	35.50	8,236
SP 63	40	71B14	10	.	10	35.50	355
SP 63	40	80B14	5	40	45	35.50	1,598
SP 63	50	—	6	5	11	35.50	390
SP 63	50	71B14	10	.	10	35.50	355
SP 63	50	80B14	88	435	523	35.50	18,566
SP 63	50	90B14	.	150	150	35.50	5,325
SP 63	60	—	3	.	3	35.50	106
SP 63	60	80B14	.	10	10	35.50	355
SP 63	60	90B5	10	.	10	35.50	355
SP 63	80	63B5	.	1	1	35.50	36
SP 63	80	71B14	5	22	27	35.50	958
SP 63	80	80B14	100	12	112	35.50	3,976
SP 63	80	80B5	5	10	15	35.50	532
SP 63	80	90B14	.	5	5	35.50	178
SP 63	80	90B5	5	.	5	35.50	178
SP 63	100	80B14	361	300	661	35.50	23,466
SP 63	100	90B5	5	.	5	35.50	178
SP 75	7.5	80B14	.	2	2	52.00	104
SP 75	7.5	90B14	.	4	4	52.00	208
SP 75	10	80B14	3	.	3	52.00	156
SP 75	10	90B14	5	.	5	52.00	260
SP 75	15	90B14	5	11	16	52.00	832
SP 75	15	90B5	.	5	5	52.00	260
SP 75	15	100B14	.	20	20	52.00	1,040
SP 75	25	90B5	.	35	35	52.00	1,820
SP 75	30	—	30	.	30	52.00	1,560
SP 75	30	90B14	30	26	56	52.00	2,912
SP 75	30	90B5	.	10	10	52.00	520
SP 75	30	100B14	.	10	10	52.00	520
SP 75	40	90B14	20	14	34	52.00	1,768
SP 75	40	90B5	10	.	10	52.00	520
SP 75	50	90B14	15	12	27	52.00	1,404
SP 75	50	90B5	10	1	11	52.00	572
SP 75	50	100B14	.	5	5	52.00	260
SP 75	60	80B14	.	15	15	52.00	780
SP 75	60	90B14	.	15	15	52.00	780
SP 75	60	100B14	.	5	5	52.00	260
SP 75	80	80B14	.	130	130	52.00	6,760
SP 75	80	90B5	5	.	5	52.00	260
SP 75	80	100B14	.	5	5	52.00	260
SP 75	100	80B14	.	12	12	52.00	624
SP 75	100	90B5	10	.	10	52.00	520
SP 75	100	100B14	.	5	5	52.00	260
SP 90	7.5	80B14	5	.	5	71.00	355
SP 90	10	100B14	10	51	61	71.00	4,331
SP 90	10	100B5	.	10	10	71.00	710
SP 90	10	112B14	8	.	8	71.00	568
SP 90	15	100B14	.	15	15	71.00	1,065
SP 90	15	100B5	1	.	1	71.00	71
SP 90	15	112B5	10	.	10	71.00	710
SP 90	20	90B14	15	46	61	71.00	4,331
SP 90	20	100B14	10	32	42	71.00	2,982
SP 90	20	100B5	25	20	45	71.00	3,195
SP 90	25	90B14	10	12	22	71.00	1,562
SP 90	25	100B14	5	17	22	71.00	1,562

SKU	Ratio (i)	PAM	Transit	Mfg	Total	Unit \$	Value \$
SP 90	25	100B5	.	10	10	71.00	710
SP 90	30	80B5	5	.	5	71.00	355
SP 90	30	90B14	30	32	62	71.00	4,402
SP 90	30	90B5	5	.	5	71.00	355
SP 90	30	100B14	25	81	106	71.00	7,526
SP 90	30	100B5	.	10	10	71.00	710
SP 90	40	90B14	5	22	27	71.00	1,917
SP 90	40	90B5	.	10	10	71.00	710
SP 90	40	100B14	50	515	565	71.00	40,115
SP 90	50	90B14	.	16	16	71.00	1,136
SP 90	50	90B5	.	10	10	71.00	710
SP 90	60	90B5	.	10	10	71.00	710
SP 90	80	90B14	.	4	4	71.00	284
SP 90	80	100B5	5	.	5	71.00	355
SP 110	7.5	112B14	10	.	10	115.00	1,150
SP 110	15	112B14	3	.	3	115.00	345
SP 110	20	112B14	40	.	40	115.00	4,600
SP 110	25	100B5	3	.	3	115.00	345
SP 110	25	112B5	3	.	3	115.00	345
SP 110	30	112B5	5	2	7	115.00	805
SP 110	40	100B14	162	.	162	115.00	18,630
SP 110 special	40	100B14	.	40	40	121.90	4,876
SP 110	40	112B14	30	5	35	115.00	4,025
SP 110	60	90B14	.	6	6	115.00	690
SP 110	60	100B14	5	10	15	115.00	1,725
SP 110	80	100B14	5	.	5	115.00	575
SP 110	100	100B14	5	.	5	115.00	575
SP 130	15	112B14	10	2	12	151.00	1,812
SP 130	15	132B14	5	2	7	151.00	1,057
SP 130	30	112B14	3	.	3	151.00	453
SP 130	40	112B14	253	2	255	151.00	38,505
SP 130	40	112B5	1	.	1	151.00	151
SP 130	50	112B14	5	1	6	151.00	906
SP 130	50	112B5	9	.	9	151.00	1,359
SP 150	15	132B5	3	.	3	255.00	765
SP 150	40	100B5	3	.	3	255.00	765
SP 150	40	112B5	3	.	3	255.00	765
SP 150	40	132B5	27	50	77	255.00	19,635
SP 150	50	100B5	3	.	3	255.00	765
SP 150	50	132B5	3	.	3	255.00	765
Total gearboxes			6,076	6,824	12,900		488,905