


Section 60_03: MeCP2 Peak Gains Against Gene-Level MeCP2 Loss

Peak counting, peak weighting, the gene-level collapse rule, and GO term recovery


MeCP2 Differential Peaks by Direction

Gained-to-lost ratio: Annotated peakset = 6.41 | DiffBind Conc4 peakset = 5.13




MeCP2 Peak Fold Change by Direction

DiffBind log2 fold change, mutant over control, one point per peak




MeCP2 Peak Width by Direction

Peak width sets how much sequence each peak contributes to a gene-level aggregate



Gained Against Lost MeCP2 Peaks Under Four Weighting Schemes


Each panel reweights the same peaks. The gained-to-lost balance moves with the weight.



Gene-Level MeCP2 Fold Change Under Two Collapse Rules


Spearman rho = 0.496, p = 0.00e+00 | sign differs for 5,330 of 21,195 genes (25.1%)

Same sign under both rules (grey) | Sign differs between rules (orange)



MeCP2 Peaks per Gene

Annotated peakset, one count per gene symbol. Dashed line marks the median. Counts on a log10 axis.



Significant GSEA GO BP Terms by Ranking Metric

Neuronal terms match 'synap|neuron|axon|dendrit|nervous|brain|cerebel' in the term description | q < 0.050

Neuronal terms (blue) | Other terms (grey)

