

Member: Zachary M Collier Date of birth: 7/12/1988

Sex: Male

Primary care physician: LAWRENCE ANAYA, MD

Date printed: 5/23/2015

CBC (COMPLETE BLOOD COUNT) WITH DIFFERENTIAL

About this test

For general information about a test procedure, click the "About this test" link above.

To see more information about a test result, select the "Details" tab. To compare test results over time, click "Past results" or "Graph of past results."

You may see an "A" (for abnormal), "H" or "HH" (for high), or "L" or "LL" (for low) in the "Flag" column. This means the test result is outside the normal range. Results a little bit outside this range are usually of no concern. Your doctor will discuss these results with you.

Component Results

Component	Standard Range	Your Value	Flag
WBC's, automated count	3.8 - 10.8 THOUS/MCL	6.2	
RBC, auto	4.2 - 5.8 MILL/MCL	5.21	
Hgb	13.4 - 18 GM/DL	15.4	
Hct, auto	40 - 54 %	45.8	
MCV	80 - 100 FL	87.9	
MCH	27 - 33 PG	29.6	
MCHC	32 - 36 GM/DL	33.7	
RDW, ratio, RBC, Qn, auto	11 - 15 %	13.4	
Platelets, automated count	140 - 400 THOUS/MCL	211	
Plt mean vol, Rees-Ecker	7.5 - 11.5 FL	9.3	
Neutrophils auto count	1500 - 7800 CELLS/MCL	4104	
Lymphocytes, automated count	850 - 3900 CELLS/MCL	1736	
Monocytes, automated count	200 - 950 CELLS/MCL	310	
Eosinophils, automated count	0 - 500 CELLS/MCL	37	
Basophils, automated count	0 - 200 CELLS/MCL	12	
Neutrophils %, automated count		66.2	
Lymphocytes %, automated count		28.0	
Monos %, auto		5.0	
Eosinophils %, automated count		0.6	
Basophils %, automated count		0.2	

General Information

Collected: 05/15/2015 12:00 AM Resulted: 05/16/2015 7:44 AM

Ordered By: JOHN BEAUMAN, MD

This test result has been released by an automatic process.

If you have questions about these test results, you can e-mail your doctor at a Kaiser Permanente medical office, or call 1-800-218-1059 (toll free).

If these tests were ordered by an affiliated provider, please call your doctor's office directly.

Certain content delivered by MyChart®, licensed from Epic Systems Corporation, © 1999 to 2014, patents pending.

To print this page: Use your browser's "Print" button, or select "File" then "Print" from your browser menu. If you have trouble printing, please click somewhere on this page and try again. To go back to the regular view, click the "Close" button below.

© 2009 Kaiser Permanente

Close