

AWS Assignment

Course Name & Code: AWS

Instructor: Nitha

Assignment Details

Assignment Title: Task #48789 - Send a sample Email in PHP using AWS SES

Date: April 13, 2026

Student Information

Name: Sameer Malik

Email: sameermalik.dev@gmail.com



Instructions and Guidelines

Objective

send an email to the verified address using aws-SES with php

1. verify the recipient address inside a simple email service[SES].
2. Get your smpt credentials (from SES console)
3. install php and other required dependencies in your machine
4. try to send mail by creating and executing a php file [refer aws docs for the information about the file and its contents]

Result

Step 1: AWS SES Configuration


- **Verified Identities:** I added and verified the sender and recipient email addresses in the AWS SES Console. Since the account is in "Sandbox" mode, both addresses must be verified before sending or configuring emails.
- **SMTP Credentials:** I generated a set of SMTP credentials (Username and Password) from the SES settings to allow the PHP script to securely connect to the AWS mail server.

Step 2: Environment Setup

- **PHP & Composer:** I ensured PHP was installed on the machine.
- **PHPMailer Library:** I used **Composer** to install the **PHPMailer** library, which is the standard tool for handling SMTP email delivery in PHP.

Step 3: Script Creation

I created a script named `send_email.php`. I configured it with the AWS SMTP endpoint for the **ap-south-1 (Mumbai)** region, added the credentials, and set the sender/recipient details.



The screenshot shows a code editor with a dark theme. The main window displays the PHP script `send_email.php`. The script uses the PHPMailer library to send an email via the AWS SES SMTP endpoint in the `ap-south-1` region. It includes comments for configuration and error handling. A Gemini AI chat interface is overlaid on the right side of the editor, showing a conversation about the script's configuration and execution. The chat includes a prompt to "breakdown the task" and a response explaining the steps. The bottom of the editor shows the file name `"send_email.php"` and its size `32L, 980B`.

```
<?php
use PHPMailer\PHPMailer\PHPMailer;
use PHPMailer\PHPMailer\Exception;

require 'vendor/autoload.php';

$mail = new PHPMailer(true);

try {
    // Server settings
    $mail->isSMTP();
    $mail->Host = 'email-smtp.ap-south-1.amazonaws.com'; // Change this
    $mail->SMTPAuth = true;
    $mail->Username = 'AKIAV70T35I6AP4YRR6B'; // From Step 2
    $mail->Password = 'BD2NGL4dvYsn8FIScf09RaU+f8kJ9TDUuWRJAQRTxpb'; // From Step 2
    $mail->SMTPSecure = PHPMailer::ENCRYPTION_STARTTLS;
    $mail->Port = 587;

    // Recipients
    $mail->setFrom('sameermalik.temp@gmail.com', 'Mailer');
    $mail->addAddress('sameermalikrp@gmail.com');

    // Content
    $mail->isHTML(true);
    $mail->Subject = 'AWS SES Test Email';
    $mail->Body = 'This is a sample email sent from <b>PHP</b> using AWS SES.';

    $mail->send();
    echo 'Message has been sent';
} catch (Exception $e) {
    echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
}
```

PHP Code Configuration

Step 4: Execution and Error Handling

- **Initial Run:** During the first execution, the script failed because one of the recipient addresses was not yet verified in the AWS SES console.
- **Correction:** I verified the missing email address in the AWS dashboard.
- **Success:** Upon re-running the script, the terminal confirmed "Message has been sent."

```
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing      :
Upgrading      : vim-data-2:9.1.083-6.el10_1.1.noarch
Installing     : vim-filesystem-2:9.1.083-6.el10_1.1.noarch
Installing     : xxd-2:9.1.083-6.el10_1.1.x86_64
Installing     : vim-common-2:9.1.083-6.el10_1.1.x86_64
Installing     : vim-enhanced-2:9.1.083-6.el10_1.1.x86_64
Upgrading      : vim-minimal-2:9.1.083-6.el10_1.1.x86_64
Cleanup        : vim-minimal-2:9.1.083-6.el10_1.1.x86_64
Cleanup        : vim-data-2:9.1.083-6.el10_1.1.noarch
Running scriptlet: vim-data-2:9.1.083-6.el10_1.1.noarch
Installed products updated.


Upgraded:
vim-data-2:9.1.083-6.el10_1.1.noarch
vim-minimal-2:9.1.083-6.el10_1.1.x86_64
Installed:
vim-common-2:9.1.083-6.el10_1.1.x86_64
vim-enhanced-2:9.1.083-6.el10_1.1.x86_64
vim-filesystem-2:9.1.083-6.el10_1.1.noarch
xxd-2:9.1.083-6.el10_1.1.x86_64

Complete!
[ec2-user@ip-172-31-5-221 vendor]$ vim send_email.php
[ec2-user@ip-172-31-5-221 vendor]$ php send_email.php
PHP Warning: require(vendor/autoload.php): Failed to open stream: No such file or directory in /home/ec2-user/vendor/send_email.php on line 5
PHP Fatal error: Uncaught Error: Failed opening required 'vendor/autoload.php' (include_path='.:usr/share/pear:usr/share/php') in /home/ec2-user/vendor/s
end_email.php:5
Stack trace:
#0 {main}
  thrown in /home/ec2-user/vendor/send_email.php on line 5
[ec2-user@ip-172-31-5-221 vendor]$ cp send_email.php ../
[ec2-user@ip-172-31-5-221 vendor]$ cd ..
[ec2-user@ip-172-31-5-221 ~]$ php send_email.php
Message could not be sent. Mailer Error: SMTP Error: data not accepted. SMTP server error: DATA END command failed Detail: Message rejected: Email address i
s not verified. The following identities failed the check in region AP-SOUTH-1: sameermalik.rp@gmail.com
SMTP code: 554[ec2-user@ip-172-31-5-221 ~]$ vim send_email.php
[ec2-user@ip-172-31-5-221 ~]$ php send_email.php
Message has been sent[ec2-user@ip-172-31-5-221 ~]$ vim send_email.php
[ec2-user@ip-172-31-5-221 ~]$
```

Terminal Execution and Error Resolution

Step 5: Final Verification

I checked the recipient's inbox and confirmed that the test email titled "AWS SES Test Email" was successfully delivered.



Email Received in Gmail