

Universidad de Guadalajara

DIVISIÓN DE TECNOLOGÍAS PARA LA INTEGRACIÓN CIBER-HUMANA
DEPARTAMENTO DE CIENCIAS COMPUTACIONALES



Practica 1

Fundamentos de Programación con GDScript



Alumno: Zamora Delgadillo Miguel Angel

Código: 219630986

Carrera: Ingeniera en Computación

Materia: Programación de Gráficos 3D

NRC: 227988

Calendario: 2026 A

Fecha: 02/02/2026

Profesor: JOSE LUIS DAVID BONILLA CARRANZA

Course Index - Learn GDScript From Zero

Lesson 13 Conditions

100%

Lesson 14 Multiplying

100%

Lesson 15 2D Vectors

100%

Lesson 16 Introduction to While Loops

100%

Lesson 17 Introduction to For Loops

100%

Lesson 18 Creating arrays

100%

Lesson 19 Looping over arrays

100%

Lesson 20 Strings

100%

Lesson 21 Functions that return a value

100%

Lesson 22 Appending and popping values 1

95%

Lesson 23 Accessing values in arrays

100%

Lesson 24 Creating Dictionaries

100%

Lesson 25 Looping over dictionaries

100%

Lesson 26 Value types

100%

Lesson 27 Specifying types with type hints

100%

Reset Progress

27. Specifying types with type hints · 2. Fix the values to match the type hints

Fix The Values To Match The Type Hints

Goals

It is the other way around in this practice: the type hints are fine, but the values are not.

Your task is to fix the values after the equal sign, so they match the type hint of each variable.

Hints

Checks

- ✓ Decimal Number Has Correct Value
- ✓ Text Has Correct Value
- ✓ Vector Has Correct Value
- ✓ Whole Number Has Correct Value

```
1 var whole_number: int = 4
2 var text: String = "HELLO WORLD!"
3 var vector: Vector2 = Vector2(1,1)
4 var decimal_number: float = 3.14
```



Run



Pause



Reset



Solution



Output



Continue

Open Practice List

Learn GDScript From Zero is an open source project by GDQUEST.COM

(El numero 25 no carga la página al compilar)

Reflexión breve respondiendo:

- ¿Qué concepto te resultó más difícil de entender?

El concepto más difícil fueron los arrays (vectores)

- ¿Cómo aplicarás lo aprendido en tu primer juego?

La creación de mapas para poder mover al jugador, ya sea si quiero crear un juego TRPG.
Donde en este tipo de juegos para mover al jugador es necesario un mapa que es afectado por los arrays