


Questa è la
configurazione
della rete
composta da 2
host e 3 server.



DHCP Server

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP**
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DHCP

Interface **FastEthernet0** Service ☒ On ☐ Off

Pool Name

Default Gateway

DNS Server

Start IP Address :

Subnet Mask :

Maximum Number of Users :

TFTP Server:

WLC Address:

Add Save Remove

Pool Name	Default Gateway	DNS Server	Start P Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	192.168...	192.168...	192.168...	255.255...	251	0.0.0.0	0.0.0.0

DNS Server

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS**
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

DNS

DNS Service ☒ On ☐ Off

Resource Records

Name Type **A Record**

Address

Add Save Remove

No.	Name	Type	Detail
0	epicode.internal	A Record	192.168.50.4

DNS Cache

HTTP Server

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP**
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL
- FTP
- IoT
- VM Management
- Radius EAP

HTTP

HTTP ☒ On ☐ Off

HTTPS ☒ On ☐ Off

File Manager

	File Name	Edit	Delete
1	copyrights.html	(edit)	(delete)
2	cscoptlogo177x111.jpg		(delete)
3	helloworld.html	(edit)	(delete)
4	image.html	(edit)	(delete)
5	index.html	(edit)	(delete)

New File

Impo

Queste sono le configurazioni dei servizi DHCP, DNS e HTTP

Laptop0

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static

IPv4 Address 192.168.50.5

Subnet Mask 255.255.255.0

Default Gateway 192.168.50.1

DNS Server 192.168.50.3

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::201:43FF:FE08:BBD7

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MDS

Username

Password

☐ Top

Laptop1

Physical Config **Desktop** Programming Attributes

IP Configuration X

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static

IPv4 Address 192.168.50.6

Subnet Mask 255.255.255.0

Default Gateway 192.168.50.1

DNS Server 192.168.50.3

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::201:C7FF:FEBD:35C2

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MDS

Username

Password

☐ Top

Entrambi i laptop ricevono correttamente un indirizzo ip, subnet mask, gateway e indirizzo del server DNS tramite il server DHCP

Il laptop riesce a visualizzare correttamente la pagina HTML all'interno del server HTTP tramite l'alias inserito nel registro DNS

