ONE UI DESIGN

Business Finance and Marketing Industry

ONE UI DESIGN

I. LOGO AND BRAND MARK

A. CORPORATE LOGO



Logo link: *sbsi-variation1-logo.png*

Used on the main authentication landing page, homepage, and User Management sidebar representing the whole Scientific Biotech Specialties, Inc. organization.

B. FAVICON



Logo link: *sbsi-logo-white.png*

Used on the expanded sidebar/header of each group system, including CMS, SERMS, PRS, and TS. This provides a consistent SBSI identity across the individual systems.

C. SYSTEM LOGO



Logo link: *sbsi-logo-white.png*

Used on the collapsed sidebar/header of each group system, including CMS, SERMS, PRS, and TS. This provides a consistent SBSI identity across the individual systems.

D. SUBSYSTEM LOGO LOCKUPS



Used on the sidebar/header of each individual system, including PRS, SERMS, CMS, and TS. It identifies the specific system while retaining the SBSI identity. Uses Variation 2 together with the corresponding system name. System names use Poppins. The identifying portion uses Poppins Bold, while “System” or “Management System” uses Poppins Regular, 1 font size smaller, 0 letter spacing, and 1 line spacing, and must always appear as the last/bottom line.

II. TYPOGRAPHY

A. PRIMARY FONT






B. SECONDARY FONT



III. COLOUR PALETTE

Color	Color Token	Hex Code	Primary Purpose & Usage
	Brand Primary	#252578	Sidebar background, page titles, main CTA buttons, badges, Donut chart approved slice
	Brand Accent	#2e85d8	Active sidebar border, focus rings, link hovers, badges, Donut chart pending slice
	Brand Deep	#3a3a85	Active sidebar link background, dark navy text utilities
	Brand Deep Border	#4E4E91	Active sidebar link background border
	Page Background	#F8F9FA	Master body background, table thead th backgrounds, row hovers
	Surface Pure White	#FFFFFF	Main card backgrounds, modal dialogs, dropdowns, inputs, Header
	Dark Slate	#1e293b	Card metric numbers, modal header titles, Primary body typography, user display name in header
	Medium/Muted Slate	#8d8b8f	Secondary subtitles, table data cells, form helper copy

	Error Red	#ef4444	Rejected status badge, inactive status dots, form validation errors, logout icon
	Error Background	#fef2f2	Rejected status badge background, delete confirmation alert background
	Error Border	#fca5a5	Rejected status border, invalid field border outline
	Warning Background	#f59e0b	Pending status badge text/icon, gold leaderboard crown
	Warning (Amber)	#FFFBEB	Pending status badge background, gold point tags background
	Warning Border	#FCD34D	Warning alert callout borders
	Success (Green)	#10B981	Approved status badge text/icon, active toggle switches
	Success Background	#ECFDF5	Approved status pill background, verified institution background
	Success Border	#6EE7B7	Approved status border, verified check border
	Linear Gradient	#252578, #2E85D8	Optional Background Header
	Brand Background	#EFF6FF	Brand badges, chips background

IV. SPACING SYSTEM

Margin: 8px (m-2), 16px (m-4), 24px (m-6), 32px (m-8), 48px (m-12)

Padding: 4px (p-1), 8px (p-2), 12px (p-3), 16px (p-4), 24px (p-6), 32px (p-8)

V. ELAVATION / SHADOW

Level 1 (Cards, Badges, Table Rows): 0 1px 2px 0 rgba(0, 0, 0, 0.05) (shadow-xs / shadow-sm)
Level 2 (Dropdowns, Hover Cards, Popovers): 0 4px 6px -1px rgba(0, 0, 0, 0.1), 0 2px 4px -2px rgba(0, 0, 0, 0.06) (shadow-md)

Level 3 (Toasts, Drawers, Side Panels): 0 10px 15px -3px rgba(0, 0, 0, 0.1), 0 4px 6px -4px rgba(0, 0, 0, 0.05) (shadow-lg)

Level 4 (Modals, Dialogs, Critical Overlays): 0 20px 25px -5px rgba(0, 0, 0, 0.15), 0 8px 10px -6px rgba(0, 0, 0, 0.08) (shadow-2xl)

VI. SPACING SYSTEM

Enforces a Hierarchical Grid System using strict 8px increments (8px, 16px, 24px, 32px) to eliminate arbitrary spacing values and prevent excessive whitespace across all screens.

Margin:

8px: Compact element separation (icon offsets, inline tags).

16px: Form field gutters and grouped content stacks.

24px: Primary vertical rhythm between cards and view sections.

32px: Maximum outer canvas boundary margins.

Padding:

8px: Compact interactive controls, buttons, and status badges.


16px: Mobile containers, side panels, and compact cards.

24px: Standard internal padding for cards, tables, and dialogs.

32px: Desktop outer page container padding.

VII. COMPONENT STARDADIZATION

A. SIDEBAR



EXPANDED SIDEBAR COMPONENT ANATOMY AND STATES

1. **Brand Header Lockup**

   A System Logo (SBSI) with System names that use Poppins. The identifying portion uses Poppins Bold, while “System” or “Management System” uses Poppins Regular, 1 font size smaller, 0 letter spacing, and 1 line spacing, and must always appear as the last/bottom line. (*eg. PRODUCTIVITY REPORTS / SYSTEM, CONTRACT / MANAGEMENT SYSTEM.*).

   Divider: A 1px subtle border line placed directly below the header:



2. **Category Section Eyebrows**

   A small, non-clickable header bold text (rgba(255, 255, 255, 0.6)) placed directly above a group of related navigation links or content blocks to provide structure and groups related workflows (e.g., MAIN, ANALYTICS, GENERAL). Rendered in all-caps, reduced opacity. This is optional.



3. **Navigation Items**

   3.1 Without Children



Default State: Transparent background, leading icon, and semi-bold label (rgba(255, 255, 255, 0.6)). Clicking navigates directly to the page.




Active State: Solid container pill background (#3a3a85) with border (#4E4E91), rounded corners (8px / rounded-lg), white bold text label (#ffffff).

3.2 With Children (Collapsible Accordion)




Default / Collapsed State: Transparent background, leading icon, label, with a right-aligned down-chevron icon. Clicking toggles the submenu.



Expanded / Active State: Solid container pill (rgba(255, 255, 255, 0.6), rounded corners (8px / rounded-lg), with a right-aligned chevron-up icon. The submenu tree opens directly below.

4. Submenu Branch / Tree Indicator



When an accordion expands, child links render underneath with a left indentation. There's a thin vertical guide line (border-left: 1px solid rgba(255, 255, 255, 0.2)) connecting the parent to its children.

Child Items:

Each child contains its own icon and label.

Inactive items use rgba(255, 255, 255, 0.70).

Active item uses color: (#ffffff) with SemiBold weight.

5. **Pinned Footer (Logout Action)**



Fixed at the bottom of the sidebar. Preceded by a full-width subtle divider line. Displays a LogOut icon (#ffffff) with a Bold label "Logout" (#ffffff). Also, a 1px subtle border line placed directly above the header (1px solid rgba(255, 255, 255, 0.2)).

COLLAPSED SIDEBAR COMPONENT ANATOMY AND STATES



1. **Dimensions & Layout:**
   All items become horizontally centered (justify-content: center).
2. **Hidden Elements:**
   Brand text/wordmark, section eyebrows (MAIN, GENERAL), item labels, trailing chevrons, and inline submenus are completely hidden.
3. **Visible Elements:**
   a. Centered brand logo at the top.
   b. Centered navigation icons.
   c. Centered logout icon at the bottom.
4. **Interaction & States:**
   a. **Default State**: Transparent background, centered icon (text-white/80).
   b. **Active State**: Highlighted centered square container.

B. TOP HEADER



DIMENSIONS AND LAYOUT

Solid white (#ffffff) with a drop shadow. Full-width flex container aligning controls to the left and utilities to the right.



LEFT SECTION

1. **Sidebar Toggle Button**

   Icon button (panel-left icon) that toggles the sidebar between expanded and collapsed modes.

2. **Vertical Divider**

   Subtle separator.

3. **Page Title**

   Font: Poppins, Bold (700), dark text (#1e293b)



RIGHT SECTION

1. **Notification Button**

   Bell icon button with a solid blue badge (#2e85d8, rounded-full) with white bold text indicating unread notifications.

2. **Vertical Divider**


   Subtle separator.

3. **User Profile Card (Dropdown Trigger)**

   Circular Badge: Having circular badge with background (#A7A7C8), white bold initials.

   User Name: Poppins, SemiBold, color #1e293b.

   User Role: Poppins, Regular (400), color #1e293b (e.g., Supervisor, Manager, MedRep).




   Dropdown Menu: Clicking reveals a floating card with My Profile, Back to Home, and Logout.

   The entire user card (Avatar circle + Name + Role) acts as a single


interactive trigger button (cursor-pointer). When in hover state it subtly highlights with a soft rounded background (hover:bg-slate-100/80, rounded-xl). Its click action toggles the dropdown menu open or closed. Aligned to the left edge of the user trigger card. Floats 8px below the header. There's also a subtle 1px horizontal divider line sitting directly above the Logout item to visually isolate standard navigation links from the destructive sign-out action. Renders an elevated drop shadow to clearly float above all page content. Automatically closes on when clicking outside the menu area (backdrop dismiss), selecting any menu action item (My Profile, Back to Home, Logout), or pressing the escape key.

C. STANDARD PAGE LAYOUT



1. Page Header


a. PATTERN A: Dashboard Page Header



Reserved exclusively for home dashboard views (Salesperson, Supervisor, and Admin portals).

- **Portal Eyebrow**: Small uppercase badge/tracker (e.g., SUPERVISOR PORTAL, bold, #8086A3).
- **Greeting Title (H1)**: Time-aware greeting (Poppins, Bold 700, 24px–26px, e.g., "Good morning, Sales and Marketing Supervisor!").
- **Subtitle**: Scope description (#8086A3).
- **Right-Aligned Real-Time Clock**:
  - **Live Time**: Bold (700), dark text (00:00:00 AM).
  - **Live Date**: Regular (400), muted text (Monday, October 5, 2026).
  -


b. PATTERN B: Standard Page Header



Used for all standard functional screens.


- **No Portal Eyebrow**: Starts directly with the page title to maximize vertical content space.
- **No Real-Time Clock**: Replaced by contextual page action buttons (e.g., + New Activity, Export Data, Filter) if applicable.
- **Page Title (H1)**: Clean view title (Poppins, Bold 700, e.g., "Assigned Activities" or "Validation Queue").
- **Subtitle**: 1-line description of the specific screen's purpose (#8086A3).

c. Metric Cards



The Summary Metric is a pure white, borderless surface with 14px rounded corners and a soft ambient drop shadow that deepens on hover with a subtle upward lift. Each card displays a small (#8086A3) Poppins category label at the top, a prominent bold (#1E293B) numeric count in the center, and a fully rounded percentage trend pill at the bottom, paired with a right-aligned circular badge containing an icon depending on the context of the system. The color of circular badge and icon depends on the context of the system.

D. ACTION CONFIRMATION MODAL DIALOGS




Confirmation dialogs are focused, high-priority modal windows designed to prevent accidental user errors and confirm critical workflow transitions:

1. **Geometry & Surface**
   Action confirmation dialogs are focused modal windows centered over a darkened backdrop blur. They are built on pure white borderless surfaces with large rounded corners, and an elevated drop shadow.
2. **Header Structure & Status Badges**
   The header is strictly centered to draw immediate focus. It begins with a

circular status icon badge on top, tinted in a soft background that matches the action's semantic intent. Below the badge, a bold Poppins title is paired with a muted description explaining the exact consequences of proceeding with the action.

3. **Contextual Body Variants**


   While simple confirmations remain text-only, the dialog body dynamically adapts based on the workflow's requirements. High-security actions embed a labeled password input field, rejection workflows introduce a mandatory multiline reason textarea, and pre-submission confirmations incorporate a soft blue tinted summary card displaying key entity metadata before final processing.



4. **Centered Action Footer**

   The action footer is always horizontally centered at the bottom of the modal with a gap between buttons. It pairs a neutral light gray Cancel button with a color-coded primary button: solid red for destructive delete and reject actions, solid emerald for workflow approvals, and solid brand navy for record creation and general confirmations.

E. FORM AND CREATION MODAL



1. **Header Section & Structural Divider**

   Unlike confirmation dialogs, form modals use a left-aligned header layout to establish clear data entry context. The header pairs a soft blue circular badge containing an accent icon with a bold Poppins title and a muted subtitle explaining the form's objective. A full-width subtle horizontal divider line runs directly beneath the header block to separate the title from the input canvas.

2. **Form Layout & Field Validation States**

   The form canvas utilizes a flexible grid supporting both 2-column paired inputs and full-width rows, with every field identified by an uppercase eyebrow label. Input fields feature a rounded border and maintain three explicit visual states: a neutral subtle border by default, an active brand blue border with a soft glow ring upon focus, and a solid red border accompanied by an inline error message in red text directly below the field whenever validation fails.


3. **Drag & Drop File Upload Area**

   When attachments are required, the modal embeds a dedicated dropzone container with a dashed border, rounded corners, and generous internal padding. The upload box centers a circular cloud upload icon above a bold Poppins prompt inviting users to click or drag files, paired with a small uppercase caption outlining accepted file formats and the maximum file size limit.

4. **Right-Aligned Action Footer**

   The action footer is positioned strictly at the bottom-right of the modal with a gap between controls. It places a soft neutral gray Cancel button alongside a solid brand navy Confirm button, ensuring the primary submission action remains prominently anchored in the lower corner while transitioning into a disabled state during data transmission.

F. SELECT DROPDOWN COMPONENT



1. **Trigger Anatomy & Active State**

   The select trigger serves as the primary interactive entry point, displaying the currently selected option alongside a trailing down chevron icon. In its rest state, the trigger features a clean white surface with a rounded border. When

active or opened, the trigger highlights with an active brand blue border (2px solid #2e85d8), signaling focus while maintaining seamless visual alignment with the dropdown options panel below.

2. **Dropdown Panel & Positioning**

   Upon selection, the dropdown menu panel expands directly beneath the trigger container with zero gap, anchored securely to the width of the input field. The panel is rendered on a solid white surface with bottom-rounded corners, an elevated drop shadow, and an appropriate z-index to float smoothly above surrounding form elements or data tables without displacing content.


3. **Option Item States & Selection Styling**

   Menu options are arranged vertically with generous touch and click padding. The currently active or selected option is highlighted with a solid brand blue background (#2e85d8) and crisp white Poppins text (#ffffff). Unselected options feature high-contrast dark text on a white background, smoothly transitioning to a soft gray background highlight upon cursor hover.

4. **Interaction & Dismissal Behavior**

   Clicking any list option instantly updates the trigger value, closes the dropdown menu, and emits the change event to filter views or update form models. The dropdown automatically dismisses without changing values if the user clicks anywhere outside the menu container or presses the Escape key.

G. TOAST NOTIFICATION COMPONENT



1. **Container Geometry & Surface Elevation**


   Toast notifications are lightweight floating white cards with 12px to 14px rounded corners and an ambient drop shadow, anchored in the top-right corner of the screen and visually defined by a solid 4px vertical accent strip along their left edge.

2. **Status Badges & Typographic Content**

   Each alert includes a circular pastel status badge housing an outline symbol, paired with bold, uppercase Poppins typography in high-contrast dark text that clearly presents the notification message across single or multiple lines.


3. **Dismissal Controls & Timing Behavior**
   The right edge features a clean, clickable close icon (X) for immediate manual dismissal, complementing a smooth horizontal slide-in entrance and a 4-to-5-second auto-dismiss countdown that automatically pauses whenever a user hovers their cursor over the card.
4. **Semantic State Variations**
   Notifications strictly follow two primary visual states: success alerts combine an emerald green vertical accent bar with a soft mint checkmark badge, while error alerts apply a vivid red vertical accent bar with a soft rose cross badge to immediately signal duplicates or failed operations.

H. Inline Alert Banners & In-Page Warnings



1. **Persistent Warning Banner (Callout Container)**
   The persistent warning banner is an in-page alert container designed to highlight critical workflow conditions, such as pending supervisor acknowledgments. It is constructed with a soft warm amber background (#fffdf0), a solid amber border (#fcd34d), and generous rounded corners. The interior pairs a circular exclamation icon (#d97706) on the left with a medium-weight Poppins message in matching amber typography, maintaining high legibility without disrupting surrounding layout grids.
2. **Minimal Inline Warning (Micro-Feedback)**
   For localized, field-level guidance—such as reminding a user to attach a document before submission—the system employs a lightweight, borderless inline warning. This pattern features an triangle warning icon (#d97706) placed immediately beside a concise Poppins prompt ("Please attach a record.") on a transparent background, positioned directly beneath the relevant form control or upload area.
3. **Behavioral Rules & Visual Persistence**
   Unlike floating toast notifications that automatically fade after a set duration, inline warning banners are strictly condition-driven and persistent. They remain permanently visible on the screen until the user fulfills the required action or the system state updates (such as an approval completing or a mandatory file being uploaded), ensuring critical workflow prerequisites cannot be overlooked.

I. Data Table & Contextual Filter Panel



1. **Section Header & Toolbar Controls**

   The listings interface is introduced by an bold Poppins section title accompanied by a dynamic total record counter (e.g., All Listings (67)). The action toolbar spans the top of the card, integrating a left-aligned search input with a magnifying glass icon, a dedicated Filters toggle button featuring an outline funnel icon, and a prominent right-aligned button styled in solid brand navy (#252578) to initiate record creation depends on the system context.


2. **Table Architecture & Row Anatomy**

   The table header presents uppercase column labels in bold Poppins with expanded letter tracking and muted slate coloring (#94a3b8). Also have, clickable header with dual-caret indicator (↕ default, ▲ ascending, ▼ descending), Each table row maintains a comfortable 56px minimum height with subtle row dividers, structuring primary contact names in bold dark typography, categories and addresses in neutral gray, dates and timestamps across two stacked lines, and status indicators in rounded semantic pills. Representative cells combine a 28px circular navy avatar badge with a stacked two-line name and role display.

3. **Row-Level Action Menu**


   The rightmost column of each data row provides a vertical three-dot trigger icon (MoreVertical) for localized row operations. Clicking this trigger summons a compact floating contextual dropdown menu allowing supervisors to view activity logs, edit record parameters, or trigger confirmation dialogs for deletion and rejection.

4. **Contextual Filter Side Panel**



Clicking the toolbar's Filters button reveals an anchored contextual filter side panel directly adjacent to the table. The panel structures advanced query parameters using uppercase eyebrow labels, providing select dropdowns for category, filter, and status states, followed by dedicated start and end date inputs equipped with calendar icons to streamline complex temporal audits.

J. Status Badges & Semantic Pill Tags



1. **Pill Anatomy & Geometry**

   Status badges are compact, fully rounded pill containers (rounded-full) engineered to communicate record states and operational workflows at a glance. They maintain a fixed height of 24px to 28px with 10px to 14px of horizontal padding and bold 12px Poppins typography. For real-time states such as active system sessions, badges may optionally integrate a 6px solid circular dot indicator positioned directly to the left of the label.

2. **Three Visual Emphasis Tiers**

   To maintain optimal contrast across varying UI densities, each semantic badge color is available in three distinct visual treatments. The high-emphasis tier applies a solid vibrant fill with bold white text for hero cards and modal summaries; the medium-emphasis tier combines a light pastel background with a matching 1px border for structured table rows; and the low-emphasis

tier employs a borderless, soft tinted wash that integrates smoothly into dense data grids without overwhelming adjacent cells.

3. **Semantic Color Mapping**

   Badge colors strictly align with systemic meanings to ensure predictable recognition across all modules. Emerald green designates active and approved records; warm amber signifies pending approvals and items awaiting supervisor review; crimson red denotes rejections, cancellations, and validation errors; sky blue communicates informational notices; vibrant violet identifies specialized role categories and client tiers; and muted slate gray represents archived or inactive records.

4. **Application Rules & Consistency**

   Badges must always be rendered in title case rather than all-caps to preserve legibility within small dimensional constraints. Within any single data table column, must standardize on a single visual tier—preferably the low-emphasis or bordered tier—to avoid visual dissonance, reserving high-contrast solid pills strictly for primary callouts, summary banners, and standalone review drawers.

VIII. FRONT-END TECH STACKS

1. **shadcn/vueshadcn**

   Every industry module across the organization must strictly adopt shadcn/vue as the universal component foundation for all interface elements, including modals, dropdowns, form inputs, buttons, and badges. Built on accessible headless primitives styled directly with Tailwind CSS, shadcn/vue ensures that applications across different business domains share identical interaction mechanics, keyboard navigation, and theme tokens while granting teams full code ownership without third-party vendor lock-in.

2. **Lucide Icons**

   All industry applications must exclusively source their glyphs and symbols from the Lucide Icons library.

IX. INTERACTION AND FEEDBACK

A. Primary Button (Brand Navy)

Enabled (Default): Solid brand navy (#252578), white bold Poppins text, subtle elevation shadow (shadow-sm), rounded-md.

Hover: 10% lighter/translucent shift (bg-primary/90 / #2f2f8e) with cursor pointer.

Pressed (Active): Darkened compression (#1e1e66) with a subtle scale compression (transform: scale(0.98)).

Focused: Accessible 2px outline ring offset (focus-visible:ring-2 focus-visible:ring-ring / #2e85d8).

Loading: Disabled pointer events (pointer-events-none), 70% opacity, text replaced or prefixed with a spinning Lucide Loader2 icon.

Disabled: 50% opacity (opacity-50), flat background (#94a3b8), cursor-not-allowed, zero pointer events.

B. Destructive Button (Red / Delete / Reject)

Enabled (Default): Solid red (#ef4444), white bold text, rounded-md.

Hover: 10% darker/richer red (bg-destructive/90 / #dc2626).

Pressed (Active): Deep crimson (#b91c1c) with scale(0.98).

Focused: Red focus ring offset (focus-visible:ring-red-400).

Loading: 70% opacity, spinning white loader icon, pointer events blocked.

Disabled: 50% opacity, muted soft red, cursor-not-allowed.

C. Outline / Secondary Button

Enabled (Default): White background (#ffffff), 1px gray border (#cbd5e1), dark slate text (#1e293b).

Hover: Soft gray background shift (#f8fafc / hover:bg-slate-100), border shifts to #94a3b8.

Pressed (Active): Slightly deeper gray (#f1f5f9), inward click feel.

Focused: Brand blue focus ring (#2e85d8).

Loading: Muted border and spinner icon inside.

Disabled: Gray border at 50% opacity, text color #94a3b8, cursor-not-allowed.

E. Table Rows (<tbody> <tr>)

Enabled (Default): Pure white background (#ffffff), 1px bottom border (#f1f5f9).

Hover: 3% subtle cool-gray background shift (#f8fafc / hover:bg-slate-50), elevating cursor feedback across the entire row.

Pressed (Active / Selected): Soft brand blue tint (#eff6ff / bg-blue-50/60) indicating active selection.

Focused: Keyboard tab focus highlights row perimeter with a 1px dashed blue outline.

Loading: Replaced by animated shimmer skeleton rows.

Disabled: Row opacity reduced to 40% with a gray strike-through or disabled cursor for inactive records.

F. Dropdown Menu & Select Option Items

Enabled (Default): Transparent background, dark slate text (#1e293b), 10px vertical padding.

Hover: Soft gray highlight (#f1f5f9 / bg-slate-100), text sharpens to #0f172a.

Pressed (Active / Selected): Solid brand blue background (#2e85d8), text turns pure white (#ffffff).

Focused: Automatic keyboard focus matches hover styling (bg-slate-100).

Disabled: 40% opacity, non-clickable (pointer-events-none).

X. LOADING STATES STANDARDIZATION

To maintain visual harmony across the platform, loading patterns are strictly partitioned: Skeleton Loaders are mandatory for layout rendering and data fetching, while Spinner Graphics are reserved exclusively for action triggers and button submissions.

A. Parts of the System Using Skeleton Loaders:

Dashboard Metric Cards: Skeleton Loader (pulsing numeric block .metric-num-skeleton + card shimmer).

Data Listings & Activity Tables: Skeleton Loader (5-column animated row shimmers activity-skeleton-row).

Leaderboard & Ranking View: Skeleton Loader (3-column podium blocks + ranking rows shimmer).

Agenda & Activity Schedule Cards: Skeleton Loader (time-stack lines + activity card blocks).

Supervisor Validator Configuration: Skeleton Loader (grid of department card shells).

Document & File Attachment Viewer: Skeleton Loader (thumbnail strip .skeleton-thumb-item + sheet canvas shell).

Mobile Record Cards: Skeleton Loader (stacked user avatar, name lines, and status pill shimmers).

B. Parts of the System Using Spinner Graphics:

Action Modal Confirmations: Spinner Graphic (spinning Loader2 inside Save, Delete, and Approve buttons).

User Session Actions: Spinner Graphic (spinning loader on Logout and Login submit buttons).

File Upload Dropzone: Spinner Graphic (circular progress spinner during active PDF/image network upload).

3. System Notifications (Toasts)

All toast notifications must appear in the exact same screen location: Top-Right corner of the viewport (position: fixed; top: 24px; right: 24px; z-index: 1200;). Every toast incorporates a 4px solid left accent bar, a circular status badge, bold uppercase Poppins copy, an auto-dismiss timer of 4 seconds, and a manual close icon (X).

Success Toasts (border-l-[#10b981], soft mint badge):

Submission Approval: Submission Approved: The activity log was approved successfully.

Record Creation: RECORD ADDED SUCCESSFULLY

User Management: User "{name}" has been successfully added!

User Update: User "{name}" has been successfully updated!

User Status Change: User "{name}" status updated successfully!

Validator Config: Validator configuration for {department} updated successfully!

Dropdown Settings: {label} "{name}" has been successfully added/updated!

Status Update: Status updated successfully!

No User Changes: No changes detected for this user.

No Dropdown Changes: No changes detected for this {product/institution}.


Duplicate Detection: DUPLICATE DETECTED, THIS RECORD ALREADY EXIST.

Error / Danger Toasts (border-l-[#ef4444], soft rose badge): Submission Rejection: Submission Rejected: The submission log was rejected and remarks were saved.

User Save Failure: Failed to save user

Item Save Failure: Failed to save item

XI. ONE-UI OVERVIEW



Prepared By:

Business Finance and Marketing Industry

- *Group 1 - Contract Management System*
- *Group 2 - Smart Expense Reimbursement System*
- *Group 3 - Productivity Report System*
- *Group 4 - Ticketing System*

Reviewed By:

Cristian O. Balatbat, MIT

Capstone Adviser