Chain-of-Thought Prompting

Introduction

Chain-of-Thought (CoT) Prompting encourages LLMs to evaluate their reasoning at each stage, allowing them to switch to alternative methods if an error occurs. Unlike traditional prompting methods, CoT breaks down multi-step problems into intermediate steps, leading to more accurate and reliable outputs. It's like guiding the model through a chain of interconnected thoughts.

Why Is Chain-of-Thought Prompting Powerful?

1. **Intermediate Reasoning:** CoT enables complex reasoning by breaking down problems into smaller steps. It encourages LLMs to think sequentially, leading to better performance.
2. **Few-Shot Learning:** CoT combined with few-shot prompting yields better results on tasks that require reasoning before responding.

Limitations

- **Emergent Ability:** CoT's effectiveness arises with sufficiently large language models
- **Task Dependency:** Not all tasks benefit equally from CoT prompting

Ideal Use Case Scenarios

1. **Math Problems:** CoT helps LLMs reason through arithmetic problems
2. **Commonsense Reasoning:** It's useful for tasks involving everyday knowledge
3. **Symbolic Reasoning:** CoT can tackle problems with symbolic reasoning

Example

Consider a math word problem, wherein we are provided a group of numbers, and we are to answer if the odd numbers in the group add up to an even number.

Here's how we might conventionally prompt the model:

- **Prompt**:
  "The odd numbers in this group add up to an even number: 15, 32, 5, 13, 82, 7, 1. True or False?"
- **Model Response**:
  Let's add up the odd numbers in the group: 15, 5, 13, 7, and 1.
  15+5+13+7+1=41
  The sum, 41, is an odd number. Therefore, the statement "The odd numbers in this group add up to an even number" is False.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.
This file is meant for personal use by zaren.vazquez@sap.com only.
Sharing or publishing the contents in part or full is liable for legal action.

- **Applying CoT Prompting to the above problem**:

  Chain of thought prompting typically involves repeatedly prompting the model with follow-up questions or instructions to guide its thinking and generate a coherent and contextually relevant response, encouraging the model to continue a logical flow of conversation or reasoning. We start with the original prompt, which poses a question about odd numbers and their sum. The goal is to determine whether the sum of the odd numbers in the given group results in an even number. After understanding the initial problem, we shall guide the LLM through a complex reasoning process by breaking it down into intermediate reasoning steps. Let's explore how it works:

  - **Define the Problem**: Start by clearly identifying the problem you want the language model to solve. This could be anything from answering a question to solving a complex task.
  - **Break Down the Problem**: Decompose the problem into smaller, more manageable steps. Consider what intermediate reasoning steps might be necessary to arrive at the final solution.
  - **Develop a Chain of Thought**: Create a structured sequence of prompts that correspond to the intermediate steps identified in the previous step. Each prompt serves as a "thought node" that guides the model's reasoning process. The model evaluates each node before moving on to the next, allowing it to correct itself if it goes off track.

    Along similar lines, let's define intermediate steps for the example to guide the model:

    Step 1: Identify Odd Numbers
    - **Prompt**: *Identify the odd numbers in the group: 15, 32, 5, 13, 82, 7, 1.*
    - **Model Output**: *The odd numbers in the group are: 15, 5, 13, 7, and 1.*

    Step 2: Calculating the Sum of Odd Numbers
    - **Prompt**: *Calculate the sum of the odd numbers*
    - **Model Output**: *The sum of the odd numbers 15, 5, 13, 7, and 1 is 41*

    Step 3: Checking if the Sum Is Even or Odd
    - **Prompt**: *Check if the sum is even or odd*
    - **Model Output**: *The sum you calculated, 41, is an odd number. This is because it cannot be divided evenly by 2.*

    Step 4: Conclude
    - **Prompt**: *Conclude whether the statement "The odd numbers in the group above add up to an even number" is true or false based on the result.*
    - **Model Output**: *The statement "The odd numbers in the group above add up to an even number" is false. As we calculated earlier, the sum of the odd numbers (15, 5, 13, 7, 1) is 41, which is an odd number. Therefore, the statement is not true.*

This example demonstrates how CoT prompting guides the model through a logical sequence of steps, ensuring accurate reasoning and problem-solving, making it the most suitable technique in this case, as other techniques lack Other methods lack the required granularity for this specific problem. Feel free to experiment by implementing this technique in different contexts. Happy learning!

Note: We used Microsoft Copilot to generate outputs for sample prompts. Your output may vary depending on the prompt and tool used.

Proprietary content. © Great Learning. All Rights Reserved. Unauthorized use or distribution prohibited.
This file is meant for personal use by zaren.vazquez@sap.com only.
Sharing or publishing the contents in part or full is liable for legal action.