

Research Proposal

Jessica Zaramelo Pinheiro

R2107D12490450

UEL-DS-7010

Data Science Dissertation

(91467)

22nd October 2025

Abstract

This proposal examines whether sugarcane ethanol production in Mozambique, South Africa, and Kenya can realistically serve European export markets. Brazil's established ethanol trade with Sweden provides the reference point. The research combines quantitative and qualitative methods: regression analysis predicts production capacity, while Monte Carlo simulation addresses cost uncertainty and life cycle assessment (LCA) evaluates greenhouse gas (GHG) performance. Simultaneously, SWOT analysis and policy mapping explore how prepared Europe is for ethanol-fueled vehicles.

The study has several objectives. It will estimate each country's production potential and assess economic feasibility. It will determine whether carbon reductions meet EU 2030 requirements and examine the market and technological conditions affecting European adoption. Drawing on data from FAO, IEA, World Bank, UN Comtrade, and EU RED II repositories, the analysis produces country-specific projections for the three African nations, benchmarks these against Brazil's performance, and validates findings through the Swedish case study. In the end, this research should inform policymaking and investment decisions on sustainable biofuel trade between Africa and Europe. It also provides a transparent, reproducible data science framework consistent with UEL-DS-7010 standards.

Table of Contents

Abstract	2
Table of Contents	3
1. Introduction	4
1.1 Background of the Problem	4
1.2 Statement of the Problem	4
1.3 Purpose of the Study	4
1.4 Theoretical Framework	4
1.5 Importance of the Study	5
1.6 Scope and Limitations	5
2. Preliminary Literature Review	5
3. Experimental Design and Methods	6
3.1 Research Design	6
3.2 Data Sources and Collection	6
3.3 Analytical Models and Tools	6
3.4 Methodological Framework	7
3.5 Ethical Considerations	7
4. Proposed Timetable	7
5. References	9
6. Appendices	9
Appendix A: Conceptual Framework Diagram (Textual)	9
Appendix B: Two-Month Gantt Chart (Weeks 1--8)	10
Appendix C: Sample Model Equations	10
Appendix D: Git Repository Structure	11

1. Introduction

The global shift toward reducing carbon emissions has accelerated interest in renewable fuels. Bioethanol has become a particularly strong sustainable energy option. Europe's Renewable Energy Directive (RED II) establishes ambitious greenhouse gas reduction targets for 2030, which creates substantial demand for low-carbon liquid fuels that can complement ongoing electrification efforts. Sub-Saharan Africa's favorable climate for sugarcane cultivation suggests significant potential for ethanol production and export, though this potential remains mostly untapped.

Several questions persist. Infrastructure challenges exist alongside complex cost structures, and alignment with European policy standards remains uncertain. These factors together create doubt about overall feasibility. Brazil's robust ethanol export relationship with Sweden, however, offers a valuable comparison. This study uses that relationship to evaluate whether selected African producers can similarly meet European demand while fulfilling both sustainability and technological requirements.

1.1 Background of the Problem

Sugarcane ethanol stands out among biofuels for its greenhouse gas reduction potential compared to gasoline. Brazil has shown convincingly that ethanol can compete economically and environmentally at commercial scale. African countries such as Mozambique, South Africa, and Kenya possess comparable agricultural advantages. Yet they have not developed substantial export capacity. This study investigates whether these countries could replicate or adapt the Brazil–Sweden model to satisfy broader European standards.

1.2 Statement of the Problem

No unified assessment currently examines production potential, export economics, and regulatory compliance for African ethanol exports as a connected whole. Instead, evidence remains scattered across agronomic, economic, and environmental domains. This fragmentation hampers informed decision-making for both policymakers and investors.

1.3 Purpose of the Study

This research evaluates the technical, economic, and environmental viability of sugarcane ethanol production and export from Mozambique, South Africa, and Kenya to Europe. It uses Brazil's exports to Sweden as the benchmark, approached through a comparative predictive data science framework.

1.4 Theoretical Framework

The study draws its conceptual foundation from three interconnected theories: Energy Transition Theory, Comparative Advantage Theory, and Systems Thinking. These perspectives help merge resource endowment with trade dynamics, sustainability criteria, and technology adoption into one unified analytical framework.

1.5 Importance of the Study

The findings should support evidence-based policy design for EU–Africa cooperation on renewable fuels. They should also inform investors and producers about realistic export pathways. Methodologically, the research adds to predictive modeling approaches within sustainable energy contexts, offering tools that others can adapt.

1.6 Scope and Limitations

The analysis focuses on three countries: Mozambique, South Africa, and Kenya as producer case studies. The Brazil–Sweden relationship serves as the reference model. Projections span 2025 to 2040, though the emphasis falls on EU 2030 targets. Limitations include data gaps concerning plant-level costs. Long-term forecasting also carries built-in uncertainties that must be acknowledged.

2. Preliminary Literature Review

Brazil's sugarcane ethanol sector has been widely documented as a benchmark for renewable transport fuels. FAO and IEA reports recognize substantial agricultural potential across Sub-Saharan Africa. They also highlight persistent infrastructure and financing constraints that limit development. Research on Sweden's E85 adoption shows that ethanol vehicles can perform effectively even in cold climates, provided winter-grade blends and flex-fuel technology are available.

Thorough predictive assessments remain scarce, however. Few studies merge production, logistics, economics, and environmental performance for African exports into a single framework. This gap motivates a comparative, data-driven evaluation consistent with EU policy criteria.

3. Experimental Design and Methods

3.1 Research Design

The study employs a mixed-method comparative predictive design. Quantitative modeling covers three main approaches: regression for yield forecasting, Monte Carlo simulation for cost uncertainty, and life cycle assessment (LCA) for greenhouse gas performance. Qualitative techniques include SWOT and policy mapping, with particular focus on technology readiness for ethanol-fueled vehicles in Europe.

3.2 Data Sources and Collection

Data will be sourced from multiple repositories: FAOSTAT, IEA, World Bank, UN Comtrade, national statistical agencies, and EU RED II databases. Key variables include sugarcane yield (t/ha), conversion rates (L/t), and production costs. Energy inputs matter, as do logistics distances, port tariffs, shipping costs, and emission factors. All data will be cleaned and versioned. Processed datasets will be archived alongside metadata to guarantee full reproducibility.

3.3 Analytical Models and Tools

Model	Objective	Analytical Tool
Regression	Forecast sugarcane yields and ethanol output	Python (pandas, scikit-learn)
Monte Carlo Simulation	Quantify uncertainty in cost per liter and profitability	Python (numpy, scipy)
Life Cycle Assessment (LCA)	Estimate GHG intensity and % savings vs gasoline	OpenLCA / Python
Scenario Analysis (EV vs Ethanol)	Compare WTW emissions and TCO under 2030 scenarios	Python / Excel

Model	Objective	Analytical Tool
SWOT & Policy Mapping	Assess EU readiness and technology adoption pathways	Qualitative synthesis

3.4 Methodological Framework

Five hypotheses structure the analytical approach. H1 addresses production viability through regression analysis. H2 examines economic viability via Monte Carlo simulation. H3 evaluates GHG compliance using LCA, while H4 compares decarbonization pathways through scenario analysis. Finally, H5 explores market and technology feasibility through SWOT and policy mapping. Statistical validation will report error metrics (RMSE/MAE) alongside sensitivity analyses to test model robustness.

3.5 Ethical Considerations

The research relies exclusively on publicly available datasets. No personal data will be processed at any stage. All sources will be properly cited, and code will be thoroughly documented. This guarantees both transparency and replicability for future researchers.

4. Proposed Timetable

Activity	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8
Literature Review & Proposal Finalization	■	■						
Data Collection & Cleaning		■	■					
H1 Modeling (Production)			■	■				
H2 Modeling (Economics)				■	■			
H3 LCA (Carbon)					■	■		
H4 Scenarios (EV vs Ethanol)						■		
H5 Market & Tech Feasibility						■		

Activity	Week 1	Week 2	Week 3	Week 4	Week 5	Week 6	Week 7	Week 8
Results Drafting							■	
Discussion & Conclusion Drafting							■	■

5. References

1. FitzGerald, M. (2016). *Research Methodologies for Social Science*. UEL Press.
2. Goldemberg, J. (2008). Ethanol for Sustainable Transport. *Annual Review of Environment and Resources*.
3. Hesse-Biber, S. (2010). *Mixed Methods Research: Merging Theory with Practice*. Guilford Press.
4. Johansson, M. (2019). Sweden's Flex-Fuel Vehicle Transition. *European Energy Review*.
5. Food and Agriculture Organization (FAO). (2022). *Sugarcane Yield and Bioenergy Potentials in Sub-Saharan Africa*.
6. International Energy Agency (IEA). (2024). *World Energy Outlook*.
7. European Commission. (2023). *Renewable Energy Directive II (RED II)*.

6. Appendices

Appendix A: Conceptual Framework Diagram (Textual)

Producers (Mozambique, South Africa, Kenya)

- | Agronomic potential (climate, land, water)
- └─► Production systems (yield, conversion, CAPEX/OPEX)
 - └─ LCA inputs (fertilizer, energy, logistics)
- └─► Export logistics (mill → port → EU terminal)

Benchmark Pathway

Brazil ──► Sweden (E85/Flex-fuel)

Consumers (Europe)

- | Market demand (E10/E85 scenarios)
- └─ Policy filters (RED II sustainability thresholds)
- └─ Technology readiness (flex-fuel vehicles, distribution)

Outcomes

- └─ Economic viability (cost per liter, NPV)
- └─ Environmental viability (gCO₂e/MJ, % savings)
- └─ Comparative inference (Africa vs Brazil; validation via Sweden)

Appendix B: Two-Month Gantt Chart (Weeks 1--8)

Task	W1	W2	W3	W4	W5	W6	W7	W8
Proposal & Literature	■	■						
Data Acquisition & Cleaning		■	■					
H1 Modeling (Production)			■	■				
H2 Modeling (Economics)				■	■			
H3 LCA (Carbon)					■	■		
H4 Scenarios (EV vs Ethanol)						■		
H5 Market & Tech Feasibility						■		
Results, Discussion, Conclusion							■	

Appendix C: Sample Model Equations

Production forecast (country c):
 $\hat{Y}_c = \beta_0 + \beta_1 \cdot \text{Rain}_c + \beta_2 \cdot \text{Temp}_c + \beta_3 \cdot \text{Soil}_c + \beta_4 \cdot \text{Irrig}_c + \varepsilon_c$

Cost per liter:
 $\text{Cost} = (\text{CAPEX}_{\text{ann}} + \text{OPEX} - \text{Byproduct}_{\text{credit}}) / \text{Annual}_{\text{output}}$

LCA GHG intensity:
 $\text{CI} = (\text{Cultivation} + \text{Processing} + \text{Transport} + \text{ILUC} - \text{Co-product}_{\text{allocation}}) / \text{Energy}_{\text{out}}$

Ethanol vs EV WTW emissions per km:
 $\text{gCO}_2\text{e/km} = (\text{CI}_{\text{fuel}} \times \text{MJ}_{\text{per km}}) \text{ for EV}$

Appendix D: Git Repository Structure

/data/raw	# Source datasets (FAO, IEA, UN Comtrade, EU)
/data/processed	# Cleaned tables with metadata
/models	# Scripts for regression, Monte Carlo, LCA, scenarios
/notebooks	# Jupyter notebooks per hypothesis (H1--H5)
/figures	# PNG/SVG charts and maps
/chapters	# Markdown/Word chapter drafts
/references	# Bibliography (APA) and PDFs
README.md	# How to reproduce analyses