
NTg−ALF vs. Tg−ALF (s
name
mtb 8639 m/z 263.1 Spectral Match to Pro−Phe from NIST14
mtb 290_i m/z 331.7 Spectral Match to Ile−Tyr from NIST14|NA
mtb 758_i m/z 324.1 NA|NA|NA|DTXSID40865579|NA|NA|NA|NA|NA|NA|NA|NA|NA
mtb 25364 m/z 408.3 ""Candidate Trihydroxylated bile acid (delta mass −0.9845; sirius atomic difference: 1H, 1N, −1O; buddy atomic difference: 1H, 1N, −1O)""
mtb 28962 m/z 487.3 ""Candidate Monohydroxylated bile acid (delta mass 110.0375; sirius atomic difference: 6C, 6H, 2O; buddy atomic difference: 6C, 6H, 2O)""
mtb 27587 m/z 387.3 (3−hydroxypentadecanoyl)lysine
mtb 26366 m/z 273.1 5,7−dihydroxy−2−(4−hydroxyphenyl)−2,3−dihydro−4H−chromen−4−one
mtb 7506 m/z 192.1 N−ACETYL−DL−METHIONINE − 40.0 eV
mtb 101_i m/z 299.9 NA|NA|NA|CHEBI:182811|NA|NA|NA|NA|NA|NA|NA|NA|NA
mtb 215_i m/z 572.4 ""Candidate Dihydroxylated bile acid (delta mass 179.0798; sirius atomic difference: 6C, 13H, 1N, 5O; buddy atomic difference: 6C, 13H, 1N, 5O)""
−1.5
−1.0
−0.5
0.0
0.5
ratio