INTERACTIVE MEMORY MACHINE

SPATIAL DISORIENTATION

TEAM 10

MEMORY AND THE SUBCONSCIOUS

MEMORY IS NOT A FIXED RECORD.
IT IS CONTINUOUSLY RECONSTRUCTED, ALTERED,
AND REINTERPRETED THROUGH THE
SUBCONSCIOUS.

DREAMS REVEAL THIS INSTABILITY — WHERE
FRAGMENTS OF REALITY ARE REORGANISED INTO
UNFAMILIAR SPATIAL EXPERIENCES.

FROM MEMORY TO DREAM

MEMORIES ARE DISTORTED, FILTERED AND RECOMBINED DURING SLEEP, PRODUCING SPACES THAT FEEL BOTH FAMILIAR AND DISJOINTED

INSTABILITY OF SPATIAL RECALL

RECALLING MEMORIES DO NOT RETURN COMPLETELY INTACT.
ELEMENTS ARE LOST, BLURRED, OR INCORRECTLY ASSOCIATED.

THIS RESULTS IN SPATIAL CONDITIONS THAT ARE INCOMPLETE,
INCONSISTENT, AND OFTEN ILLOGICAL.

SUBCONSCIOUS AS SPATIAL GENERATOR

WE FIRST TRANSLATE SUBCONSCIOUS CONDITIONS INTO ARTIFACTS THAT ENCODE DREAM LOGIC

METHODOLOGY

MEMORY + DREAM

↓

PARAMETER EXTRACTION

↓

SCORING SYSTEM

↓

ARTIFACT GENERATION (FROM BASE CUBE)

↓

SPATIAL TRANSLATION

1

SUBJECTS AS DATASET

JW

NT

VP

ZH

EACH PARTICIPANT RECORDS:

A. WAKING MEMORY
SOMETHING FROM YESTERDAY, OR A RECENT MEMORY

B. DREAM RECALL
WHAT YOU DREAMED THAT NIGHT, OR A DREAM THAT FEELS CONNECTED

EXAMPLE:

MEMORY
"I WAS SITTING IN THE LIVING ROOM WITH MY MOTHER, THE TV WAS ON, THE CURTAINS WERE HALF OPEN, AND IT WAS RAINING OUTSIDE."

DREAM
"I WAS IN A ROOM LIKE MY HOUSE BUT LARGER, SOMEONE WAS SITTING BY A GLOWING OPENING, THE CURTAINS LOOKED LIKE SKIN, AND THE FLOOR SLOPED DOWN INTO DARKNESS."

ALREADY YOU CAN SEE:

- THE LIVING ROOM REMAINS
- THE MOTHER BECOMES AMBIGUOUS
- CURTAINS TRANSFORM INTO SOMETHING BODILY
- THE ROOM BECOMES SPATIALLY UNSTABLE

ANALYSIS

ANALYSIS IS BOTH TEXTUAL AND VISUAL:

- IDENTIFYING DISTORTIONS
- EXTRACTING SPATIAL INCONSISTENCIES
- READING SUBCONSCIOUS BEHAVIOUR FROM GENERATED OUTPUTS

2

ATTRIBUTE EXTRACTION

PARAMETERS	GEOMETRY LOGIC
CLARITY	RESOLUTION / EDGE DEFINITION
COMPLETENESS	SUBTRACTION / MISSING MASS
STABILITY	CENTRE OF GRAVITY/ TILT
MISASSOCIATION	HYBRID / COLLISION
VULNERABILITY	POROSITY / PERMEABILITY
INTIMACY	COMPRESSION / CAVITY

1. CLARITY
HOW LEGIBLE AND COHERENT IS THE RECALLED DREAM IMAGE?
LOW = VAGUE, BLURRED, UNFINISHED
HIGH = VIVID, SHARP, DISTINCT

2. COMPLETENESS
HOW MUCH OF THE SCENE FEELS WHOLE OR MISSING?
LOW = GAPS, ABSENT ELEMENTS, UNFINISHED FORMS
HIGH = CONTINUOUS, FULLY FORMED SCENE

3. STABILITY
HOW PHYSICALLY CONSISTENT IS THE DREAM ENVIRONMENT?
LOW = WARPED, TILTED, FLOATING, SHIFTING
HIGH = GROUNDED, BALANCED, STABLE

4. MISASSOCIATION
HOW STRONGLY ARE WRONG ELEMENTS COMBINED?
LOW = EXPECTED RELATIONS
HIGH = MIXED CONTEXTS, WRONG OBJECTS, INCORRECT SCALE

5. VULNERABILITY
HOW EXPOSED, FRAGILE, OR PERMEABLE DOES THE DREAM FEEL?
LOW = SEALED, HEAVY, PROTECTED
HIGH = POROUS, THIN, FRAGILE, EXPOSED

6. INTIMACY
HOW CLOSE, COMPRESSED, OR EMOTIONALLY IMMEDIATE IS THE SPACE?
LOW = DISTANT, EMPTY, DETACHED
HIGH = ENCLOSED, COMPRESSED, NEAR, BODY-LIKE

3

PARAMETER EXTRACTION + SCORING

CLAUDE ANALYSES DREAM + GENERATED OUTPUTS AND ASSIGNS PARAMETER VALUES

EACH PARAMETER IS SCORED BETWEEN 0 AND 1, REPRESENTING THE INTENSITY OF THAT CONDITION WITHIN THE DREAM.

THESE VALUES DEFINE HOW THE ARTIFACT WILL BE TRANSFORMED.

EXAMPLE

CLARITY	0.3	LOW CLARITY
COMPLETENESS	0.5	MODERATE COMPLETENESS
STABILITY	0.2	VERY UNSTABLE
MISASSOCIATION	0.8	HIGHLY MIXED / INCORRECT
VULNERABILITY	0.7	QUITE EXPOSED / POROUS
INTIMACY	0.6	MODERATELY ENCLOSED

ARTIFACT GENERATION

ALL SUBJECTS BEGIN FROM THE SAME PRIMITIVE:
A CUBE (LOW FIDELITY)

THE CUBE ACTS AS A SHARED LOW-FIDELITY BASE, ALLOWING VARIATION TO EMERGE ONLY THROUGH DREAM-DERIVED PARAMETERS.

PARAMETERS DEFORM THE CUBE:

- SUBTRACTION
- POROSITY
- TILT
- COLLISION
- COMPRESSION

THE ARTIFACT ENCODES THE SUBCONSCIOUS CONDITION OF THE DREAM.

A. CLARITY → FIDELITY / EDGE DEFINITION

THIS CONTROLS HOW RESOLVED THE OBJECT IS.

LOW CLARITY:
- BLURRY SILHOUETTE
- SOFTENED EDGES
- NOISY SURFACE
- LOW-DETAIL GEOMETRY

HIGH CLARITY:
- CRISP EDGES
- ARTICULATED FEATURES
- SHARPER BOUNDARIES

IN ARTIFACT TERMS:
LOW CLARITY = ROUGH MASS
HIGH CLARITY = PRECISE CARVED FORM

B. COMPLETENESS → SUBTRACTION / MISSING MASS

THIS CONTROLS HOW MUCH OF THE PRIMITIVE REMAINS INTACT.

LOW COMPLETENESS:
- CHUNKS REMOVED
- VOIDS CUT OUT
- MISSING CORNERS / FACES
-

HIGH COMPLETENESS:
- CONTINUOUS FORM
- FEWER MISSING PARTS

IN ARTIFACT TERMS:
LOW COMPLETENESS = INCOMPLETE OBJECT
HIGH COMPLETENESS = WHOLE OBJECT

C. STABILITY → CENTRE OF GRAVITY / TILT / DEFORMATION

THIS CONTROLS WHETHER THE OBJECT FEELS GROUNDED.

LOW STABILITY:
- TILTED BASE
- LEANING VOLUME
- OFF-CENTER MASS
- WARPED VERTICAL AXIS

HIGH STABILITY:
- BALANCED
- GROUNDED
- UPRIGHT
- CENTRAL MASSING

IN ARTIFACT TERMS:
LOW STABILITY = UNSTABLE SCULPTURE
HIGH STABILITY = CALM MONOLITH

D. MISASSOCIATION → COLLISION / HYBRIDISATION

THIS CONTROLS INCORRECT RELATIONSHIPS.

LOW MISASSOCIATION:
- ONE CONSISTENT FORM LANGUAGE

HIGH MISASSOCIATION:
- EMBEDDED FOREIGN VOLUMES
- MISMATCHED SCALES
- AWKWARD APPENDAGES
- COLLISIONS BETWEEN UNRELATED GEOMETRIES

IN ARTIFACT TERMS:
HIGH MISASSOCIATION = CUBE SPLICED WITH ALIEN PARTS

E. VULNERABILITY → POROSITY / SHELL THICKNESS

THIS CONTROLS PERMEABILITY AND FRAGILITY.

LOW VULNERABILITY:
- THICK SHELL
- DENSE SURFACE
- SOLID MASS

HIGH VULNERABILITY:
- PERFORATIONS
- HOLES
- THIN MEMBRANES
- POROUS SKIN

IN ARTIFACT TERMS:
HIGH VULNERABILITY = OPEN, FRAGILE, BREATHABLE OBJECT

F. INTIMACY → COMPRESSION / CAVITY SIZE

THIS CONTROLS ENCLOSURE AND BODILY CLOSENESS.

LOW INTIMACY:
- LARGE EMPTY HOLLOW
- DISTANT INTERNAL VOLUME
- OPEN GAPS

HIGH INTIMACY:
- TIGHT CAVITIES
- COMPRESSED CHAMBERS
- NARROW POCKETS
- BODY-SCALE RECESSES

IN ARTIFACT TERMS:
HIGH INTIMACY = NEST-LIKE, CAVITY-DRIVEN FORM

5

OUTPUT

1. ARTIFACT

- OBJECT ENCODING SUBCONSCIOUS PARAMETERS
- GENERATED FROM CUBE THROUGH TRANSFORMATION

2. SPATIAL OUTPUT

- INTERIOR / WALKTHROUGH DERIVED FROM ARTIFACT
- DISORIENTED, UNSTABLE, NON-LINEAR

DOCUMENTATION

1. **MEMORY (WRITTEN)**
2. **DREAM (WRITTEN)**
3. **GENERATED VIDEO / IMAGE**
4. **PARAMETER EXTRACTION**
5. **ARTIFACT GENERATION**
6. **SPATIAL TRANSLATION**

WHAT SPACE EXPRESSES THE SUBCONSCIOUS?

RETHINKING SPATIAL LEGIBILITY

SUBCONSCIOUS AS DESIGN CONDITION