

SUPERFAN

**INTERACTIVE
EXPERIENCE**



BRAINSTORM

come up with three different ideas of themes + interactive features

Idea 1: Striving.com


Theme - GGST (*Guilty Gear Strive*) it is a 2d fighter game that many type of characters

Interactive JS Feature #1

When clicked will say a super move like “Volcanic Viper!” and show the character doing the move

Interactive JS Feature #2

When the character is clicked it will also play a video while saying the voiceline.



M Y HERO ACADEMIA

Idea 2: MHA

Theme - My hero academia - The top three heroes bakugou deku and toodoroki. Top three Villains Dabi, Toga, Shigaraki

Interactive JS Feature #1

Clicking on the villains and it show the fight against them.

Interactive JS Feature #2

Voice lines when hero or villain is clicked.

Interactive JS Feature #3

Clicking the my hero academia logo makes it say a quote from the anime but then it cuts off if they click it again it will continue the quote until it finishes and if they click it again it will say “I GO BEYOND YOUR LIMITS!!”

3600

Idea 3: YOMI Hustle

BURST!!

BURST!!

Free Cancels Air Options



Theme - YOMI Hustle a turn based fighting game but instead it will show clips of the characters being used and their combos in videos.

Interactive JS Feature #1



Clicking a character changes the color takes them to website dedicated to them.

Interactive JS Feature #2

Second shows like a video of the character in a fight and a really cool combo of them beating them up.

EVALUATE

think about the good and bad for each idea then choose one

Pros/Cons of Each Idea:

| | Pros | Cons |
|---------|---|--|
| Idea 1: | <ul style="list-style-type: none">• It will look cool• Might spark people to play the game• It will provide info on the character clicked | <ul style="list-style-type: none">• Might be hard to manage• Making the videos pop up might be hard |
| Idea 2: | <ul style="list-style-type: none">• Great anime• May make people watch• Versatile cause there's many characters to choose from. | <ul style="list-style-type: none">• Difficult to get high quality images• too many divs to deal with• sd Might take awhile since its it may switch to many different pages |
| Idea 3: | <ul style="list-style-type: none">• Cool game• It looks awesome• May inspire people to learn this game. | <ul style="list-style-type: none">• there aren't many characters to choose from so it might lack interactive features. |

CONTENT

gather and edit essential content for your site

PHASE 2











DESIGN


create three possible responsive designs for your chosen idea

Design 1.



Computer



Target



Mobile



Char Right
Disappear

MOCKUP

choose your final layout and create a digital mockup



MY HERO ACADEMIA

僕のヒーローアカデミア




Bakugou Katsuki is a character from the anime and manga series *My Hero Academia*. He's known for his explosive personality and quirk, which allows him to create explosions from the sweat on his palms. Initially portrayed as hot-headed and aggressive, his character develops significantly throughout the series, revealing more depth and a complex relationship with his classmates, especially with the protagonist, Izuku Midoriya.

Shigaraki Tomura is the main antagonist in *My Hero Academia*. He's the leader of the League of Villains and embodies chaos and destruction. His quirk, "Decay," allows him to disintegrate anything he touches, making him a formidable threat. Over the course of the series, Shigaraki's backstory is explored, revealing a tragic childhood and a deep-seated resentment toward society and heroes. His character arc involves themes of loss, power, and the impact of his upbringing.



ANNOTATE

add explanations, colors, percentages, and display properties + draw your dom



HTML



CSS



```

var screen = 1; // Default screen
arrowR = document.getElementById("arrowright");
arrowL = document.getElementById("arrowleft");
video = document.getElementById("vid");
p1 = document.getElementById("person1");
p2 = document.getElementById("person2");
T1 = document.getElementById("pText1");
T2 = document.getElementById("pText2");
// Function to switch between screens

```

```

function changeBakugou() {
    screen = 1;
    p1.src = "images/Bakugou.png";
    T1.textContent =
        "Bakugo Katsuki is a character from My Hero Academia, created by Kohei Horikoshi. He's one of the main characters and a student at U.A. High School, training
    video.src = "https://www.youtube.com/embed/mcSdy6syIsg?si=KMBxKZu_ic6v7MRa";
    p2.src = "images/Shigaraki.png";
    T2.textContent =
        "Shigaraki Tomura is one of the main antagonists in My Hero Academia and the leader of the League of Villains. He is a highly dangerous and complex character
    document.getElementById("SMASH").pause();
    document.getElementById("KNIFE").pause();
    document.getElementById("FIRE").pause();
    document.getElementById("BFIRE").pause();
    arrowR.setAttribute("onclick", "changeDeku()");
    arrowL.setAttribute("onclick", "changeTodoroki()");
}

```

```

function changeTodoroki() {
    screen = 3;
    p1.src = "images/Todoroni.png";
    T1.textContent =
        "Shoto Todoroki is a major character in My Hero Academia. He is a student at U.A. High School and a member of Class 1-A. Shoto's quirk, Half-Cold Half-Hot,
    video.src = "https://www.youtube.com/embed/EVyoahcP6tw?si=1YWA6i6Qjfv1N-bu";
    p2.src = "images/Dabi.png";
    T2.textContent =
        "Dabi Todoroki is a key antagonist in My Hero Academia and a member of the League of Villains. He is the older son of Endeavor and Rei Todoroki, making him
    document.getElementById("SMASH").pause();
    document.getElementById("SMOKE").pause();
    document.getElementById("KNIFE").pause();
    document.getElementById("DECAY").pause();
    arrowL.setAttribute("onclick", "changeDeku()");
    arrowR.setAttribute("onclick", "changeBakugou()");
}

```

```

function changeDeku() {
    screen = 2;
    p1.src = "images/deku.png";
    T1.textContent =
        "Izuku Midoriya (Deku) is an ordinary boy born without a quirk in a world full of superpowered individuals, yet he dreams of becoming the greatest hero like
    video.src = "https://www.youtube.com/embed/ZQiwn_Di3HU?si=EKL0mw6kguUGLhiw";
    p2.src = "images/toga.png";
    T2.textContent =
        "Izuko Toga is a character from My Hero Academia (Boku no Hero Academia), created by Kohei Horikoshi. She is one of the main antagonists in the series and
    arrowR.setAttribute("onclick", "changeTodoroki()");
    document.getElementById("SMOKE").pause();
    document.getElementById("DECAY").pause();
    document.getElementById("FIRE").pause();
    document.getElementById("BFIRE").pause();
    arrowL.setAttribute("onclick", "changeBakugou()");
}

```

```

function playAudio() {
    console.log("function running!");
    console.log(screen);
    if (screen == 2) {
        document.getElementById("SMASH").play();
        console.log("if");
    } else if (screen == 1) {
        document.getElementById("SMOKE").play();
        console.log("else if");
    } else if (screen == 3) {
        document.getElementById("FIRE").play();
        console.log("else if");
    }
}
function playAudio2() {
    if (screen == 2) {
        document.getElementById("KNIFE").play();
        console.log("if");
    } else if (screen == 1) {
        document.getElementById("DECAY").play();
        console.log("else if");
    } else if (screen == 3) {
        document.getElementById("BFIRE").play();
        console.log("else if");
    }
}
function playLogoAudio() {
    document.getElementById("OPENING").play();
}

```



BUILD

create your desktop divs using html and css then make it responsive



An 6x6 grid of colored squares, each occupying approximately one-tenth of the total area. The colors are: Dark Green (top-left), Purple (top-middle), Red (top-right), Yellow (second row, left), Blue (second row, middle), and Black (second row, right). The bottom row consists of two equal-width columns: Light Red on the left and Bright Cyan on the right.

Open Sandbox

```
Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights ✎
<!DOCTYPE html>
<html>
  <head> ⏪</head>
  ... ⏪<body> = $0
    ▶ <div class="top-div"> ⏪</div> flex
    ▶ <div class="middle-div"> ⏪</div> flex
    ▶ <div class="bottom-div"> ⏪</div>
    <script src="script.js"></script>
    <script crossorigin type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
    <script type="text/javascript" src="https://l3vz3m.csb.app/83e09c4-/loader.js?fn=inject.js"></script>
    ▶ <iframe id="sb_open-sandbox37" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 999999999999;"> ⏪</iframe>
  </body>
</html>
```

html body
⋮ Console What's new X AI assistance ✎
Highlights from the Chrome 131 update

Debug CSS with Gemini

Chat with Gemini right in the new AI assistance panel and get help with styling your page.

Annotate performance findings

Label items and time ranges, draw connections between items, save and share annotated traces in the



Open Sandbox

```
Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance
<!DOCTYPE html>
<html>
  <head> ...</head>
... ▼ <body> == $0
  > <div class="top-div">...</div> flex
  > <div class="middle-div">...</div> flex
  > <div class="bottom-div">...</div>
    <script src="script.js"></script>
    <script crossorigin type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
    <script type="text/javascript" src="https://l3vz3m.csb.app/83e09c4.../loader.js?fn=inject.js"></script>
  > <iframe id="sb_open-sandbox37" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 999999999999999;">...</iframe>
</body>
</html>
```

html body

⋮ Console What's new X AI assistance ⚡

Highlights from the Chrome 131 update

Debug CSS with Gemini

Chat with Gemini right in the new AI assistance panel and get help with styling your page.

Annotate performance findings

Open Sandbox



CONTENT

insert all images and text into your site



Bakugo vs Shigaraki | My Hero Academia Season 7 Ep 11

MY HERO
ACADEMIA

Watch later Share

Watch on YouTube



Bakugo Katsuki is a character from My Hero Academia, created by Kohei Horikoshi. He's one of the main characters and a student at U.A. High School training to become a professional hero. Bakugo is known for his fiery personality, explosive Quirk, and fierce ambition.

Shigaraki Tomura is one of the main antagonists in My Hero Academia and the leader of the League of Villains. He is a highly dangerous and complex character, known for his ruthless nature, powerful Quirk, and dark backstory. Shigaraki serves as one of the primary threats to both the heroes and society in the world of My Hero Academia.



Open Sandbo



Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder Performance insights ▾ 24 21 2 : >

Styles Computed Layout Event Listeners > ▾ Filter .shov .cls +

```
<!DOCTYPE html>
<html>
  <head> ...</head>
  <body src="images/background.png" id="back"> == $0
    <div class="top-div"> ...</div> flex
    <div class="middle-div"> ...</div> flex
    <div class="bottom-div"> ...</div>
      <audio src="sounds/SMASH.wav" type="audio/wav" id="SMASH"></audio>
      <audio src="sounds/CHOKE ON MY SMOKE!!!.wav" type="audio/wav" id="SMOKE"></audio>
      <audio src="sounds/TODORONI.wav" type="audio/wav" id="FIRE"></audio>
      <audio src="sounds/Shica.wav" type="audio/wav" id="DECAY"></audio>
      <audio src="sounds/Toga.wav" type="audio/wav" id="KNIFE"></audio>
      <audio src="sounds/Dabi.wav" type="audio/wav" id="BFIRE"></audio>
      <audio src="sounds/click.wav" type="audio/wav" id="click"></audio>
      <audio src="sounds/Opening_MHA.mp3" type="audio/mp3" id="OPENING"></audio>
      <script src="script.js"></script>
      <script crossorigin="anonymous" type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
      <script type="text/javascript" src="https://98hvjp.csb.app/83e0d4c/_loader.js?fn=inject.js"></script>
    <iframe id="sb_open-sandbox71" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 999999999999; "></iframe>
  </body>
</html>
```

body { width: 100vw; height: 100vh; margin: 0; display: block; background-image: url(images/background.png); background-size: cover; background-repeat: no-repeat; height: 100vh; width: 100vw; }

body { user agent stylesheet }

body { display: block; margin: 0 8px; }

margin: - border: - padding: - 694x945 - - -

html body#back

⋮ Console What's new X AI assistance ▾

Highlights from the Chrome 131 update

Debug CSS with Gemini

Chat with Gemini right in the new AI assistance panel and get help with styling your page.

Annotate performance findings

Label items and time ranges, draw connections between items, save and share annotated traces in the



The screenshot shows a browser window with the developer tools open, displaying the source code and a visual representation of the game's layout.

Source Code:

```
<!DOCTYPE html>
<html>
  <head></head>
  <body src="images/background.png" id="back">
    <div class="top-div" style="flex">
      <div class="middle-div" style="flex">
        <div class="bottom-div" style="flex">
          <audio src="sounds/SMASH2.wav" type="audio/wav" id="SMASH"></audio>
          <audio src="sounds/CHOKE ON MY SMOKE!!!.wav" type="audio/wav" id="SMOKE"></audio>
          <audio src="sounds/TODORONI.WAV" type="audio/wav" id="FIRE"></audio>
          <audio src="sounds/Shiga.wav" type="audio/wav" id="DECAY"></audio>
          <audio src="sounds/Toga.wav" type="audio/wav" id="KNIFE"></audio>
          <audio src="sounds/Dabi.wav" type="audio/wav" id="BFLRE"></audio>
          <audio src="sounds/click.wav" type="audio/wav" id="click"></audio>
          <audio src="sounds/Opening_MHA.mp3" type="audio/mp3" id="OPENING"></audio>
          <script src="script.js"></script>
          <script crossorigin type="text/javascript" src="https://codesandbox.io/static/js/watermark-button.eeb14a97b.js"></script>
          <script type="text/javascript" src="https://98hyjpo.csb.app/83e09c4_.loader.js?fn=inject.js"></script>
        </div>
      </div>
    </div>
    <div id="sb_open-sandbox71" style="position: fixed; margin: 0; padding: 0; bottom: 16px; right: 16px; border: none; width: 118px; height: 36px; z-index: 9999999999999999;"></div>
  </body>
</html>
```

Visual Layout:

- The main background image is "background.png".
- The layout is divided into three horizontal sections: "top-div", "middle-div", and "bottom-div", each using flexbox.
- Large red arrows pointing left and right are positioned at the top of the middle section.
- A watermark button is located in the bottom right corner.
- A "More videos" sidebar is visible on the left, showing thumbnail images of other video clips.
- YouTube controls (play, volume, progress bar) are at the bottom left.
- An "Open Sandbox" button is at the bottom center.

Developer Tools:

- Elements:** Shows the DOM structure.
- Styles:** Shows the CSS styles applied to the elements.
- Computed:** Shows the final computed styles.
- Layout:** Shows the element's position and dimensions.
- Event Listeners:** Shows event listeners attached to the element.
- Performance insights:** Shows performance-related data.
- Console:** Shows highlights from the Chrome 131 update.
- Gemini:** Offers AI assistance for styling.
- Annotations:** Allows users to draw connections between items.

JAVASCRIPT

add behavior to your page by inserting two pieces of javascript



Bakugo Katsuki is a character from My Hero Academia, created by Kohei Horikoshi. He's one of the main characters and a student of Shigaraki, serving as one of the main antagonists in My Hero Academia and the leader of the League of Villains. He is a highly U.A. High School, training to become a professional hero. Bakugo is known for his fiery personality, explosive Quirk, and complex relationships with other characters. Shigaraki serves as one of his primary antagonists, often pitting him against both the heroes and society in the world of My Hero Academia.



Open Sandbox

ENHANCE UX

add in effects when the user hovers and clicks to make the page intuitive and fun



MY HERO ACADEMIA

僕のヒーローアカデミア

TEST + ITERATE

get feedback from users then make revisions to your user interface

MY HERO ACADEMIA 僕のヒーローアカデミア

Bakugo vs Shigaraki | My Hero Academia Season 7 Ep 11

MY HERO
ACADEMIA



Watch on YouTube

