- 1. Suppose box 1 contains a white balls and b black balls, and box 2 contains c white balls and d black balls (a, b, c, d) are positive integers). A randomly chosen ball is transferred from box 1 to box 2. Then, a randomly chosen ball from box 2 is transferred to box 1.
 - (a) (10 points) Now, if a ball is randomly drawn from box 1, what is the probability that it will be white?
 - (b) (5 points) Show that if $\frac{a}{b} = \frac{c}{d}$ then the answer in (a) reduces to $\frac{a}{a+b}$, i.e., it is equal to the probability of getting a white ball if we directly sample a ball from box 1 without transferring.
 - (c) (5 points) Suppose the ball drawn in the end is white. Find the conditional probability that box 1 contains a white balls and b black balls (i.e., original composition) just after transferring the balls (and before sampling the last ball).

١.	CO.)	Let		A	be	e,	ient	4	hat		we		ick	wh	ite	ba	lı -	from	Ь	۵×۱																
													Ľ																								
			Le	t	C	3, w	ا ر	٥و	evi	ent.		that	Ы	ack		الحط	i	s 4	tans	Fer	ed		fro	<u></u>	Боз	٠,	to	2	and		W	hite	Ь	اله	f	<u> </u>	
																																	bas	. 2	to	Ь	×I.
			S	-me	- ot	plies	···f	ðr.	cw	, w	١,	د س	B :	a	nd	CB	د هر																				
			Ьу	la	w	o f	40	tal	_	ero b	abil	ŧy,																									
					P	: A 3	=	PC	A I	CB,	B 2) P	< B,	B)	+ 6	(1	Al C	B, w	2)	PC	B,W) +	P	LAI	رر	v, v	: د د	PC	w,	w)	+	РС	A1	cw,	вэ) P	Cw,B
							=	(-	0	,	- 2	<u>C</u> .	Ь	7	د د	+ 1	-,	+	C _	a + 1	_ 3	C	_	,) C)	+ (a.	20		2 +1) (9	+4+1
									4	D			• •	B		т с.	-1		<u>'</u>	2.+	D		a +	Ь		C+	d+1				- 0						
																	•																				
								+	<u> </u>	a+	b :) C	<u>a</u> .	Ь) C	_	4.4	<u> </u>)																		
										'								- 1																			
										a b	64.	1.7	ь b	c C a	41	-	2	C e +	13.	. ~	A Co	1	<u> </u>														
								=	_	- 0		+ b							. ,		c	1	<u> </u>														
											(6	* + b	3		- C +	o t																					
	C b :		Aer			Q.		c.																													
	- p)		~\>S	u-m	حـــ	<u>в</u>	=	d																													
						c	_	ak		۸ .	Ы	د	fo.		0 m		k e	N.																			
					PCA	ე -		_	aЬ	СЬ	k +	ιj	+	b a	ς C .	41) (q 2	٥١	د + ۱) +	- ab	اد (a-	77												
										دم	+ Ь	, 2	C	ما	4 ـ	Ы	+ 1)																			
							=	_	a b	2 k	+	ab	+	a, 2	Ыĸ	+ (الطرح	+	وع ا	۷ +	a 2	+	مء	اد ۔	الموه	(
										C	1 + b	3 2	(ak	+	ble	+13																				
							=			<u>a</u> 6	_			_			_	_	k +	a ³ l	۲ +	م ک															
											Ca	+ 6	7 s	C	ak	+ b	k+	()																			
											1								_																		
							=			ζ									a 2	СP	C +	a K	++)													
											C	a +	63	T C	ak	+ 1	اد،	()																			
											C -	Ь +	_ 2																								
							=	•																													
												Ca+	- D J	7 (ak	+ 5	+	1 3																			
								=		م	Ca	+ t	2		a																						
												ЬЭ		-	0 :																						
											Ė	- 3																									

