

Hands-On Wazuh – Wazuh SIEM Deployment and Agent Installation on Windows & Ubuntu

By: Muhammad Zayan




In this guide, I have deployed Wazuh SIEM using the pre-built Virtual Machine (OVA) format.


I have installed Wazuh Agents on Windows & Ubuntu for monitoring purpose like it is in SOC environment. This is a step-by-step comprehensive and beginner friendly guide.

Installing Wazuh in Virtual Machine:



- Go to Wazuh official website “[Wazuh.com](https://wazuh.com)”.
- Click on Documentation and go to Installation alternatives.
- You can install it in a Virtual Machine by clicking on Virtual Machine and then install




- Download the ova file by clicking on **virtual appliance (OVA)**.



- Open the VMware > Click on file > Open



- Power on the VM.



It will open the Wazuh virtual machine.

- The default login credentials are:

Username: Wazuh-user

Password: Wazuh

It will look like this after login.

[illegible]

- Find the IP address of VM by typing this command:

ip a

```

https://wazuh.com
[wazuh-user@wazuh-server ~]$ sudo i
sudo: i: command not found
[wazuh-user@wazuh-server ~]$ sudo -i
[root@wazuh-server ~]# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:f8:57:e9 brd ff:ff:ff:ff:ff:ff
    altname enp2s0
    altname ens32
    inet 192.168.149.110/24 metric 1024 brd 192.168.149.255 scope global dynamic eth0
        valid_lft 2449sec preferred_lft 2449sec
    inet6 fe80::20c:29ff:fef8:57e9/64 scope link proto kernel_l1
        valid_lft forever preferred_lft forever
[root@wazuh-server ~]#

```

Accessing Wazuh dashboard:


We can access the Wazuh dashboard from the web interface by using the following credentials:


URL: https://<wazuh_server_ip> (write your machine ip here)

If pop-up window appears, click on advance and accept risk and continue.

user: admin

password: admin






Installing Wazuh Agents:

Installing Windows Agent:

- Click on Deploy new agent



- Select windows > Write the Wazuh machine IP address in server address.

In my case it's **192.168.149.110**

← ↻ Not secure https://192.168.149.110/app/endpoints-summary#/agents-preview/deploy

W. Endpoints Deploy new agent

**LINUX**

☐ RPM amd64

☐ RPM aarch64

☐ DEB amd64

☐ DEB aarch64

**WINDOWS**

☒ MSI 32/64 bits

192.168.149.110

- Follow the steps and run the commands given there in windows powershell to download, install and start the agent in windows machine.

4 Run the following commands to download and install the agent:

```
Invoke-WebRequest -Uri https://packages.wazuh.com/4.x/windows/wazuh-agent-4.12.0-1.msi -OutFile $env:tmp\wazuh-agent; msixexec.exe /i $env:tmp\wazuh-agent /q WAZUH_MANAGER='192.168.149.110' WAZUH_AGENT_NAME='Windows-agent'
```

① Requirements

- You will need administrator privileges to perform this installation.
- PowerShell 3.0 or greater is required.

Keep in mind you need to run this command in a Windows PowerShell terminal.

5 Start the agent:

```
NET START WazuhSvc
```

```
Administrator: Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.


Try the new cross-platform PowerShell https://aka.ms/pscore6

PS C:\Windows\system32> Invoke-WebRequest -Uri https://packages.wazuh.com/4.x/windows/wazuh-agent-4.12.0-1.msi -OutFile WazuhAgent.msi
PS C:\Windows\system32> NET START WazuhSvc

The Wazuh service was started successfully.


PS C:\Windows\system32>
```

After running these commands in windows powershell, we can see our windows agent on dashboard.



Now, we will install Wazuh agent in **Kali/Ubuntu** machine.

- Click on Deploy new agent



- Select the **Linux > DEB amd64** (you can choose it according to your machine architecture)

You can check architecture of your machine by running command in terminal:

uname -m

✓ Select the package to download and install on your system:

 **LINUX**

☐ RPM amd64 ☐ RPM aarch64

☒ DEB amd64 ☐ DEB aarch64

 **WINDOWS**

☐ MSI 32/64 bits

 **macOS**

☐ Intel

☐ Apple silicon

🔗 For additional systems and architectures, please check our [documentation](#) 🌐.

✓ Server address:

This is the address the agent uses to communicate with the server. Enter an IP address or a fully qualified domain name (FQDN).

Assign a server address 🔗

192.168.149.110

☐ Remember server address

- Run these commands on your Kali/Ubuntu machine to install Wazuh agent

4 Run the following commands to download and install the agent:

```
wget https://packages.wazuh.com/4.x/apt/pool/main/w/wazuh-agent/wazuh-agent_4.12.0-1_amd64.deb && sudo WAZUH_MANAGER='192.168.149.110' WAZUH_AGENT_NAME='Ubuntu-agent' dpkg -i ./wazuh-agent_4.12.0-1_amd64.deb
```

🔗 Requirements

- You will need administrator privileges to perform this installation.
- Shell Bash is required.

Keep in mind you need to run this command in a Shell Bash terminal.

5 Start the agent:

```
sudo systemctl daemon-reload
sudo systemctl enable wazuh-agent
sudo systemctl start wazuh-agent
```

```
zayan@zayan:~$ wget https://packages.wazuh.com/4.x/apt/pool/main/w/wazuh-agent/wazuh-agent_4.12.0-1_amd64.deb && sudo WAZUH_MANAGER='192.168.149.110' WAZUH_AGENT_NAME='Ubuntu-agent' dpkg -i ./wazuh-agent_4.12.0-1_amd64.deb
--2025-08-07 05:59:28-- https://packages.wazuh.com/4.x/apt/pool/main/w/wazuh-agent/wazuh-agent_4.12.0-1_amd64.deb
Resolving packages.wazuh.com (packages.wazuh.com)... 3.161.104.94, 3.161.104.110, 3.161.104.23, ...
Connecting to packages.wazuh.com (packages.wazuh.com)[3.161.104.94]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 11963008 (11M) [application/vnd.debian.binary-package]
Saving to: 'wazuh-agent_4.12.0-1_amd64.deb'

wazuh-agent_4.12.0-1_amd64.deb      100%[=====] 11.41M  978KB/s  in 8.0s

2025-08-07 05:59:36 (1.42 MB/s) - 'wazuh-agent_4.12.0-1_amd64.deb' saved [11963008/11963008]

[sudo] password for zayan:
kali: Sorry, try again.
[sudo] password for zayan:
Selecting previously unselected package wazuh-agent.
(Reading database ... 86620 files and directories currently installed.)
Preparing to unpack .../wazuh-agent_4.12.0-1_amd64.deb ...
Unpacking wazuh-agent (4.12.0-1) ...
Setting up wazuh-agent (4.12.0-1) ...
zayan@zayan:~$
```

Agents (2)
Show only outdated
Deploy new agent
Refresh
Export formatted
More

Search									WQL
☐	ID ↑	Name	IP address	Group(s)	Operating system	Cluster node	Version	Status	Actions
☐	003	windows-agent	192.168.23.128	default	 Microsoft Windows 10 Pro 10.0.19045.2006	node01	v4.12.0	● active	 ...
☐	004	ubuntu-agent	192.168.23.131	default	 Ubuntu 24.04.2 LTS	node01	v4.12.0	● active	 ...

We can see both of our agents are active.

PS: I have switched to another network so the IP of the server is changed.