


Projeto GalloFlix

José Antonio Gallo Junior
Professor Mestre





GranTiete2025



Type / to search



Overview

Repositories 4

Projects

Packages

Teams

People 1

Insights

Settings



GranTiete2025



We think you're gonna like it here.

We've suggested some tasks here in your organization's overview to help you get started.

Invite your people



Invite your first member

Find people by their GitHub username or email address.



Customize members' permissions

Set everyone's base permissions for your code.

Collaborative coding



Create a pull request

Propose and collaborate on changes to a repository.



Create a branch protection rule

Enforce certain workflows for one or more branches.

See more about collaborative coding →

View as: Public ▾

You are viewing the README and pinned repositories as a public user.

You can [create a README file](#) or [pin repositories](#) visible to anyone.

You can [hide the tasks we've suggested](#) on this page and bring them back later.

Discussions

Set up discussions to engage with your community!

[Turn on discussions](#)

Repositories

ProgramacaoWeb

HTML ⭐ 1 Updated last week

SistemasUML

0 Updated 2 weeks ago



GranTiete2025



Type / to search



Overview

Repositories 4

Projects

Packages

Teams

People 1

Insights

Settings



GranTiete2025

We think you're gonna like it here.

We've suggested some tasks here in your organization's overview to help you get started.

Invite your people



Invite your first member

Find people by their GitHub username or email address.



Customize members' permissions

Set everyone's base permissions for your code.

Collaborative coding



Create a pull request

Propose and collaborate on changes to a repository.



Create a branch protection rule

Enforce certain workflows for one or more branches.

See more about collaborative coding →

[New repository](#)[Import repository](#)[New codespace](#)[New gist](#)[New organization](#)[View as: Public](#)

You are viewing the READ
as a public user.

You can [create a README](#)
visible to anyone.

You can [hide the tasks we](#)
and bring them back later.

Discussions

Set up discussions to engage with your
community!

[Turn on discussions](#)

Repositories

ProgramacaoWeb

HTML ⭐ 1 Updated last week

SistemasUML

⭐ 0 Updated 2 weeks ago

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?

[Import a repository](#)

Required fields are marked with an asterisk (*).

Owner *



GranTiete2025

Repository name *

GalloFlix

GalloFlix is available.



Great repository names are short and memorable. Need inspiration? How about [shiny-system](#) ?

Description (optional)

Projeto de desenvolvimento Web com HTML/CSS/JAVASCRIPT para consumo de API



Public

Anyone on the internet can see this repository. You choose who can commit.

Private

You choose who can see and commit to this repository.



Initialize this repository with:

Add a README file

This is where you can write a long description for your project. [Learn more about READMEs](#).

Add .gitignore

.gitignore template: **None** ▾

Choose which files not to track from a list of templates. [Learn more about ignoring files](#).

Choose a license

License: **None** ▾

A license tells others what they can and can't do with your code. [Learn more about licenses](#).

This will set **main** as the default branch. Change the default name in GranTiete2025's [settings](#).

You are creating a public repository in the GranTiete2025 organization.



Create repository



GranTiete2025 / GalloFlix

 Type / to search

Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

GalloFlix

Public

Edit Pins

Unwatch 1

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

Add file

Code



gallojunior Initial commit

da4595a · now 1 Commit

README.md

Initial commit

now

README



GalloFlix

Projeto de desenvolvimento Web com HTML/CSS/JAVASCRIPT para consumo de API



Projeto de desenvolvimento Web com
HTML/CSS/JAVASCRIPT para consumo de
API

Readme

Activity

Custom properties

0 stars

1 watching

0 forks

Report repository

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)



GranTiete2025 / GalloFlix

Type / to search



Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

GalloFlix

Public

Edit Pins

Unwatch

Fork

Star

main

1 Branch

0 Tags

Go to file

Add file

Code

gallojunior Initial commit

README.md

Initial commit

README

GalloFlix

Projeto de desenvolvimento Web com HTML/CSS/JAVASCRIPT pa

Local Codespaces

Clone

HTTPS SSH GitHub CLI

<https://github.com/GranTiete2025/GalloFlix.git>

Clone using the web URL.

Open with GitHub Desktop

Download ZIP



Projeto de desenvolvimento Web com
HTML/CSS/JAVASCRIPT para consumo de
API

Readme

Activity

properties

0 stars

1 watching

0 forks

Report repository

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package



EXPLORER

...

Welcome X

...

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, [add a folder instead](#).

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code [read our docs](#).

You can [open a folder containing a .NET project or solution](#), or create a new .NET project.

> OUTLINE

> TIMELINE

Start

- New File...
- Open File...
- Open Folder...
- Clone Git Repository...
- Connect to...

Walkthroughs

Learn the Fundamentals

[More...](#)

Recent

- GMovies-HTML C:\Users\Gallo\Downloads
 - GalloFlix C:\Users\Gallo\Desktop
 - SilvinhaHealthApp2025 D:\Projetos\Etec\React
 - pokedex-js D:\Projetos\Web\Pokedex
 - ProgramacaoWeb D:\GranTiete\2025\Programaç...
- [More...](#)



Show welcome page on startup



Go Live



0 0 0

Provide repository URL or pick a repository source.

⌘ ⌄ ⌅ ⌆

EXPLORER

Clone from GitHub

remote sources

🔍 ⌐ Go Live 🔔

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, [add a folder](#) instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code [read our docs](#).

You can [open a folder](#) containing a .NET project or [solution](#), or create a new .NET project.

> OUTLINE

> TIMELINE

Start

- New File...
- Open File...
- Open Folder...
- Clone Git Repository...
- Connect to...

Walkthroughs

Learn the Fundamentals

[More...](#)

Recent


- GMovies-HTML C:\Users\Gallo\Downloads
 - GalloFlix C:\Users\Gallo\Desktop
 - SilvinhaHealthApp2025 D:\Projetos\Etec\React
 - pokedex-js D:\Projetos\Web\Pokedex
 - ProgramacaoWeb D:\GranTiete\2025\Programaç...
- [More...](#)



Show welcome page on startup



✖ 0 ⚠ 0

<https://github.com/GranTiete2025/GalloFlix.git>

EXPLORER

NO FOLDER OPENED

You have not yet opened a folder.

[Open Folder](#)

Opening a folder will close all currently open editors. To keep them open, [add a folder instead](#).

You can clone a repository locally.

[Clone Repository](#)

To learn more about how to use Git and source control in VS Code [read our docs](#).

You can [open a folder containing a .NET project or solution](#), or create a new .NET project.

> OUTLINE

> TIMELINE

[Clone from URL https://github.com/GranTiete2025/GalloFlix.git](#)[Clone from GitHub](#)

[ENTER]

Start

- [New File...](#)
- [Open File...](#)
- [Open Folder...](#)
- [Clone Git Repository...](#)
- [Connect to...](#)

Walkthroughs


[Learn the Fundamentals](#)[More...](#)


Recent

- GMovies-HTML C:\Users\Gallo\Downloads
 - GalloFlix C:\Users\Gallo\Desktop
 - SilvinhaHealthApp2025 D:\Projetos\Etec\React
 - pokedex-js D:\Projetos\Web\Pokedex
 - ProgramacaoWeb D:\GranTiete\2025\Programaç...
- [More...](#)

[Show welcome page on startup](#)

0 0 0





EXPLORER

...

Welcome X

...

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, [add a folder](#) instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code [read our docs](#).

You can open a folder containing a .NET project or solution, or create a new .NET project.

Choose a folder to clone <https://github.com/GranTiete2025/GalloFlix.git> into

← → ▲ ↓ Área de Trabalho Pesquisar em Área de Traba... 🔎

Organizar ▾ Nova pasta

Início

Nenhum item corresponde à pesquisa.

Este Computador

Área de Trabalho

Downloads

Documentos

Imagens

Músicas

Vídeos

Disco Local (D:)

Etc

Pasta: GalloFlix

Select as Repository Destination Cancelar

SELECIONE A ÁREA DE TRABALHO



Show welcome page on startup



0 0



Go Live



EXPLORER

...

Welcome X

...

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, [add a folder instead](#).

You can clone a repository locally.

Clone Repository

To learn more about how to use Git and source control in VS Code [read our docs](#).

You can [open a folder containing a .NET project or solution](#), or create a new .NET project.

> OUTLINE

> TIMELINE

Start

New File...

Open File...

Open Folder...

Clone Git Repository

Conn...

Visual Studio Code

Walkthroughs

Learn the Fundamentals

More...

Would you like to open the cloned repository?

Open

Open in New Window

Cancel

Recent

GMovies-HTML C:\Users\Gallo\Downloads


GalloFlix C:\Users\Gallo\Desktop

SilvinhaHealthAp 5 D:\Projetos\Etec\React


pokedex-js D:\Projetos\Web\Pokedex

ProgramacaoWeb D:\GranTiete\2025\Programaç...

More...



Show welcome page on startup



Usando os botões acima, vamos criar a estrutura de pastas e arquivos de nosso projeto.

Show All Commands `Ctrl + Shift + P`

Go to File `Ctrl + P`

Open Chat `Ctrl + Alt + I`

Find in Files `Ctrl + Shift + F`

Open Settings `Ctrl + ,`



EXPLORER

└─ GALLOFLIX

└─ css

└─ index.css

└─ login.css

└─ main.css

> img

└─ js

└─ index.js

└─ login.js

└─ main.js

└─ index.html

└─ login.html

└─ README.md

**Crie os arquivos:**

- index.html
- login.html

Crie as pastas:

- css
- img
- js

Dentro da pasta CSS crie os arquivos:

- index.css
- login.css
- main.css

Show All Commands **Ctrl + Shift + P**Go to File **Ctrl + P****Baixe os arquivos, CLIQUE AQUI, e cole na pasta IMG****Dentro da pasta JS crie os arquivos:**

- index.js
- login.js
- main.js

Open Chat **Ctrl + Alt + I**Find in Files **Ctrl + Shift + F**Open Settings **Ctrl + ,**

> OUTLINE

> TIMELINE



main* ↻ ✎ 0 ⚠ 0



Go Live



```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6     <title>GalloFlix - Login</title>
7     <link rel="shortcut icon" href="img/favicon.png" type="image/x-icon" />
8     <link
9       href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
10      rel="stylesheet"
11    />
12    <link rel="stylesheet" href="css/main.css" />
13    <link rel="stylesheet" href="css/login.css" />
14  </head>
15
16 <body class="bg-dark">
17   <div class="loader"></div>
18   <!-- navbar start -->
19   <nav class="navbar navbar-expand-lg navbar-dark fixed-top">
20     <div class="container-fluid">
21       <a class="navbar-brand" href="index.html">
22         
28       </a>
29     </div>
30   </nav>
31   <!-- navbar end -->
```


```
32
33 <main class="min-vh-100">
34   <!-- Banner -->
35   <div class="full-banner opacity-50 min-vh-100"></div>
36
37   <div class="container position-absolute min-vh-100 pos-0">
38     <div class="row min-vh-100 align-items-center">
39       <form
40         id="login"
41         class="col-xl-4 col-lg-6 col-md-8 col-sm-10 p-5 mx-auto"
42       >
43         <h2 class="mb-4 fw-bold text-white">Entrar</h2>
44         <input
45           type="text"
46           class="form-control rounded-1 bg-transparent p-3 mb-3 text-white"
47           placeholder="Email ou número de telefone"
48         />
49         <input
50           type="password"
51           class="form-control rounded-1 bg-transparent p-3 mb-3 text-white"
52           placeholder="Senha"
53         />
54         <input
55           type="button"
56           class="btn btn-danger text-white w-100 py-2"
57           value="Entrar"
58           onclick="window.location.href='index.html'"
59         />
60         <div class="col text-center my-3 mb-5">
61           <a href="#" class="text-white text-decoration-none mb-5"
62             >Esqueceu a senha?</a
63           >
64         </div>
```

```
65 <div class="form-check d-flex align-items-end ms-2">
66   <input
67     class="form-check-input bg-transparent fs-4 me-2 rounded-1 border-secondary"
68     type="checkbox"
69     value=""
70     id="rememberMe"
71     checked
72   />
73   <label class="form-check-label text-white" for="rememberMe">
74     Lembre-se de mim
75   </label>
76 </div>
77 <div class="col my-3 p-0">
78   <span class="text-secondary">Novo por aqui?</span>
79   <a href="#" class="text-white text-decoration-none"
80     >Assine agora</a>
81   >
82 </div>
83 <div class="col p-0">
84   <p class="text-secondary" style="font-size: 12px">
85     Esta página é protegida pelo Google reCAPTCHA para garantir que
86     você não é um robô.
87   </p>
88 </div>
89 </form>
90 </div>
91 </div>
92 </main>
93
94 <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
95 <script src="js/main.js"></script>
96 <script src="js/login.js"></script>
97 </body>
98 </html>
```

EXTENSIONS: MARKETPLACE



live server



Extension: Live Server X



- (1) **Live Ser...** ⚡ 61M ★ 4.5 ⏱ 16ms
Launch a development local S...
Rit... [Restart Extensions](#) [Install](#)

- (5) **Live Server (Fi...** ⚡ 1.7M ★ 4.5
A better Live Server with insta...
Yannick [Install](#)

- Live Server Pre...** ⚡ 1.3M ★ 3.5
Preview your HTML file with l...
negokaz [Install](#)

- Live Preview** ⚡ 8.2M ★ 4.5
Hosts a local server in your w...
Microsoft [Install](#)

- XVBA - Live Se...** ⚡ 182K ★ 3.5
Edit VBA files from Excel/Acce...
Local Smart [Install](#)

- html-live-server** ⚡ 96K ★ 4
Live server to render html we...
Naveen Vignesh [Install](#)

- php-live-server** ⚡ 79K ★ 1



Live Server

Ritwick Dey | ⚡ 61,028,606 | ★★★★★(500)

Launch a development local Server with live reload feature for static ...

[Restart Extensions](#)[Install](#) Auto Update [DETAILS](#)[FEATURES](#)[CHANGELOG](#)

[Wanna try **LIVE SERVER++ (BETA)** ? It'll enable live changes without saving file. <https://github.com/ritwickdey/vscode-live-server-plus-plus>]

Live Server

Live Server loves ❤️ your multi-root workspace

Live Server for server side pages like PHP. [Check Here](#)

[For 'command not found error' #78]

vscode marketplace v5.7.9 downloads 61M rating 4.4/5 (500)

404 badge not found appveyor branch passing license MIT

Installation

Identifier	ritwickdey.live
Version	5.7.9
Last	2025-03-13,
Updated	15:39:14
Size	14.94MB

Marketplace

Published	2017-06-27, 18:14:04
Last	2025-01-10, 18:04:34



Go Live





EXPLORER

...

GALLOFLIX

> css

> img

> js

●

●

●

24

index.html

login.html

U

U

README.md



> OUTLINE

> TIMELINE

login.html U X

login.html > html > body

```
74    74        Lembre-se de mim
75    75        </label>
76    76        </div>
77    77        <div class="col my-3 p-0">
78    78            <span class="text-secondary">Novo por aqui?</span>
79    79            <a href="#" class="text-white text-decoration-none">
80    80                Assine agora</a>
81    81            >
82    82        </div>
83    83        <div class="col p-0">
84    84            <p class="text-secondary" style="font-size: 12px">
85    85                Esta página é protegida pelo Google reCAPTCHA para garantir que
86    86                você não é um robô.
87    87            </p>
88    88        </div>
89    89        </form>
90    90        </div>
91    91        </div>
92    92    </main>
93
94    94        <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js">
95    95            <script src="js/main.js"></script>
96    96            <script src="js/login.js"></script>
97    97        </body>
98    98    </html>
99    99
```





Entrar

Entrar

[Esqueceu a senha?](#)

Lembre-se de mim


[Novo por aqui? Assine agora](#)


Esta página é protegida pelo Google reCAPTCHA para garantir
que você não é um robô.

Nesse resultado, temos uma barra de rolagem e o formulário na parte de baixo da página, então precisamos estilizar para melhorar essa apresentação.


```
1 .pos-0 {  
2     top: 0;  
3     left: 0;  
4     right: 0;  
5 }  
6  
7 .full-banner {  
8     min-height: 100vh;  
9     width: 100%;  
10    background: url(..../img/fundo.jpg) 0 0 no-repeat;  
11    background-size: cover;  
12 }  
13  
14 #login {  
15     background-color: rgba(0, 0, 0, 0.8);  
16 }  
17  
18 #login input::placeholder {  
19     color: rgb(191, 191, 191);  
20 }
```

```
1 @import url("https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css");
2 @import url('https://fonts.googleapis.com/css2?family=Parkinsans:wght@300..800&display=swap');
3 @import url('https://fonts.googleapis.com/css2?family=Bokor&display=swap');
4
5 *
6   margin: 0;
7   padding: 0;
8 }
9
10 html, body {
11   font-family: 'Parkinsans', 'Ubuntu', sans-serif;
12   font-optical-sizing: auto;
13   background-color: #000000;
14 }
15
16 body {
17
18   overflow-x: hidden;
19   overflow-y: scroll;
20 }
21
22 .navbar {
23   backdrop-filter: blur(2px);
24   background: rgba(0, 0, 0, 0.1);
25 }
26
27 .pos-0 {
28   top: 0;
29   left: 0;
30   right: 0;
31 }
32
33 .navbar-nav .nav-item .nav-link {
34   color: #E50914;
35   font-size: 18px;
36 }
37
38 a.nav-link.active {
39   font-weight: 800;
40 }
41
42 .scrolled {
43   background-color: #000000;
44 }
45
```






```
46 .loader {  
47     position: absolute;  
48     left: 50%;  
49     top: 50%;  
50     z-index: 100;  
51     width: 200px;  
52     height: 200px;  
53     margin: -100px 0 0 -100px;  
54     border: 50px solid #f3f3f3;  
55     border-radius: 50%;  
56     border-top: 50px solid #E50914;  
57     -webkit-animation: spin 2s linear infinite;  
58     animation: spin 2s linear infinite;  
59 }  
60  
61 @-webkit-keyframes spin {  
62     0% {  
63         -webkit-transform: rotate(0deg);  
64     }  
65  
66     100% {  
67         -webkit-transform: rotate(360deg);  
68     }  
69 }  
70  
71 @keyframes spin {  
72     0% {  
73         transform: rotate(0deg);  
74     }  
75  
76     100% {  
77         transform: rotate(360deg);  
78     }  
79 }
```







main.js U X

```
js > js main.js > ...
1 // Exibir loading
2 function toggleLoading() {
3     let loader = document.querySelector(".loader");
4     loader.style.display = loader.style.display == "none" ? "block" : "none";
5 }
6
7 // Page Scroll
8 window.addEventListener("scroll", function () {
9     const navbar = document.querySelector(".navbar");
10
11     if (window.scrollY > 50) {
12         navbar.classList.add("scrolled");
13     } else {
14         navbar.classList.remove("scrolled");
15     }
16 });
17
```

A função `toggleLoading()` faz com que o elemento que possui a classe `.loader`, mude seu `display`, para ser exibido ou escondido.

A função de evento `scroll`, faz com que o fundo da navbar mude de cor ao “rolar” a página, será usada nas outras páginas



EXPLORER

...

main.js U login.js U X

⚙️ ⚡ ⌛ ...



GALLOFLIX

css

index.css

login.css

main.css

img

js

index.js

login.js

main.js

index.html

login.html

README.md

24



js > js login.js > ...

```
1 // Ao carregar a página executa as funções de buscar os dados
2 document.addEventListener("DOMContentLoaded", async () => {
3     setTimeout(() => {
4         toggleLoading();
5     }, 2000);
6 });
7 
```

Agora no login, após 2 segundos a função `toggleLoading()`, faz com que ele seja encerrado.



> OUTLINE


> TIMELINE



x ⌂ main* ⌂ ⌂ 0 ⌂ 0



Ln 7, Col 1 Spaces: 4 UTF-8 CRLF {} JavaScript ⌂ Port : 5500 ✓ Prettier ⌂



```
1 <!DOCTYPE html>
2 <html lang="pt-br">
3   <head>
4     <meta charset="UTF-8" />
5     <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6     <title>GMovies</title>
7     <link rel="shortcut icon" href="img/favicon.png" type="image/x-icon" />
8     <link
9       href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
10      rel="stylesheet"
11    />
12    <link rel="stylesheet" href="css/main.css" />
13    <link rel="stylesheet" href="css/index.css" />
14  </head>
15
16  <body>
17    <div class="loader"></div>
18    <!-- navbar start -->
19    <nav class="navbar navbar-expand-lg navbar-dark fixed-top">
20      <div class="container-fluid">
21        <a class="navbar-brand" href="index.html">
22          
28        </a>
```


```
29 <button
30   class="navbar-toggler"
31   type="button"
32   data-bs-toggle="collapse"
33   data-bs-target="#navbarNav"
34   aria-controls="navbarNav"
35   aria-expanded="false"
36   aria-label="Toggle navigation"
37 >
38   <span class="navbar-toggler-icon"></span>
39 </button>
40 <div class="collapse navbar-collapse" id="navbarNav">
41   <ul class="navbar-nav ms-auto">
42     <li class="nav-item">
43       <a class="nav-link active" aria-current="page" href="index.html"
44         >Home</a>
45       >
46     </li>
47     <li class="nav-item">
48       <a class="nav-link" href="sobre.html">Sobre</a>
49     </li>
50     <li class="nav-item">
51       <a class="nav-link" href="pesquisar.html">Pesquisar</a>
52     </li>
53     <li>
54       <a class="btn btn-danger ms-sm-3 text-white" href="login.html"
55         >Entrar</a>
56       >
57     </li>
58   </ul>
59 </div>
60 </div>
61 </nav>
62 <!-- navbar end -->
```

```
63
64  <!-- banner start -->
65  <div class="container-fluid p-0">
66    <div
67      id="carouselBanner"
68      class="carousel slide carousel-light carousel-fade"
69      data-bs-ride="carousel"
70    >
71      <div id="carousel-home" class="carousel-inner">
72        <div class="carousel-item active" data-bs-interval="8000">
73          
78          <div class="carousel-caption d-md-block">
79            <h3>Moana 2</h3>
80            <p class="d-none d-md-block">
81              Depois de receber um chamado inesperado de seus ancestrais
82              navegadores, Moana vai viajar para mares distantes da Oceania,
83              em águas perdidas em uma aventura perigosa.
84            </p>
85          </div>
86        </div>
```


```
87 <div class="carousel-item" data-bs-interval="8000">
88   
93   <div class="carousel-caption d-md-block">
94     <h3>Capitão América: Admirável Mundo Novo</h3>
95     <p class="d-none d-md-block">
96       Após se encontrar com o recém-eleito presidente dos EUA,
97       Thaddeus Ross, Sam se vê no meio de um incidente internacional.
98       Ele deve descobrir o motivo por trás de uma conspiração global
99       nefasta antes que o verdadeiro gênio faça o mundo inteiro ser
100      dominado pelo vermelho.
101    </p>
102  </div>
103</div>
104<div class="carousel-item" data-bs-interval="8000">
105  
110  <div class="carousel-caption d-md-block">
111    <h3>Entre Montanhas</h3>
112    <p class="d-none d-md-block">
113      Dois agentes altamente treinados se aproximam à distância após
114      serem enviados para proteger lados opostos de um desfiladeiro
115      misterioso. Quando um mal emerge, eles precisam trabalhar juntos
116      para sobreviver ao que está lá dentro.
117    </p>
118  </div>
119</div>
```

```
120  <div class="carousel-item" data-bs-interval="8000">
121    
126    <div class="carousel-caption d-md-block">
127      <h3>Acompanhante Perfeita</h3>
128      <p class="d-none d-md-block">
129        Uma viagem de fim de semana se torna sangrenta e violenta quando
130        uma androide subserviente, criada para a companhia humana,
131        simplesmente enlouquece.
132      </p>
133    </div>
134  </div>
135 </div>
136 <button
137   class="carousel-control-prev"
138   type="button"
139   data-bs-target="#carouselBanner"
140   data-bs-slide="prev"
141 >
142   <span class="carousel-control-prev-icon" aria-hidden="true"></span>
143   <span class="visually-hidden">Anterior</span>
144 </button>
```

```
145 <button  
146     class="carousel-control-next"  
147     type="button"  
148     data-bs-target="#carouselBanner"  
149     data-bs-slide="next"  
150     >  
151         <span class="carousel-control-next-icon" aria-hidden="true"></span>  
152         <span class="visually-hidden">Próximo</span>  
153     </button>  
154 </div>  
155 </div>  
156 <!-- banner end -->  
157  
158 <div class="container my-5 px-5">  
159     <!-- Trending Movies Start -->  
160     <div class="row">  
161         <h4 class="text-white">Filmes em Destaque</h4>  
162         <div id="trendingMovies" class="rowposter mt-3 p-2"></div>  
163     </div>  
164  
165     <!-- TopRated Movies Start -->  
166     <div class="row mt-5">  
167         <h4 class="text-white">Filmes com as Melhores Avaliações</h4>  
168         <div id="topRatedMovies" class="rowposter mt-3 p-2"></div>  
169     </div>  
170 </div>  
171  
172     <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>  
173     <script src="js/main.js"></script>  
174     <script src="js/index.js"></script>  
175 </body>  
176 </html>
```



```
1 #carousel-home {  
2     height: 100vh;  
3 }  
4  
5 #carousel-home .carousel-item img {  
6     height: 100vh;  
7     object-fit: cover;  
8 }  
9  
10 .carousel-inner .carousel-caption {  
11     background: rgba(0, 0, 0, 0.5);  
12     backdrop-filter: blur(5px);  
13     width: 100%;  
14     left: 0;  
15     padding-left: 100px;  
16     padding-right: 100px;  
17 }  
18  
19 #carousel-home .carousel-caption h3 {  
20     color: #E50914;  
21     font-weight: bolder;  
22     font-size: 32px;  
23 }  
24  
25 @media only screen and (max-width: 500px) {  
26     #carousel-home .carousel-caption h3 {  
27         font-size: 26px;  
28     }  
29 }
```



Entre Montanhas

Dois agentes altamente treinados se aproximam à distância após serem enviados para proteger lados opostos de um desfiladeiro misterioso. Quando um mal emerge, eles precisam trabalhar juntos para sobreviver ao que está lá dentro.

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows the project structure under "GALLOFLIX".
 - css:** index.css, login.css, main.css
 - img:**
 - js:** index.js, login.js, main.js, index.html, login.html, README.mdA red arrow points to the "index.js" file in the "js" folder.
- Code Editor:** The "index.js" file is open, displaying the following code:


```
// Ao carregar a página executa as funções de buscar os dados
document.addEventListener("DOMContentLoaded", async () => {
    setTimeout(() => {
        toggleLoading();
    }, 2000);

    let trendingContainer = document.querySelector("#trendingMovies");
    trendingContainer.innerHTML = "";
    for (let i = 1; i <= 20; i++) {
        trendingContainer.innerHTML += `<a href='detalhes.html?id=${i}'>
            
        </a>`;
    }
});
```
- Status Bar:** Shows the file name "main*", line "Ln 15, Col 1", spaces "Spaces: 4", encoding "UTF-8", and language "JavaScript". It also indicates "Port : 5500" and "Prettier" is active.

Text Content:

Agora no login, após 2 segundos a função `toggleLoading()`, faz com que ele seja encerrado.

E o código a partir da linha 7, pesquisa na página index o elemento de id “trendingMovies”, e através de uma laço de repetição adicionar 20 imagens ao elemento.

[Home](#) [Sobre](#) [Pesquisar](#) [Entrar](#)

As imagens de
posteres estão ai, mas
o site quebrou

```
32 .rowposter {  
33     display: flex;  
34     overflow-y: hidden;  
35     overflow-x: scroll;  
36 }  
37  
38 .rowposter a {  
39     cursor: inherit;  
40 }  
41  
42 .rowimg:hover {  
43     transform: scale(1.10);  
44 }  
45  
46 .rowposter::-webkit-scrollbar {  
47     display: none;  
48 }  
49  
50 .rowposter a img {  
51     margin-right: 10px;  
52     border-radius: 20px;  
53     box-sizing: content-box;  
54     transition: transform 450ms;  
55     max-height: 300px;  
56     object-fit: contain;  
57 }
```



x +



[Home](#) [Sobre](#) [Pesquisar](#)

[Entrar](#)

Dois agentes altamente treinados se aproximam à distância após serem enviados para proteger lados opostos de um desfiladeiro misterioso. Quando um mal emerge, eles precisam trabalhar juntos para sobreviver ao que está lá dentro.

Filmes em Destaque



Filmes com as Melhores Avaliações

```
17 // Trending Movies Scroll
18 const containerTrendingMovies = document.getElementById("trendingMovies");
19
20 let scrollIntervalTrendingMovies; // Controlador para o intervalo de scroll
21 let scrollDirectionTrendingMovies = 0; // Direção do scroll (0 = parado, 1 = direita, -1 = esquerda)
22
23 containerTrendingMovies.addEventListener("mousemove", (e) => {
24   const boundingRect = containerTrendingMovies.getBoundingClientRect();
25   const mouseX = e.clientX;
26
27   const threshold = 200; // Distância das bordas para ativar o scroll
28
29   if (mouseX < boundingRect.left + threshold) {
30     scrollDirectionTrendingMovies = -1; // Scroll para a esquerda
31     containerTrendingMovies.style.cursor = "url('/img/arrow-left.png'), auto"; // Cursor para a esquerda
32   } else if (mouseX > boundingRect.right - threshold) {
33     scrollDirectionTrendingMovies = 1; // Scroll para a direita
34     containerTrendingMovies.style.cursor = "url('/img/arrow-right.png'), auto"; // Cursor para a direita
35   } else {
36     scrollDirectionTrendingMovies = 0; // Parar scroll
37     containerTrendingMovies.style.cursor = "pointer"; // Cursor padrão
38   }
39 });
40
41 containerTrendingMovies.addEventListener("mouseleave", () => {
42   scrollDirectionTrendingMovies = 0; // Parar scroll quando o mouse sai do elemento
43   containerTrendingMovies.style.cursor = "default"; // Resetar cursor
44 });
45
46 // Função para scroll contínuo
47 function autoScrollTrendingMovies() {
48   if (scrollDirectionTrendingMovies !== 0) {
49     containerTrendingMovies.scrollLeft += scrollDirectionTrendingMovies * 6; // Ajuste a velocidade (5 = rápido)
50   }
51 }
52
53 scrollIntervalTrendingMovies = setInterval(autoScrollTrendingMovies, 16); // ~60 FPS
```



F GMovies



[Home](#) [Sobre](#) [Pesquisar](#)


[Entrar](#)

☆

•

Depois de receber um chamado inesperado de seus ancestrais navegadores, Moana vai viajar para mares distantes da Oceania, em águas perdidas em uma aventura perigosa.

Filmes em Destaque



Filmes com as Melhores Avaliações