

Pracownia Systemów i Urządzeń Sieciowych		
12.01.2023 - Serwer DNS		
	Imię i Nazwisko	klasa/grupa/ rok szk.
	Ksawery Zelek Adrian Starostka	3 TI 4/4

INTERFEJSY

ST - LAN1 - zintegrowany

LAN2 - na porcie PCle

S - LAN - zintegrowany

WAN - na porcie PCle

1. KONFIGURACJA SERWERA DNS (STREF PRZESZUKIWANIA)

PING Z STACJĄ ROBOCZĄ

```
Administrator Wiersz polecenia
C:\Users\Administrator>ping kszelek.zst.com

Pinging kszelek.zst.com [192.168.10.100] with 32 bytes of data:
Reply from 192.168.10.100: bytes=32 time<1ms TTL=128
Reply from 192.168.10.100: bytes=32 time<1ms TTL=128
Reply from 192.168.10.100: bytes=32 time<1ms TTL=128
Reply from 192.168.10.100: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.100:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Administrator>
```

PING Z ALIASEM (STACJA ROBOCZA)

```
Administrator Wiersz polecenia
C:\Users\Administrator>ping kom007.kszelek.zst.com

Pinging KsZelek-Stacja.kszelek.zst.com [192.168.10.50] with 32 bytes of data:
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128
Reply from 192.168.10.50: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Administrator>
```

SPRAWDZENIE ALIASU (NSLOOKUP Z SERWERA)

```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup komp007.kszelek.zst.com
Server: Unknown
Address: ::1

Name:      KsZepek-Stacja.kszelek.zst.com
Address:  192.168.10.50
Aliases:   komp007.Kszelek.zst.com

C:\Users\Administrator>
```

SPRAWDZENIE ALIASU (NSLOOKUP ZE STACJI)

```
Wiersz polecenia
Microsoft Windows [Version 10.0.19044.2406]
(c) Microsoft Corporation. Wszelkie prawa zastrzeżone.
C:\Users\KsZepek>nslookup komp007.kszelek.zst.com
Server: Unknown
Address:  192.168.10.100

Name:      KsZepek-Stacja.kszelek.zst.com
Address:  192.168.10.50
Aliases:   komp007.Kszelek.zst.com

C:\Users\KsZepek>
```

PING Z NOWYM HOSTEM

```
Administrator: Wiersz polecenia
C:\Users\Administrator>ping komp10

Pinging komp10.kszelek.zst.com [192.168.10.50] with 32 bytes of data:
Reply from 192.168.10.50: bytes=32 time=1ms TTL=128
Reply from 192.168.10.50: bytes=32 time=1ms TTL=128
Reply from 192.168.10.50: bytes=32 time=1ms TTL=128
Reply from 192.168.10.50: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.10.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Administrator>
```

SPRAWDZENIE ALIASU (NSLOOKUP Z SERWERA)


```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup komp10
Server: Unknown
Address: ::1

Name:   komp10.kszelek.zst.com
Address: 192.168.10.50

C:\Users\Administrator>
```

2. KONFIGURACJA SERWERA DNS (STREFA PRZESZUKIWANIA WSTECZ)


NSLOOKUP NA SAMYM POCZĄTKU



```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup 50.10.168.192.in-addr.arpa
Server: Unknown
Address: ::1
*** Unknown can't find 50.10.168.192.in-addr.arpa: Non-existent domain
C:\Users\Administrator>
```

The screenshot shows a Windows command prompt window titled "Administrator: Wiersz polecenia". The user has entered the command `nslookup 50.10.168.192.in-addr.arpa`. The output shows the server as "Unknown" and the address as "::1". A message indicates that the lookup failed: "*** Unknown can't find 50.10.168.192.in-addr.arpa: Non-existent domain". The taskbar at the bottom shows the time as 09:51 on 12.01.2023.

NSLOOKUP PO PIERWSZEJ KONFIGURACJI



```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup 50.10.168.192.in-addr.arpa
Server: Unknown
Address: ::1
Name:      50.10.168.192.in-addr.arpa
C:\Users\Administrator>
```

The screenshot shows the same Windows command prompt window. The user has entered the same `nslookup` command. This time, the output includes the name of the reverse lookup: "Name: 50.10.168.192.in-addr.arpa". The taskbar at the bottom shows the time as 09:52 on 12.01.2023.

NSLOOKUP PO AKTUALIZACJI PTR

```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup 59.10.168.192.in-addr.arpa
Server: Unknown
Address: ::1
Name: 59.10.168.192.in-addr.arpa
C:\Users\Administrator>
```

NSLOOKUP ALIASU, KTÓRY Utworzyliśmy

```
Administrator: Wiersz polecenia
C:\Users\Administrator>nslookup komptest.10.168.192.in-addr.arpa
Server: Unknown
Address: ::1
Name: Ksiazek-Station.ksiazek.zst.com
Address: 192.168.10.59
Aliases: komptest.10.168.192.in-addr.arpa
C:\Users\Administrator>
```

PING WYKONANY ZA POMOCĄ ALIASU

```
Administrator Wiersz polecenia
C:\Users\Administrator>ping komtest.10.168.192.in-addr.arpa

Pinging KsZelek-Stacja.kszelek.zst.com [192.168.10.50] with 32 bytes of data:
Reply from 192.168.10.50: bytes=32 time=0ms TTL=128
Reply from 192.168.10.50: bytes=32 time=0ms TTL=128
Reply from 192.168.10.50: bytes=32 time=0ms TTL=128
Reply from 192.168.10.50: bytes=32 time=0ms TTL=128

Ping statistics for 192.168.10.50:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\Users\Administrator>
```