T1: Per-run measurements (working supplement)

Every locally analyzed run is retained, including initialization failures. Each row is one run; no pooling across workload, warmup protocol, or code version is performed. A dash means unavailable or inapplicable. Model revisions and source hashes are recorded in `figures/T1/data.json`; unrounded values are in `all-runs.tsv`. These development data do not constitute the completed two-model experimental matrix. The original adapter results precede the in-flight LOAD ledger correction in code-r12.

Table 1: Run inventory. Conditions are workload / KV GiB / requests per second. Overlap marks diagnostic download interference. Run IDs refer only to this generated inventory.

Run	Session and cell	Model SHA	Conditions	Policy	Code	Protocol/status
R01	load-transfer-r08 cell-00-native	7f1c97f4	W2 / 24 / 10	native; cap256	code-r05	legacy COMPLETE
R02	load-transfer-r08 cell-01-native	7f1c97f4	W1 / 48 / 20	native; cap160	code-r05	legacy COMPLETE
R03	load-transfer-r08 cell-02-horizon	7f1c97f4	W1 / 48 / 20	horizon 256/32; cap256	code-r05	legacy COMPLETE
R04	load-transfer-r08 cell-03-native	7f1c97f4	W2 / 48 / 40	native; cap160	code-r05	legacy COMPLETE
R05	load-transfer-r08 cell-04-horizon	7f1c97f4	W2 / 48 / 40	horizon 256/32; cap256	code-r05	legacy COMPLETE
R06	load-transfer-r08 cell-05-native	7f1c97f4	W3 / 48 / 20	native; cap160	code-r05	legacy COMPLETE
R07	load-transfer-r08 cell-06-horizon	7f1c97f4	W3 / 48 / 20	horizon 256/32; cap256	code-r05	legacy COMPLETE
R08	w2-24-calibration-r09 cell-00-native	7f1c97f4	W2 / 24 / 5	native; cap256	code-r12	legacy COMPLETE
R09	w2-48-ablations-r10 cell-00-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/32; cap256	code-r12	legacy COMPLETE
R10	w2-48-ablations-r10 cell-01-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/0; cap256 no victim lease	code-r12	legacy COMPLETE
R11	w2-48-ablations-r10 cell-02-horizon	7f1c97f4	W2 / 48 / 20	horizon 0/32; cap256	code-r12	legacy COMPLETE
R12	w2-48-ablations-r10 cell-03-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/32; cap256 no stall ordering	code-r12	legacy COMPLETE
R13	w2-48-ablations-r10 cell-04-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/16; cap256	code-r12	legacy COMPLETE
R14	w2-48-ablations-r10 cell-05-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/64; cap256	code-r12	legacy COMPLETE
R15	w2-48-ablations-r10 cell-06-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/32; cap256 EWMA Hr	code-r12	legacy COMPLETE
R16	w2-48-ablations-r10 cell-07-mc-load	7f1c97f4	W2 / 48 / 20	mc-load; cap256	code-r12	legacy COMPLETE
R17	w2-48-baselines-r05 cell-00-full-budget	7f1c97f4	W2 / 48 / 20	full-budget; cap256	code-r05	legacy COMPLETE
R18	w2-48-baselines-r05 cell-01-mc	7f1c97f4	W2 / 48 / 20	mc; cap256	code-r05	legacy COMPLETE

Run	Session and cell	Model SHA	Conditions	Policy	Code	Protocol/status
R19	w2-48-calibration-policy-r03 cell-00-native	7f1c97f4	W2 / 48 / 20	native; cap256	code	legacy COMPLETE
R20	w2-48-calibration-policy-r03 cell-01-horizon	7f1c97f4	W2 / 48 / 20	horizon 64/32; cap256	code	legacy COMPLETE
R21	w2-48-frontier-r06 cell-00-native	7f1c97f4	W2 / 48 / 20	native; cap128	code-r05	legacy COMPLETE
R22	w2-48-frontier-r06 cell-01-native	7f1c97f4	W2 / 48 / 20	native; cap160	code-r05	legacy COMPLETE
R23	w2-48-frontier-r06 cell-02-native	7f1c97f4	W2 / 48 / 20	native; cap192	code-r05	legacy COMPLETE
R24	w2-48-frontier-r06 cell-03-horizon	7f1c97f4	W2 / 48 / 20	horizon 16/32; cap256	code-r05	legacy COMPLETE
R25	w2-48-frontier-r06b cell-00-horizon	7f1c97f4	W2 / 48 / 20	horizon 256/32; cap256	code-r05	legacy COMPLETE
R26	w2-48-frontier-r06b cell-01-horizon	7f1c97f4	W2 / 48 / 20	horizon 1024/32; cap256	code-r05	legacy COMPLETE
R27	w2-48-native-aa-r04 cell-00-native	7f1c97f4	W2 / 48 / 20	native; cap256	code	legacy COMPLETE
R28	w2-48-native-aa-r04 cell-01-native	7f1c97f4	W2 / 48 / 20	native; cap256	code	legacy COMPLETE
R29	w2-48-native-aa-r04 cell-02-native	7f1c97f4	W2 / 48 / 20	native; cap256	code	legacy COMPLETE
R30	w2-48-native-calibration-r01 cell-00-native	7f1c97f4	W2 / 48 / 10	native; cap256	code	legacy ERROR
R31	w2-48-native-calibration-r02 cell-00-native	7f1c97f4	W2 / 48 / 10	native; cap256	code	legacy COMPLETE
R32	w2-48-warmup-mc-r07 cell-00-native	7f1c97f4	W2 / 48 / 20	native; cap256	code-r07	broad, overlap COMPLETE
R33	w2-48-warmup-mc-r07 cell-01-full-budget	7f1c97f4	W2 / 48 / 20	full-budget; cap256	code-r07	broad, overlap COMPLETE
R34	w2-48-warmup-mc-r07 cell-02-mc-load	7f1c97f4	W2 / 48 / 20	mc-load; cap256	code-r07	broad COMPLETE

Table 2: Service metrics. Times in seconds; throughput in output tokens/s; joint goodput in requests/s.

Run	TTFT P50	TTFT P95	Gap P99	Stall (%)	Flow mean	Flow P95	Throughput	Joint GP
R01	13.977	35.639	9.448	25.781	36.184	53.901	2256.987	0.689
R02	0.082	11.181	0.555	12.891	20.789	27.547	4186.652	3.165
R03	0.077	0.186	0.579	12.891	21.947	28.552	4576.459	5.925
R04	4.647	32.573	0.557	2.344	43.543	60.659	2693.865	1.889
R05	4.683	34.810	3.967	3.906	43.902	61.333	2633.136	1.839
R06	22.829	36.948	9.057	7.812	46.282	55.602	2583.440	1.283
R07	27.729	32.129	0.109	0.391	47.578	58.591	2611.967	1.261
R08	4.291	13.016	1.055	19.141	26.472	37.601	2211.929	1.279
R09	1.854	30.027	10.162	13.281	42.275	56.891	2615.461	2.320
R10	1.918	30.140	5.942	16.797	41.639	56.267	2645.457	2.156
R11	1.884	26.662	12.804	19.531	40.291	53.940	2653.552	2.239
R12	1.930	29.210	12.318	17.969	41.454	55.449	2645.782	2.136
R13	1.784	27.704	6.237	12.891	40.375	54.241	2665.989	2.345
R14	1.820	30.168	10.376	11.328	40.696	55.455	2631.300	2.410
R15	2.166	28.978	8.584	16.406	41.640	55.686	2630.265	2.169
R16	1.975	26.308	0.576	10.938	40.135	56.580	2624.251	1.754
R17	1.875	30.719	0.547	11.719	39.724	57.255	2593.008	1.562
R18	1.766	31.308	0.537	7.031	39.655	57.510	2583.417	1.724
R19	1.730	26.822	11.995	12.891	39.570	52.036	2698.640	2.512
R20	1.968	26.446	7.513	14.844	40.554	54.360	2668.231	2.285
R21	4.205	32.338	0.564	10.156	39.903	56.814	2578.472	1.456
R22	1.892	26.975	0.540	13.281	40.144	56.200	2674.994	1.845
R23	1.983	27.070	11.462	19.922	40.580	53.528	2695.625	2.228
R24	1.907	26.811	13.607	16.016	40.771	54.787	2657.046	2.343
R25	1.953	30.013	0.556	13.281	40.810	56.399	2627.345	2.109
R26	1.974	34.864	0.570	13.281	41.183	59.382	2549.335	1.404
R27	2.051	27.799	16.261	17.188	41.134	55.176	2653.550	2.334
R28	1.775	26.518	15.048	14.453	40.298	53.944	2672.492	2.443
R29	1.925	28.284	12.204	21.094	40.133	53.205	2672.875	2.202
R30	–	–	–	–	–	–	–	–
R31	0.231	16.537	1.071	15.625	35.170	48.014	2613.445	2.332
R32	1.939	28.775	14.638	20.312	41.224	55.950	2649.796	2.262
R33	1.990	32.342	0.575	11.719	40.233	57.893	2551.499	1.544
R34	1.898	27.731	0.556	10.156	40.572	56.443	2626.478	1.780

Table 3: Request population and termination. Missing values are unavailable, not zero. Periodic output is a sanity check, not a quality-equivalence test.

Run	Planned	Arrived	Complete	Failed	Unfinished	Not arrived	EOS	Length cap	Periodic (%)
R01	256	256	256	0	0	0	217	39	0.781
R02	256	256	256	0	0	0	250	6	0.000
R03	256	256	256	0	0	0	246	10	0.000
R04	256	256	256	0	0	0	215	41	0.000
R05	256	256	256	0	0	0	224	32	0.391
R06	256	256	256	0	0	0	224	32	0.391
R07	256	256	256	0	0	0	214	42	1.172
R08	256	256	256	0	0	0	216	40	1.172
R09	256	256	256	0	0	0	208	48	1.172
R10	256	256	256	0	0	0	217	39	0.781
R11	256	256	256	0	0	0	216	40	0.781
R12	256	256	256	0	0	0	217	39	0.781
R13	256	256	256	0	0	0	218	38	0.000
R14	256	256	256	0	0	0	216	40	0.391
R15	256	256	256	0	0	0	212	44	0.000
R16	256	256	256	0	0	0	222	34	0.391
R17	256	256	256	0	0	0	218	38	1.562
R18	256	256	256	0	0	0	218	38	0.391
R19	256	256	256	0	0	0	221	35	0.391
R20	256	256	256	0	0	0	219	37	0.000
R21	256	256	256	0	0	0	217	39	0.391
R22	256	256	256	0	0	0	217	39	1.172
R23	256	256	256	0	0	0	215	41	0.000
R24	256	256	256	0	0	0	216	40	0.391
R25	256	256	256	0	0	0	220	36	0.781
R26	256	256	256	0	0	0	210	46	0.391
R27	256	256	256	0	0	0	220	36	0.000
R28	256	256	256	0	0	0	221	35	0.781
R29	256	256	256	0	0	0	219	37	0.391
R30	–	–	–	–	–	–	–	–	–
R31	256	256	256	0	0	0	215	41	0.391
R32	256	256	256	0	0	0	215	41	0.000
R33	256	256	256	0	0	0	213	43	0.391
R34	256	256	256	0	0	0	225	31	1.172

Table 4: Mechanisms and costs. Preempted counts requests; events counts preemptions. Scheduler is whole-scheduler mean microseconds/step, not isolated adapter overhead.

Run	Preempted	Events	Thrash	MC relax	Scheduler	Control (s)	Ledger (s)	Window (s)
R01	39	46	6	–	887.269	0.002	0.000	79.801
R02	0	0	0	–	907.020	0.000	0.000	40.441
R03	0	0	0	–	1290.680	0.130	0.126	37.636
R04	0	0	0	–	1207.986	0.000	0.000	67.771
R05	4	4	0	–	1594.425	0.585	0.575	69.042
R06	22	26	4	–	1130.378	0.001	0.000	68.570
R07	0	0	0	–	1594.533	0.705	0.693	68.974
R08	26	28	2	–	783.331	0.001	0.000	82.878
R09	16	16	0	–	1495.919	0.475	0.467	70.698
R10	11	18	6	–	1323.537	0.237	0.232	69.559
R11	19	19	0	–	1283.347	0.202	0.199	67.887
R12	14	14	0	–	1455.002	0.510	0.501	68.827
R13	7	8	0	–	1483.006	0.528	0.519	67.813
R14	11	11	0	–	1451.413	0.542	0.532	68.456
R15	10	10	0	–	1475.736	0.524	0.515	69.153
R16	0	0	0	117	1478.892	0.000	0.000	68.399
R17	0	0	0	–	1238.296	0.000	0.000	69.778
R18	0	0	0	0	1261.388	0.000	0.000	70.166
R19	17	22	4	–	1175.314	0.001	0.000	66.090
R20	10	11	0	–	1493.385	0.495	0.487	67.382
R21	0	0	0	–	1050.850	0.000	0.000	70.031
R22	0	0	0	–	1164.347	0.000	0.000	68.281
R23	21	22	1	–	1215.297	0.001	0.000	67.321
R24	17	17	0	–	1414.385	0.315	0.309	67.873
R25	0	0	0	–	1512.955	0.620	0.610	69.231
R26	0	0	0	–	1459.666	0.829	0.815	72.653
R27	19	39	16	–	1264.813	0.001	0.000	68.540
R28	19	26	3	–	1209.962	0.001	0.000	67.135
R29	23	28	5	–	1156.269	0.001	0.000	67.216
R30	–	–	–	–	–	–	–	–
R31	8	22	11	–	1080.439	0.001	0.000	68.616
R32	26	37	10	–	1268.134	0.001	0.000	68.954
R33	0	0	0	–	1328.491	0.000	0.000	70.616
R34	0	0	0	117	1486.241	0.000	0.000	68.524

Table 5: Reservation samples. Percentages of KV blocks at KNOWN gate attempts; these are neither uniform time samples nor confidence intervals.

Run	Committed P50 (%)	Committed P95 (%)	Growth P50 (%)	Growth P95 (%)
R01	–	–	–	–
R02	–	–	–	–
R03	8.301	15.771	8.301	15.771
R04	–	–	–	–
R05	10.697	40.839	9.505	12.240
R06	–	–	–	–
R07	7.357	15.868	7.227	11.545
R08	–	–	–	–
R09	2.539	13.452	2.386	2.740
R10	3.141	15.256	2.482	3.141
R11	1.408	2.163	1.408	1.465
R12	2.218	12.542	1.522	3.141
R13	2.686	11.265	2.100	3.109
R14	2.962	11.882	2.637	3.158
R15	2.588	11.875	1.839	3.109
R16	–	–	–	–
R17	–	–	–	–
R18	–	–	–	–
R19	–	–	–	–
R20	2.669	11.879	1.880	3.125
R21	–	–	–	–
R22	–	–	–	–
R23	–	–	–	–
R24	1.457	12.379	0.696	1.465
R25	11.003	15.840	10.124	11.719
R26	25.016	32.468	24.723	32.192
R27	–	–	–	–
R28	–	–	–	–
R29	–	–	–	–
R30	–	–	–	–
R31	–	–	–	–
R32	–	–	–	–
R33	–	–	–	–
R34	–	–	–	–