1

Assignment 10

Shaik Zeeshan Ali AI20MTECH11001

Abstract—This document is about inverse of the given matrices.

Download all python codes from

https://github.com/Zeeshan-IITH/IITH-EE5609/new/master/codes

and latex-tikz codes from

https://github.com/Zeeshan-IITH/IITH-EE5609

1 PROBLEM

Let **A** and **B** be $n \times n$ matrices over the field *F*. Prove that if $(\mathbf{I} - \mathbf{AB})$ is invertibe

- 1) (I BA) is invertible and
- 2) $(\mathbf{I} \mathbf{B}\mathbf{A})^{-1} = \mathbf{I} + \mathbf{B}(\mathbf{I} \mathbf{A}\mathbf{B})^{-1}\mathbf{A}$

2 PROOF

Invertible	A matrix M is invertible if it is non-singular i.e. the null space of M contains only
	zero vector. If \mathbf{x} is a vector such that $\mathbf{M}\mathbf{x} = 0 \implies \mathbf{x} = 0$
Proof for 1	Consider a vecor \mathbf{y} such that $(\mathbf{I} - \mathbf{B}\mathbf{A})\mathbf{y} = 0$
	$(\mathbf{I} - \mathbf{B}\mathbf{A}) \mathbf{y} = 0 \implies \mathbf{y} = \mathbf{B}\mathbf{A}\mathbf{y}$
	$\mathbf{A}\mathbf{y} = \mathbf{A}\mathbf{B}\mathbf{A}\mathbf{y} \implies (\mathbf{I} - \mathbf{A}\mathbf{B})\mathbf{A}\mathbf{y} = 0$
	since the matrix $(\mathbf{I} - \mathbf{A}\mathbf{B})$ is invertible, $\mathbf{A}\mathbf{y} = 0$
	$\mathbf{y} = \mathbf{B} \left(\mathbf{A} \mathbf{y} \right) \implies \mathbf{y} = 0$
	Hence the matrix $(\mathbf{I} - \mathbf{B}\mathbf{A})$ is invertible.
Observation	Let $\mathbf{C} = (\mathbf{I} - \mathbf{A}\mathbf{B})^{-1}$, then
	$(\mathbf{I} - \mathbf{B}\mathbf{A})(\mathbf{B}\mathbf{C}\mathbf{A}) = \mathbf{B}\mathbf{C}\mathbf{A} - \mathbf{B}\mathbf{A}\mathbf{B}\mathbf{C}\mathbf{A} = \mathbf{B}(\mathbf{I} - \mathbf{A}\mathbf{B})\mathbf{C}\mathbf{A} = \mathbf{B}\mathbf{C}^{-1}\mathbf{C}\mathbf{A} = \mathbf{B}\mathbf{A}$
	$(\mathbf{I} - \mathbf{B}\mathbf{A})(\mathbf{B}\mathbf{C}\mathbf{A}) = \mathbf{B}\mathbf{A}$
Proof for 2	Let us consider the product $(I - BA)(BCA + I)$
	$(\mathbf{I} - \mathbf{B}\mathbf{A})(\mathbf{B}\mathbf{C}\mathbf{A} + \mathbf{I}) = (\mathbf{I} - \mathbf{B}\mathbf{A})(\mathbf{B}\mathbf{C}\mathbf{A}) + (\mathbf{I} - \mathbf{B}\mathbf{A})$
	$= \mathbf{B}\mathbf{A} + \mathbf{I} - \mathbf{B}\mathbf{A} = \mathbf{I}$
	$(\mathbf{I} - \mathbf{B}\mathbf{A})^{-1} = \mathbf{I} + \mathbf{B}(\mathbf{I} - \mathbf{A}\mathbf{B})^{-1}\mathbf{A}$
	Hence proved.

TABLE I: Proof