https://nexbeck.com/


Performance	Accessibility	Best Practices	SEO	Agentic browsing
67	100	100	100	2/2

67

Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100




METRICS

Expand view

■ First Contentful Paint 2.4 s	▲ Largest Contentful Paint 10.7 s
● Total Blocking Time 190 ms	● Cumulative Layout Shift 0
■ Speed Index 4.5 s	

View Treemap



Show audits relevant to: All FCP LCP TBT

INSIGHTS

▲ **Improve image delivery** — Est savings of 70 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimising image size. LCP FCP Unscored

	URL	Resource size	Est savings
nexbeck.com 1st Party		86.2 KiB	70.4 KiB
Licensed Pexa Electrics electrician testing wiring inside a modern home's elect... `<img src="https://pexaelectrics.nexbeck.com/assets/hero-electrician-1280-Dvr9gxNB.we…" width="1280" height="1600" fetchpriority="high" alt="Licensed Pexa Electrics electrician testing wiring inside a modern home's …" class="h-[420px] w-full object-cover sm:h-[520px] lg:h-[600px]">`	/assets/hero-elec....webp (pexaelectrics.nexbeck.com)	86.2 KiB	70.4 KiB
	This image file is larger than it needs to be (987x1600) for its displayed dimensions (480x600). Use responsive images to reduce the image download size.		70.4 KiB

▲ **Forced reflow**

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored


Top function call	Total reflow time
/assets/script.js_v_3-BmiXF2hN.js:2:4978 (nexbeck.com)	43 ms

Source	Total reflow time
/assets/script.js_v_3-BmiXF2hN.js:1:3704 (nexbeck.com)	147 ms
/assets/script.js_v_3-BmiXF2hN.js:1:7168 (nexbeck.com)	1 ms
/assets/script.js_v_3-BmiXF2hN.js:1:5042 (nexbeck.com)	43 ms
[unattributed]	0 ms

LCP breakdown

Each sub-part has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Sub-part	Duration
Time to First Byte	0 ms
Element render delay	3,140 ms



We build fast, professional websites designed specifically for Australian elect...
`<p class="page-hero-subtitle">`

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load LCP Unscored

Maximum critical path latency: **189 ms**

Initial Navigation
- https://nexbeck.com - **112 ms,** 11.54 KiB
  - /assets/script.js_v_3-BmiXF2hN.js (nexbeck.com) - **175 ms,** 7.14 KiB
  - /assets/script-xthLmlzZ.css (nexbeck.com) - **189 ms,** 15.57 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

Origin	Source
https://fonts.googleapis.com/	head > link `<link rel="preconnect" href="https://fonts.googleapis.com">`
https://fonts.gstatic.com/	head > link `<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="">`
https://fonts.googleapis.com/	head > link `<link rel="preconnect" href="https://fonts.googleapis.com">`
https://fonts.gstatic.com/	head > link `<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin="anonymous">`

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4

Origin	Est LCP savings
https://pexaelectrics.nexbeck.com	300 ms

Render-blocking requests

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

URL	Transfer size	Duration
nexbeck.com 1st Party	**15.6 KiB**	**300 ms**
/assets/script-xthLmlzZ.css (nexbeck.com)	15.6 KiB	300 ms

Optimise DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size Unscored

DOM will also increase memory usage. [Learn how to avoid an excessive DOM size.] Unscored

Statistic	Element	Value
Total elements		447
DOM depth	 div.laptop-top-lid > div.laptop-screen-display > div.laptop-scaler > iframe <iframe src="https://pexaelectrics.nexbeck.com/" loading="lazy">	11
Most children	 schedule 7–18 Day Delivery payments Fixed Price (From Under $1,000 AUD) lock_op... 	22

Third parties

Third-party code can significantly impact load performance. Reduce and defer loading of third-party code to prioritise your page's content. Unscored

Third party	Transfer size	Main thread time
Google Tag Manager Tag-Manager	**177 KiB**	**237 ms**
/gtag/js?id=G-N3G0694H1W (www.googletagmanager.com)	177 KiB	237 ms
Google Fonts Cdn	**1,226 KiB**	**1 ms**
/css2?family=... (fonts.googleapis.com)	2 KiB	1 ms
/css2?family=Manrope:wght@400;500;600;700;800&display=swap (fonts.googleapis.com)	1 KiB	0 ms
/css2?family=... (fonts.googleapis.com)	1 KiB	0 ms
...v383/kJEPBvYX7....woff2 (fonts.gstatic.com)	1,114 KiB	0 ms
...v20/UcC73FwrK....woff2 (fonts.gstatic.com)	48 KiB	0 ms
...v25/k3kPo8UDI....woff2 (fonts.gstatic.com)	35 KiB	0 ms
...v23/xn7gYHE41....woff2 (fonts.gstatic.com)	25 KiB	0 ms
Google Analytics Analytics	**1 KiB**	**0 ms**
/g/collect?v=... (www.google-analytics.com)	1 KiB	0 ms

These insights are also available in the Chrome DevTools performance panel – record a trace to view more detailed information.

DIAGNOSTICS

Reduce unused JavaScript — Est savings of 129 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

Show 3rd-party resources (1)

URL	Transfer size	Est savings
Google Tag Manager Tag-Manager	**176.7 KiB**	**73.7 KiB**
/gtag/js?id=G-N3G0694H1W (www.googletagmanager.com)	176.7 KiB	73.7 KiB
nexbeck.com 1st Party	**124.7 KiB**	**54.9 KiB**
/assets/index-DInc4sUB.js (pexaelectrics.nexbeck.com)	124.7 KiB	54.9 KiB

Avoid long main-thread tasks — 3 long tasks found

Lists the longest tasks on the main thread – useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

Show 3rd-party resources (2)

URL	Start Time	Duration
Google Tag Manager Tag-Manager		**287 ms**
/gtag/js?id=G-N3G0694H1W (www.googletagmanager.com)	4,260 ms	157 ms
/gtag/js?id=G-N3G0694H1W (www.googletagmanager.com)	4,449 ms	130 ms
nexbeck.com 1st Party		**97 ms**
/assets/script.js_v_3-BmiXF2hN.js (nexbeck.com)	1,206 ms	97 ms

More information about the performance of your application. These numbers don't directly affect the performance score.

PASSED AUDITS (18) Show

100

Accessibility


These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

○ Image elements do not have `[alt]` attributes that are redundant text.


Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the `alt` attribute. Unscored

Failing elements



Nexbeck

```
<img src="/assets/logo-B8NkH4sY.svg" alt="Nexbeck" class="brand-logo-img" width="48" height="38">
```



Nexbeck

```
<img src="/assets/logo-white-85d3cL9V.svg" alt="Nexbeck" class="brand-logo-img" width="48" height="38">
```

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, such as a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (22) Show

NOT APPLICABLE (40) Show

100

Best Practices

TRUST AND SAFETY

○ Ensure CSP is effective against XSS attacks

- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with trusted types

BROWSER COMPATIBILITY

- Baseline features

PASSED AUDITS (13) Show

NOT APPLICABLE (2) Show



SEO


These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search essentials.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Hide

- Structured data is valid

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (10) Show



Agentic browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

PASSED AUDITS (2) Show

NOT APPLICABLE (5) Show

Captured at 7 Nov 2026, 12:31 GMT+5
Initial page load
Emulated desktop with Lighthouse 13.6.0
Unknown
Single page session
Using HeadlessChromium 157.0.8103.38 with lr

Generated by **Lighthouse** 13.6.0 | File an issue