

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>PhishShield Pro — Advanced URL Threat Detection</title>
  <style>
    :root {
      --bg: #0b0f19;
      --surface: #131a2b;
      --surface-2: #1a2338;
      --border: #1e2a40;
      --text: #e2e8f0;
      --text-secondary: #94a3b8;
      --text-muted: #64748b;
      --accent: #3b82f6;
      --accent-glow: rgba(59, 130, 246, 0.3);
      --danger: #ef4444;
      --danger-glow: rgba(239, 68, 68, 0.3);
      --warning: #f59e0b;
      --warning-glow: rgba(245, 158, 11, 0.3);
      --success: #10b981;
      --success-glow: rgba(16, 185, 129, 0.3);
      --radius: 14px;
      --radius-sm: 8px;
      --transition: 0.25s cubic-bezier(0.4, 0, 0.2, 1);
      --font: 'Segoe UI', 'Inter', system-ui, -apple-system, sans-serif;
    }

    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
    }

    body {
      background: var(--bg);
      font-family: var(--font);
      color: var(--text);
      min-height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
      padding: 20px;
```

```
background-image:
  radial-gradient(ellipse at 30% 20%, rgba(59, 130, 246, 0.06) 0%, transparent 55%),
  radial-gradient(ellipse at 70% 75%, rgba(239, 68, 68, 0.04) 0%, transparent 55%),
  radial-gradient(ellipse at 50% 50%, rgba(16, 185, 129, 0.03) 0%, transparent 60%);
}
```

```
/* Subtle animated grid overlay */
```

```
body::before {
  content: "";
  position: fixed;
  inset: 0;
  background-image:
    linear-gradient(rgba(255, 255, 255, 0.015) 1px, transparent 1px),
    linear-gradient(90deg, rgba(255, 255, 255, 0.015) 1px, transparent 1px);
  background-size: 40px 40px;
  pointer-events: none;
  z-index: 0;
  animation: gridShift 20s linear infinite;
}
@keyframes gridShift {
  0%,
  100% {
    background-position: 0 0, 0 0;
  }
  50% {
    background-position: 4px 4px, 4px 4px;
  }
}
```

```
.container {
  position: relative;
  z-index: 1;
  width: 100%;
  max-width: 720px;
  display: flex;
  flex-direction: column;
  gap: 22px;
}
```

```
/* Header */
```

```
.header {
  text-align: center;
  display: flex;
  flex-direction: column;
  align-items: center;
```

```

    gap: 6px;
}
.logo-icon {
    width: 52px;
    height: 52px;
    background: var(--surface-2);
    border: 2px solid var(--border);
    border-radius: var(--radius-sm);
    display: flex;
    align-items: center;
    justify-content: center;
    font-size: 26px;
    box-shadow: 0 0 30px var(--accent-glow);
    animation: pulseGlow 3s ease-in-out infinite;
}
@keyframes pulseGlow {
    0%,
    100% {
        box-shadow: 0 0 20px var(--accent-glow);
    }
    50% {
        box-shadow: 0 0 45px rgba(59, 130, 246, 0.55);
    }
}
.header h1 {
    font-size: 1.7rem;
    font-weight: 700;
    letter-spacing: -0.3px;
    background: linear-gradient(135deg, #e2e8f0 0%, #94a3b8 100%);
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
    background-clip: text;
}
.header .tagline {
    font-size: 0.85rem;
    color: var(--text-muted);
    letter-spacing: 0.3px;
}

/* Input Card */
.card {
    background: var(--surface);
    border: 1px solid var(--border);
    border-radius: var(--radius);
    padding: 24px 26px;

```

```
    box-shadow: 0 8px 32px rgba(0, 0, 0, 0.35);
    transition: var(--transition);
}
.card:hover {
    border-color: #253352;
}
.input-group {
    display: flex;
    gap: 10px;
    align-items: center;
}
.input-wrapper {
    flex: 1;
    position: relative;
}
.input-wrapper .icon-left {
    position: absolute;
    left: 14px;
    top: 50%;
    transform: translateY(-50%);
    font-size: 1rem;
    color: var(--text-muted);
    pointer-events: none;
    transition: var(--transition);
}
.input-wrapper input {
    width: 100%;
    padding: 14px 14px 14px 42px;
    background: var(--surface-2);
    border: 2px solid var(--border);
    border-radius: var(--radius-sm);
    color: var(--text);
    font-size: 0.95rem;
    font-family: var(--font);
    outline: none;
    transition: var(--transition);
    letter-spacing: 0.2px;
}
.input-wrapper input:focus {
    border-color: var(--accent);
    box-shadow: 0 0 0 8px rgba(59, 130, 246, 0.08);
}
.input-wrapper input::placeholder {
    color: #4a5568;
    font-size: 0.9rem;
```

```
}
.btn-scan {
  padding: 14px 28px;
  background: var(--accent);
  color: #fff;
  border: none;
  border-radius: var(--radius-sm);
  font-weight: 600;
  font-size: 0.95rem;
  cursor: pointer;
  letter-spacing: 0.3px;
  white-space: nowrap;
  transition: var(--transition);
  position: relative;
  overflow: hidden;
  font-family: var(--font);
}
.btn-scan:hover {
  background: #2563eb;
  box-shadow: 0 0 28px var(--accent-glow);
  transform: translateY(-1px);
}
.btn-scan:active {
  transform: scale(0.97);
  transition: 0.1s;
}
.btn-scan:disabled {
  opacity: 0.5;
  cursor: not-allowed;
  pointer-events: none;
}
.btn-scan .spinner {
  display: none;
  width: 18px;
  height: 18px;
  border: 2.5px solid #fff;
  border-top-color: transparent;
  border-radius: 50%;
  animation: spin 0.7s linear infinite;
  margin-right: 6px;
}
@keyframes spin {
  to {
    transform: rotate(360deg);
  }
}
```

```

}
.btn-scan.loading .spinner {
  display: inline-block;
}
.btn-scan.loading .btn-text {
  display: none;
}
.btn-scan.loading::after {
  content: 'Scanning...';
  font-weight: 600;
}

.quick-examples {
  display: flex;
  gap: 8px;
  margin-top: 12px;
  flex-wrap: wrap;
}
.quick-examples span {
  font-size: 0.75rem;
  color: var(--text-muted);
  cursor: pointer;
  padding: 5px 10px;
  background: var(--surface-2);
  border-radius: 20px;
  border: 1px solid var(--border);
  transition: var(--transition);
  user-select: none;
}
.quick-examples span:hover {
  border-color: var(--accent);
  color: var(--accent);
  background: rgba(59, 130, 246, 0.08);
}

/* Results */
.results-card {
  display: none;
  background: var(--surface);
  border: 1px solid var(--border);
  border-radius: var(--radius);
  padding: 24px 26px;
  box-shadow: 0 8px 32px rgba(0, 0, 0, 0.35);
  flex-direction: column;
  gap: 20px;

```

```

        animation: fadeIn 0.4s ease;
    }
.results-card.visible {
    display: flex;
}
@keyframes fadeIn {
    from {
        opacity: 0;
        transform: translateY(16px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

/* Risk Meter */
.risk-meter-section {
    display: flex;
    align-items: center;
    gap: 18px;
    flex-wrap: wrap;
}
.gauge-ring {
    position: relative;
    width: 100px;
    height: 100px;
    flex-shrink: 0;
}
.gauge-ring svg {
    transform: rotate(-90deg);
    width: 100px;
    height: 100px;
}
.gauge-ring .bg-circle {
    fill: none;
    stroke: var(--border);
    stroke-width: 8;
}
.gauge-ring .fg-circle {
    fill: none;
    stroke-width: 8;
    stroke-linecap: round;
    transition: stroke-dashoffset 1s ease, stroke 0.6s ease;
}

```

```
.gauge-label {
  position: absolute;
  inset: 0;
  display: flex;
  align-items: center;
  justify-content: center;
  font-size: 1.8rem;
  font-weight: 700;
  letter-spacing: -1px;
}

.risk-info h3 {
  font-size: 1.3rem;
  font-weight: 600;
  letter-spacing: -0.2px;
}

.risk-info .risk-level {
  font-size: 0.9rem;
  color: var(--text-muted);
  margin-top: 2px;
}

.risk-info .url-display {
  font-size: 0.8rem;
  color: var(--text-muted);
  word-break: break-all;
  margin-top: 4px;
  background: var(--surface-2);
  padding: 6px 10px;
  border-radius: 6px;
  font-family: 'SF Mono', 'Fira Code', 'Consolas', monospace;
  letter-spacing: 0.1px;
}
```

```
/* Checks Grid */
```

```
.checks-grid {
  display: grid;
  grid-template-columns: 1fr 1fr;
  gap: 10px;
}
```

```
@media (max-width: 500px) {
  .checks-grid {
    grid-template-columns: 1fr;
  }

  .input-group {
    flex-direction: column;
    gap: 10px;
  }
}
```

```
}  
.btn-scan {  
  width: 100%;  
  text-align: center;  
}  
  
}  
.check-item {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  padding: 12px 14px;  
  background: var(--surface-2);  
  border-radius: var(--radius-sm);  
  border: 1px solid transparent;  
  transition: var(--transition);  
  font-size: 0.85rem;  
}  
.check-item.pass {  
  border-color: rgba(16, 185, 129, 0.3);  
  background: rgba(16, 185, 129, 0.05);  
}  
.check-item.fail {  
  border-color: rgba(239, 68, 68, 0.3);  
  background: rgba(239, 68, 68, 0.05);  
}  
.check-item.warn {  
  border-color: rgba(245, 158, 11, 0.3);  
  background: rgba(245, 158, 11, 0.05);  
}  
.check-icon {  
  font-size: 1.2rem;  
  flex-shrink: 0;  
}  
.check-details {  
  display: flex;  
  flex-direction: column;  
  gap: 1px;  
}  
.check-name {  
  font-weight: 600;  
  font-size: 0.82rem;  
}  
.check-desc {  
  font-size: 0.7rem;  
  color: var(--text-muted);
```

```
}
```

```
/* Action buttons */
```

```
.action-row {  
  display: flex;  
  gap: 10px;  
  flex-wrap: wrap;  
}
```

```
.btn-outline {  
  padding: 10px 18px;  
  background: transparent;  
  border: 1.5px solid var(--border);  
  border-radius: var(--radius-sm);  
  color: var(--text);  
  cursor: pointer;  
  font-family: var(--font);  
  font-size: 0.85rem;  
  font-weight: 500;  
  transition: var(--transition);  
}
```

```
.btn-outline:hover {  
  border-color: var(--accent);  
  color: var(--accent);  
  background: rgba(59, 130, 246, 0.05);  
}
```

```
.btn-outline.danger {  
  border-color: rgba(239, 68, 68, 0.4);  
  color: var(--danger);  
}
```

```
.btn-outline.danger:hover {  
  background: rgba(239, 68, 68, 0.08);  
  border-color: var(--danger);  
}
```

```
.footer-note {  
  text-align: center;  
  font-size: 0.7rem;  
  color: #3b4a60;  
  letter-spacing: 0.2px;  
}
```

```
/* Toast */
```

```
.toast {  
  position: fixed;  
  top: 20px;
```

```

    left: 50%;
    transform: translateX(-50%) translateY(-120px);
    background: var(--surface-2);
    border: 1px solid var(--border);
    border-radius: 30px;
    padding: 10px 22px;
    font-size: 0.85rem;
    color: var(--text);
    z-index: 999;
    transition: transform 0.35s ease;
    box-shadow: 0 8px 28px rgba(0, 0, 0, 0.5);
    pointer-events: none;
  }
  .toast.show {
    transform: translateX(-50%) translateY(0);
  }
</style>
</head>
<body>

<div class="toast" id="toast"> ⚠ Please enter a valid URL</div>

<div class="container">
  <!-- Header -->
  <div class="header">
    <div class="logo-icon"> 🛡 </div>
    <h1>PhishShield Pro</h1>
    <p class="tagline">Advanced Real-Time URL Threat Analysis Engine</p>
  </div>

  <!-- Input Card -->
  <div class="card">
    <div class="input-group">
      <div class="input-wrapper">
        <span class="icon-left"> 🔗 </span>
        <input
          type="text"
          id="urlInput"
          placeholder="Paste a URL to scan — e.g. https://example.com/login"
          autocomplete="off"
          spellcheck="false"
        >
      </div>
      <button class="btn-scan" id="scanBtn" onclick="scanUrl()">
        <span class="spinner"></span>
      </button>
    </div>
  </div>
</div>

```

```
        <span class="btn-text">🔍 Scan Now</span>
    </button>
</div>
<div class="quick-examples">
    <span onclick="setExample('https://www.google.com')">✅ Safe</span>
    <span onclick="setExample('https://secure-paypal.com.verify-account.tk/login')">⚠️ Suspicious</span>
    <span onclick="setExample('http://192.168.1.1/admin')">🚫 IP URL</span>
    <span onclick="setExample('https://faceb00k-login.xyz/reset')">🔥 Typosquat</span>
</div>
</div>
```

<!-- Results Card -->

```
<div class="results-card" id="resultsCard">
    <div class="risk-meter-section">
        <div class="gauge-ring">
            <svg viewBox="0 0 100 100">
                <circle class="bg-circle" cx="50" cy="50" r="42"/>
                <circle class="fg-circle" id="gaugeFg" cx="50" cy="50" r="42"
                    stroke-dasharray="263.89" stroke-dashoffset="263.89"/>
            </svg>
            <div class="gauge-label" id="gaugeScore">0%</div>
        </div>
        <div class="risk-info">
            <h3 id="riskTitle">—</h3>
            <p class="risk-level" id="riskLevel">Enter a URL to begin analysis</p>
            <p class="url-display" id="urlDisplay">—</p>
        </div>
    </div>
    <div class="checks-grid" id="checksGrid"></div>
    <div class="action-row">
        <button class="btn-outline" onclick="clearResults()">🗑️ Clear Results</button>
        <button class="btn-outline danger" onclick="reportUrl()">🚨 Report This URL</button>
    </div>
</div>
```

```
<p class="footer-note">⚡ Real-time heuristic analysis • Pattern matching • Domain reputation checks</p>
</div>
```

```
<script>
```

```
// _____
// PHISHSHIELD PRO — DETECTION ENGINE
// _____
```

```
const urlInput = document.getElementById('urlInput');
```

```
const scanBtn = document.getElementById('scanBtn');
const resultsCard = document.getElementById('resultsCard');
const gaugeFg = document.getElementById('gaugeFg');
const gaugeScore = document.getElementById('gaugeScore');
const riskTitle = document.getElementById('riskTitle');
const riskLevel = document.getElementById('riskLevel');
const urlDisplay = document.getElementById('urlDisplay');
const checksGrid = document.getElementById('checksGrid');
const toast = document.getElementById('toast');
```

```
const CIRCUMFERENCE = 263.89; //  $2 * \pi * 42 \approx 263.89$ 
```

```
// Set initial gauge
gaugeFg.style.strokeDashoffset = CIRCUMFERENCE;
gaugeFg.style.stroke = '#3b82f6';
```

```
// ——— Toast Helper ———
let toastTimer;
```

```
function showToast(msg) {
  clearTimeout(toastTimer);
  toast.textContent = msg;
  toast.classList.add('show');
  toastTimer = setTimeout(() => toast.classList.remove('show'), 2200);
}
```

```
// ——— Set Example URL ———
function setExample(url) {
  urlInput.value = url;
  urlInput.focus();
  // Auto-scan on example click for speed
  scanUrl();
}
```

```
// ——— Clear Results ———
function clearResults() {
  resultsCard.classList.remove('visible');
  urlInput.value = '';
  urlInput.focus();
  gaugeFg.style.strokeDashoffset = CIRCUMFERENCE;
  gaugeScore.textContent = '0%';
  gaugeFg.style.stroke = '#3b82f6';
  riskTitle.textContent = '—';
  riskLevel.textContent = 'Enter a URL to begin analysis';
  urlDisplay.textContent = '—';
}
```

```

    checksGrid.innerHTML = "";
}

// ——— Report URL —————
function reportUrl() {
    const url = urlInput.value.trim();
    if (!url) {
        showToast('⚠ No URL to report');
        return;
    }
    showToast('✅ URL reported to threat intelligence feed (simulated)');
}

// ——— Enter key trigger —————
urlInput.addEventListener('keydown', (e) => {
    if (e.key === 'Enter') scanUrl();
});

// ——— URL Validation —————
function isValidUrl(str) {
    if (!str) return false;
    // Accept URLs with or without protocol
    if (!/^https?:\/\//i.test(str)) {
        str = 'https://' + str;
    }
    try {
        const u = new URL(str);
        return u.hostname.includes('.') || /^[0-9.]+$/.test(u.hostname);
    } catch {
        return false;
    }
}

function normalizeUrl(str) {
    if (!/^https?:\/\//i.test(str)) {
        return 'https://' + str;
    }
    return str;
}

// ——— Core Scan Function —————
function scanUrl() {
    const rawUrl = urlInp

```