

EOD Task Completion Report – Git & GitHub

Date: 20-Aug-2026

Task: Git & GitHub Practical Assignment

Status: Completed

Repository: GitHub Repository created for the assignment

1. Install Git

Objective

Install Git and verify the installation.

Commands

git --version

2. Create a GitHub Repository with README.md and .gitignore

Objective


Create a repository on GitHub with a README file and .gitignore.

Steps

1. Logged in to GitHub.
2. Created a new repository.
3. Added README.md.
4. Added a suitable .gitignore file.
5. Created the repository.

Evidence

Screenshot:



3. Clone the Repository to Local

Command

git clone <repository-url>

4. Create Two Files in the Local Repository

Commands

touch file3.txt

touch file4.txt

Verification

Ls

Evidence

```
MINGW64~/Users/hp/hiring-app
hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git --version
git version 2.50.1.windows.1

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git clone https://github.com/Zeeshancloud15/hiring-app.git
Cloning into 'hiring-app'...
remote: Enumerating objects: 9, done.
remote: Counting objects: 100% (9/9), done.
remote: Compressing objects: 100% (6/6), done.
remote: Total 9 (delta 1), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (9/9), done.
Resolving deltas: 100% (1/1), done.

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ ls
file1.txt file2.txt hiring-app/

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ touch file3.txt file4.txt

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ ls
file1.txt file2.txt file3.txt file4.txt hiring-app/

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ |
```

5. Commit Two Files and Push to Central Repository

Commands

```
git add file3.txt file4.txt
git commit -m "Add two sample files"
git push origin master
```

Verification

```
git status
```

Evidence

```
MINGW64~/Users/hp/hiring-app
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  file3.txt
  file4.txt
  hiring-app/

nothing added to commit but untracked files present (use "git add" to track)

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git add file3.txt file4.txt

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git commit -m 'add two sample file'
[master 4a7f6ee] add two sample file
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file3.txt
create mode 100644 file4.txt

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  hiring-app/

nothing added to commit but untracked files present (use "git add" to track)

hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

6. Create a Local Branch, Create a Sample File and Push It

Commands

```
git branch feature-branch
git switch feature-branch
touch sample.txt
git add sample.txt
git commit -m "Add sample file"
git push -u origin feature-branch
```

Verification

```
git branch
```

```
git branch -r
```

Evidence

```
hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git branch
* master

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git branch feature-branch

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git switch feature-branch
Switched to branch 'feature-branch'

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ vi sample.txt

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ git status
On branch feature-branch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hiring-app/
    sample.txt

nothing added to commit but untracked files present (use "git add" to track)

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ git add sample.txt
warning: in the working copy of 'sample.txt', LF will be replaced by CRLF the next time Git touches it

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ |

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ git remote -v
origin https://github.com/Zeeshancloud15/hiring-app.git (fetch)
origin https://github.com/Zeeshancloud15/hiring-app.git (push)

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$ git push origin feature-branch
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 623 bytes | 207.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
remote: Create a pull request for 'feature-branch' on GitHub by visiting:
remote:   https://github.com/Zeeshancloud15/hiring-app/pull/new/feature-branch
To https://github.com/Zeeshancloud15/hiring-app.git
   [new branch]   feature-branch -> feature-branch

hp@Zeeshan MINGW64 ~/hiring-app (feature-branch)
$
```

7. Create a Branch in GitHub and Clone That Branch Locally

Steps

1. Created a new branch from GitHub.
2. Copied the branch information.

Commands

git clone -b name hotfix <https://github.com/Zeeshancloud15/hiring-app.git>

git branch

Evidence

```
hp@Zeeshan MINGW64 ~/hiring-app/hiring-app
$ git clone -b hotfix https://github.com/Zeeshancloud15/hiring-app.git
Cloning into 'hiring-app'...
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 14 (delta 3), reused 8 (delta 2), pack-reused 0 (from 0)
Receiving objects: 100% (14/14), done.
Resolving deltas: 100% (3/3), done.

hp@Zeeshan MINGW64 ~/hiring-app/hiring-app (hotfix)
$ cd hiring-app

hp@Zeeshan MINGW64 ~/hiring-app/hiring-app (hotfix)
$ git branch
* hotfix

hp@Zeeshan MINGW64 ~/hiring-app/hiring-app (hotfix)
$
```

8. Merge the Created Branch with Master in Local Git

Commands

git switch master

git merge feature-branch

Verification

Evidence

```
hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git branch
* feature-branch
* master

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git merge feature-branch
Updating 4a7f5ee..41f200c
Fast-forward
 sample.txt | 1
 1 file changed, 1 insertion(+)
 create mode 100644 sample.txt

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ cat sample.txt
welcome from feature-branch


hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

9. Merge Branch with Master in GitHub Using Pull Request

Steps

1. Pushed the feature branch to GitHub.
2. Opened the repository on GitHub.
3. Created a Pull Request.
4. Selected the hotfix branch as the source.
5. Selected master as the destination.
6. Reviewed the changes.
7. Merged the Pull Request.

Evidence




10. Create a File Locally and Send It to a GitHub Branch

Commands

```
git switch feature-branch
touch github-file.txt
git add github-file.txt
git commit -m "Add GitHub branch file"
git push origin feature-branch
```

Evidence



11. Clone Only a Branch from GitHub

Command

git clone -b name hotfix https://github.com/ZeeShancloud15/hirring-app.git

Verification

git branch

12. Create a Password File and Make It Untrackable by Git

Objective

Prevent sensitive password information from being committed to Git.

Commands

touch credential.txt

echo "credential.txt" >> .gitignore

git status


Verification

The passwords.txt file should not appear as an untracked file.

Important

Passwords and other sensitive information should **not** be stored in a Git repository.

Evidence



13. Reset a Commit Without Saving the Changes

Objective

Remove the latest commit and discard its changes.

Commands

git reset --hard HEAD~1

Verification

git log --oneline

git status

```
usage: git reset [--mixed | --soft | --hard | --merge | --keep] [-q] [<commit>]
or: git reset [-q] [<tree-ish>] [--] [<pathspec>...]
or: git reset [-q] [--pathspec-from-file [--pathspec-file-nul]] [<tree-ish>]
or: git reset --patch [<tree-ish>] [--] [<pathspec>...]
or: DEPRECATED: git reset [-q] [--stdin [-z]] [<tree-ish>]

-q, --[no-]quiet                be quiet, only report errors
--no-refresh                    skip refreshing the index after reset
--refresh                      opposite of --no-refresh
--mixed                        reset HEAD and index
--soft                        reset only HEAD
--hard                        reset HEAD, index and working tree
--merge                        reset HEAD, index and working tree
--keep                        reset HEAD but keep local changes
--[no-]recurse-submodules[=<reset>] control recursive updating of submodules
-p, --[no-]patch                select hunks interactively
-N, --[no-]intent-to-add        record only the fact that removed paths will be added later
--[no-]pathspec-from-file <file> read pathspec from file
--[no-]pathspec-file-nul        with --pathspec-from-file, pathspec elements are separated with NUL character
                                DEPRECATED (use --pathspec-file-nul instead): paths are separated with NUL character
-z                             DEPRECATED (use --pathspec-from-file= instead): read paths from <stdin>
--[no-]stdin

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git reset --hard HEAD~1
HEAD is now at 603355e hide credential
hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

14. Revert a Committed Commit to the Older Version

Objective

Undo a previous commit while keeping the Git history.

Commands

git log --oneline

git revert <commit-id>

Verification

git log --oneline

Evidence

```
[master d63826b] Revert "hide credential"
2 files changed, 1 deletion(-)
delete mode 100644 .gitignore
delete mode 100644 .gitignore.swp
hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

15. Stash Changes and Work on Another File

Objective

Temporarily save uncommitted changes and work on another task.

Commands

git stash

Create/work on another file:

touch another-file.txt

git add another-file.txt

git commit -m "Work on another file"

Verification

```

www.zeeshan.com/zeeshan/hiring-app
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   another.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    credential.txt

m02Zeeshan MINGW64 ~/hiring-app (master)
$ git stash
Saved working directory and index state WIP on master: d63826b Revert "hide credential"

m02Zeeshan MINGW64 ~/hiring-app (master)
$ git stash list
stash@0: WIP on master: d63826b Revert "hide credential"


m02Zeeshan MINGW64 ~/hiring-app (master)
$ git status
On branch master
Your branch and 'origin/master' have diverged,
and have 1 and 5 different commits each, respectively.
(Use "git pull" to integrate the remote branch with yours)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    credential.txt

nothing added to commit but untracked files present (use "git add" to track)

m02Zeeshan MINGW64 ~/hiring-app (master)
$

```

[illegible]

1. Opened the GitHub repository.
2. Go to **Settings** → **Webhooks**.
3. Selected **Add webhook**.
4. Entered the required payload URL.
5. Selected the required content type/events.

- Saved the webhook.
- Verified the webhook delivery.

Evidence

Screenshot: Webhook configuration and successful delivery.

19. Basic Understanding of the .git Directory

The .git directory is the internal Git directory that stores repository information and version-control data.

20. Check Git Logs

Basic log


git log

Compact log

git log --oneline

Evidence

Screenshot



```
hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git log --oneline
60382eb (HEAD -> master) Revert "hide credential"
603355e hide credential
41f200c add in sample file in feature-branch
4a7f6ee add two sample file
ea9d738 new files added
hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

21. Rename the Commit Message


Amend the latest commit message

git commit --amend -m "Updated commit message"

Verification

git log --oneline

Evidence



```
hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git log --oneline
60382eb (HEAD -> master) Revert "hide credential"
603355e hide credential
41f200c add in sample file in feature-branch
4a7f6ee add two sample file
ea9d738 new files added

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git commit --amend -m "password save"
[master 798f7b7] password save
Date: Thu Aug 20 15:18:12 2026 +0530
3 files changed, 1 insertion(+), 1 deletion(-)
delete mode 100644 .gitignore
delete mode 100644 .gitignore.swp
create mode 100644 another.txt

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git log --oneline
798f7b7 (HEAD -> master) password save
603355e hide credential
41f200c add in sample file in feature-branch
4a7f6ee add two sample file
ea9d738 new files added
hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

22. Merge Multiple Commits into a Single Commit

Objective

Combine multiple commits into one commit using interactive rebase.

Command


git rebase -i HEAD~2

In the editor:
pick commit1
squash commit2
Save and close the editor.
Then provide the final commit message.

Verification

git log --oneline

Evidence

A screenshot of a Windows terminal window titled 'MINGW64/c:/Users/Parth/OneDrive/...' showing the execution of Git commands. The output includes a commit message '[detached HEAD 6c7e1a0] add two sample file', the date 'Thu Aug 20 14:17:28 2026 +0530', and a list of file changes: '5 files changed, 4 insertions(+)', 'create mode 100644 another.txt', 'create mode 100644 credential.txt', 'create mode 100644 file3.txt', 'create mode 100644 file4.txt', and 'create mode 100644 sample.txt'. It also shows 'Successfully rebased and updated refs/heads/master.' and the output of 'git log --oneline' showing '6c7e1a0 (HEAD -> master) add two sample file' and 'ea9d738 new files added'. The terminal prompt is 'hp@Zeeshan MINGW64 ~/hiring-app (master)' and the user has entered '\$' at the end of the command line.

```
[detached HEAD 6c7e1a0] add two sample file
Date: Thu Aug 20 14:17:28 2026 +0530
5 files changed, 4 insertions(+)
create mode 100644 another.txt
create mode 100644 credential.txt
create mode 100644 file3.txt
create mode 100644 file4.txt
create mode 100644 sample.txt
Successfully rebased and updated refs/heads/master.

hp@Zeeshan MINGW64 ~/hiring-app (master)
$ git log --oneline
6c7e1a0 (HEAD -> master) add two sample file
ea9d738 new files added

hp@Zeeshan MINGW64 ~/hiring-app (master)
$
```

Conclusion

Successfully practiced Git and GitHub fundamentals including repository creation, cloning, file tracking, commits, pushing, branching, merging, pull requests, .gitignore, reset, revert, stash, SSH authentication, webhooks, Git logs, commit modification, and interactive rebase. The assignment provided practical understanding of local Git repositories and their interaction with the central GitHub repository.

EOD Status: Completed