5 Super Useful JS CheatSheet









1.Array Methods

```
1 [1, 2, 3].length; // 3
    [1, 2, 3].push(4); // [1, 2, 3, 4] *
 2
    [1, 2, 3].unshift(0); // [0, 1, 2, 3] *
 3
   [1, 2, 3].pop(); // [1, 2]
 4
 5 [1, 2, 3].shift(); // [2, 3] *
   [1, 2, 3].at(2); // 3
 6
    [1, 2, 3].indexOf(3); // 2
    [1, 2, 3].includes(3); // true
 8
    [1, 2, 3].map((num) \Rightarrow num * 2); // [2, 4, 6]
    [1, 2, 3].filter((num) => num > 1); // [2, 3]
10
    [1, 2, 3].every((num) => num > 0); // true
11
    [1, 2, 3].some((num) => num > 2); // true
12
    [1, 2, 3].fill(0); // [0, 0, 0]
13
    [1, 2, 3].reduce((acc, num) => acc + num, 0); // 6
    [1, 2, 3].concat([4, 5]); // [1, 2, 3, 4, 5]
15
    [1, 2, 3].reverse(); // [3, 2, 1]
16
    [3, 2, 1].sort(); // [1, 2, 3]
17
    [1, 2, 3].join("-"); // "1-2-3"
18
    [1, 2, 3].flat(); // [1, 2, 3]
19
    [1, 2, 3].find((num) => num === 1); // 1
20
    [1, 2, 3].findIndex((num) => num === 2); // 1
21
    [1, 2, 3].toString(); // "1,2,3"
22
    [1, 2, 3].toLocaleString(); // "1,2,3"
23
24
    [1, 2, 3].slice(1, 2); // [2]
    [1, 2, 3].splice(1, 1, "a"); // [1, 'a', 3]
25
    Array.isArray([1, 2, 3]); // true
26
    Array.from("123"); // ['1', '2', '3']
27
```



2.Array Methods

```
"JavaScript".length; //? 10
    "JavaScript"[2]; //? 'v'
    "JavaScript".charAt(2); //? 'v'
 3
    "JavaScript".charCodeAt(2); //? 118
4
    "JavaScript".indexOf("S"); //? 4
 5
    "JavaScript".toLowerCase(); //? 'javascript'
6
    "JavaScript".toUpperCase(); //? 'JAVASCRIPT'
    "JavaScript".slice(2, 5); //? 'vaS'
8
    "JavaScript".substring(2, 5); //? 'vaS'
9
10
    "JavaScript".substr(2, 2); //? 'va'
    "JavaScript".concat(" Dev"); //? 'JavaScript Dev'
11
    "JavaScript Dev".split(" "); //? ['JavaScript', 'Dev']
12
13
    "JavaScript Dev".includes("Dev"); //? true
    "Java Dev".replace("Dev", "JS"); //? 'Java JS'
14
    "Java Dev".replaceAll("Dev", "JS"); //? 'Java JS'
15
    " JavaScript Dev ".trim(); //? 'JavaScript Dev'
16
    " JavaScript Dev ".trimStart(); //? 'JavaScript Dev '
17
    " JavaScript Dev ".trimEnd(); //? ' JavaScript Dev'
18
    "Dev".padStart(10, "*"); //? '*****Dev'
19
    "Dev".padEnd(10, "*"); //? 'Dev******
20
    "JavaScript Dev".startsWith("Java"); //? true
21
    "JavaScript Dev".endsWith("Dev"); //? true
22
23
    "JavaScript Dev".repeat(3); //? 'JavaScript DevJavaScript DevJavaScript Dev'
24
    "JavaScript Dev".indexOf("JavaScript"); //? 0
    "JavaScript Dev".lastIndexOf("Dev"); //? 11
25
26
    "JavaScript Dev".search("Dev"); //? 11
27
    "JavaScript Dev".includes("Dev"); //? true
```



3.Date Methods

Initialization

```
1 const date = new Date();
2 //? 2023-04-25T19:27:35.363Z
3 new Date(1682452894553);
4 //? Sun Apr 25 2023 00:00:00 GMT+0200
5 new Date("2023-04-25");
6 //? Sun Apr 25 2023 00:00:00 GMT+0200
7 new Date("2023-04-25T01:10:00");
8 //? Sun Apr 25 2023 01:10:00 GMT+0200
9 new Date(2023, 3, 25, 1, 10, 0, 0);
10 //? Tue Apr 25 2023 01:10:00 GMT+0200
11 // year, month, day, hour, min, sec, misc
```



Conversions

```
date.toString();
 2 //? Tue Apr 25 2023 21:27:35 GMT+0200 (Central European Summer Time)
    date.toDateString();
4 //? Tue Apr 25 2023
    date.toTimeString();
6 //? 21:27:35 GMT+0200 (Central European Summer Time)
    date.toISOString();
8 //? 2023-04-25T19:27:35.363Z
    date.toLocaleString();
   //? 4/25/2023, 9:27:35 PM
    date.toLocaleDateString();
11
    //? 4/25/2023
12
    date.toLocaleTimeString();
13
14
    //? 9:27:35 PM
    date.getTime();
15
    //? 1682452895363
16
```



Get Methods

```
date.getFullYear();
                                 //? 2023
    date.getMonth();
                                 //? 3
                                 //? 25
3
    date.getDate();
    date.getDay();
                                 //? 2
4
    date.getHours();
                                 //? 21
    date.getMinutes();
                                 //? 27
6
    date.getSeconds();
                                 //? 35
    date.getMilliseconds();
8
                                 //? 363
    date.getTime();
                                 //? 1682452895363
    date.getTimezoneOffset(); //? -120
10
```

```
//? set year
  date.setFullYear(2023);
  date.setMonth(11);
                          //? set month
  date.setDate(1);
                              //? set date
3
  date.setHours(10);
                              //? set hours
4
  date.setMinutes(20);
                      //? set minutes
5
                       //? set seconds
  date.setSeconds(20);
6
  date.setMilliseconds(20);  //? set milliseconds
  date.setTime(1680153156131); //? set time (milliseconds since Jan 1, 1970)
8
```



4.DOM Methods

Accessing Elements

- document.getElementById("id"); //? find element by its id
- document.getElementsByClassName("class"); //? find elements by class 2
- document.getElementsByTagName("tag"); //? find elements by tag name 3
- document.querySelector("selector"); //? find first element matching selector 4
- 5 document.querySelectorAll("selector"); //? find all elements matching selector

Creating/Appending Elements

- document.createElement("name"); //? create element node 1
- document.createTextNode("text"); //? create text node
- elem.appendChild(child); //? append child to element 3
- elem.removeChild(child); //? remove child from element
- elem.replaceChild(newChild, oldChild); //? replace child with new child

Modifying Elements

- elem.innerHTML = "<h2>outerHTML</h2>"; //? set HTML elem.innerText = "inner text"; //? set inner text
- elem.textContent = "text content"; //? set text content 3
- elem.style.color = "blue"; //? set style 4
- elem.outerHTML = "Learn with Athreos"; //? replace HTML 5



swipe to know



6

Accessing Parent, Children, Siblings

elem.parentElement; //? access parent element
elem.children; //? access element children
elem.firstElementChild; //? access first child
elem.lastElementChild; //? access last child
elem.nextElementSibling; //? access next sibling

Modifying Attributes


elem.previousElementSibling; //? access previous sibling

elem.getAttribute("attr"); //? get attribute value
elem.setAttribute("attr", "value"); //? set attribute value
elem.removeAttribute("attr"); //? remove attribute

Modifying Element Classes

```
elem.classList.add("my-class"); //? add class
elem.classList.remove("my-class"); //? remove class
elem.classList.toggle("my-class"); //? toggle class
elem.classList.contains("my-class"); //? check for class
```







5.DOM Events **Event Listeners**

```
document.addEventListener('click', (event) => {
       console.log('Click Event', event);
  });
3
4
5
   // unregister event listener
   document.removeEventListener('click', (event) => {
6
       console.log('Unregistered Event', event);
   });
8
```



JavaScript Events

Mouse Events

click left mouse button click

dblclick left mouse button double click

pointing device button is pressed when inside elernent

mouseup mouse buttan released over an element

mouse pointer enter an element

mouse pointer moves over an element

Window Events

resource was not fully loaded, but not due a error

error event occurs if resource failed to load or can't be used

load document has finished loading

unload document has being unloaded

scroll document is scrolled

submit fires on <form> when submitted

Keyboard Events

keydown key is pressed down

keyup key is released

Form Events

blur element has lose focused

change use medified value of <input>, <select> of <textared>

focus element has received focus

select text has been selected in an element

submit fires on form is reset



Enjoyed the post?

- Comment your thoughts
- Share with others
- C Like if it helped
- Follow for more coding tips!

Usman

