Top 4 and Spot Lists

Annotated references and an interaction guide for SznLuv

How to use the prototype

The prototype uses its own colour scheme, typography and visual style, distinct from the current SznLuv app. Treat the screens as a guide to feature logic, user flows and overall behaviour. Use the current app's palette, typography and components when translating those flows into the product. The example layouts are there to compare and test.

What to carry into the app

Keep the three actions distinct. Make sharing predictable. Give every saved or followed item a clear place to return to.

01 **Follow person** brings the creator into **Library › People**.

02 **Follow list** brings the live collection into **Library › Followed lists**.

03 **Save spot** adds one place to a list the viewer owns.

Publishing changes who can see the list

Start with a private draft. Before publishing, show the notes and custom locations that will become visible. Publishing adds the list to the creator's profile and enables its link. Making it private removes guest and follower access.

How the evidence was gathered


The walkthrough combines public browser views, official native screenshots and documented flows. Individual reviews and community posts are anecdotal. Phone-width web captures show the inspected browser, and signed-in competitor actions were traced through documentation.

In this report

Letterboxd · Spotify · Google Maps · Beli · Mapstr · Decisions to test · Test journeys · Validation

Letterboxd

Four favorites and public lists



Profile · phone-width web

Four equal posters are easy to recognize once they come into view.



Public list · phone-width web

The byline precedes an extended introduction and the first posters.


01 **Profile walkthrough.** Open Top10ner's profile › choose the mobile site › scroll past stats and a long bio › find the four Favorite Films posters › open a film from its poster. The four equal posters make a recognizable group once in view. On this mobile profile, the picks sit near the bottom of the first 844-pixel screen. The account location sits much higher in the identity block. Spot cards need readable names even when an image exists. Profile

02 **List walkthrough.** Open Life as Fiction °100 › find the linked creator above the title › scan the introduction › use Grid or List to change how films display. The byline makes authorship legible. In this example, the reserved backdrop space and long description push the start of the poster grid to about 700 pixels from the top. The mobile editor's row menu supports notes and moving an item to a position, per Letterboxd's help. Example list · Letterboxd Help

03 **Apply to SznLuv.** Keep Top 4 directly under identity. Put the city control in that section's header and use a two-by-two grid with named cards and an icon fallback. A visitor sees one real card if there is one pick. The owner sees open slots. Keep optional list descriptions short, with notes next to the spots they explain.


Spotify

Playlist identity and separate saves



Web player · wide

The cover and byline set the theme. The plus sits beside Play.



Web player · 390 px

At 390 pixels, the library rail pushes the playlist off-screen.


01 **Playlist walkthrough.** Open the public *Feel-good summer* link › read the title and linked creator in the cover block › reach the control strip › scan tracks. At 390 pixels the desktop-style library occupied the first screen and the playlist header was outside the visible area. Native first-screen placement remains unverified. The colorful cover communicates a theme quickly. The plus near Play and the save controls on tracks need surrounding context to explain their scope. Public playlist

02 **Documented return paths.** Spotify uses Follow from an artist profile and Add or Save for playlists in Your Library. To place a track in a particular playlist, use its menu and choose a destination. Spotify's privacy and profile-publishing controls are separate. Its docs also describe time-limited invitation links for private playlists, creating a distinct access path users have to learn. Your Library · Following artists · Playlist privacy

03 **Apply to SznLuv.** Link the creator's name in the list header. Label the page action **Follow list**, the profile action **Follow person**, and the row action **Save spot**. After each action, name the destination. Use a compact byline by default and compare it with an illustrated cover using the same content.


Google Maps

Shared lists and revoked access



Shared list · web

The list names its creator and puts Save beside Share.



Unavailable link · web crop

An unavailable link lands on a neutral error with two possible causes.

01 **Shared link walkthrough.** Open the FoodNYC link › see the creator, spot count and Shared list label › find Save beside Share › choose Cannelle Patisserie to open its place view. A map beside the list establishes geography. At the phone-width browser viewport, the desktop rail and wide place panel competed for space. The first row was outside the stated NYC theme in the observed example, so using a place count as a relevance cue has limits. Shared Google Maps list


02 **Documented owner and follower flows.** iOS **You › New list › Save** starts a collection. From a place card **Save › choose/create list** captures the spot in context. Notes are edited from the list. A recipient can open the link and tap **Save list**. The collection lands in **Lists you saved**, and its places can show up on the main map until the user hides that list. Visibility on your own map is another control alongside sharing. Google Maps iOS lists guide

03 **Unavailable walkthrough.** A second shared link opened a generic “Can’t find list” panel. The page gives deletion and stopped sharing as possible reasons. The underlying cause was unknown. **Feedback:** One FoodNYC commenter found it easy to transfer a place to their own want-to-go list. One Seoul thread commenter reported a list-not-found result. Each is a single report. Unavailable example link · FoodNYC thread · Seoul thread

04 **Apply to SznLuv.** Start with the list and offer Map as a deliberate switch. Put directions in spot details. Check the published state before loading a link or followed collection and show a neutral unavailable screen with a way back to Explore. Keep the list’s contents out of that screen.


Beli

Geography and the missing-spot gap



Featured lists and feed · vendor capture

Featured lists and friend activity share the home screen.



Map and place filters · vendor capture

The City chip sits among several filters above the map.

01 **Observed in the official iPhone gallery.** Open the App Store screenshots › compare the feed and map views. Feed cards pair a person with a restaurant. The My Lists screen has Been and Want to Try tabs, then a small City pill among several filters above the map. The city's selected value is easy to lose among those controls. Featured lists and the feed both compete for attention on the home screen. This is a published visual reference. City switching, native profile editing and saving were not exercised in an authenticated session. Beli iPhone gallery

02 **Documented and reported.** Beli's listing distinguishes restaurants you have tried from those you want to try and describes tags and notes. An App Store reviewer liked location and cuisine filtering but found comparisons between unlike restaurants tedious. Community posts describe missing restaurants submitted for review and uncertain turnaround. The missing-restaurant route and delays are self-reports. They do not establish how the current app behaves for every user. Beli feature overview and reviews · Missing restaurant thread

03 **Apply to SznLuv.** Keep "save for later" quick and personal. Put the active city beside Top 4 and on each list card. Use search results with neighborhood and address to encourage a match. Make **Add a missing spot** available from the no-result state so a waterfront pin can be saved in the same session.

Mapstr

Manual pins and followed maps



Followed creator map · vendor capture

The creator and Follow sit above the Map / List switch.



Tag filters · vendor capture

Colour-coded tags give a second way to browse dense pins.

01 **Observed in the iPhone gallery.** Open Mapstr's published screenshots › compare the followed creator's map with the color-coded tag filter. The creator and Follow sit above Map / List while a large global plus sits in the tab bar. Dense pins benefit from a companion list for comparing names and notes. Mapstr iPhone gallery

02 **Documented walkthrough.** Start from the global + › search an address or select a point on the map › organize it with tags or notes. Start from a shared public map link › browse in the browser › sign in to follow › return via Library subscriptions › open a followed map › Add on an entry copies it to your own map. Mapstr documents whole-map visibility and private places on a public map, plus separate treatment for contributed places and personal details. The scope is powerful but adds more visibility rules to understand. Mapstr FAQ · Trip planning walkthrough

03 **Apply to SznLuv.** Ask for name and either an address or a pin. Keep creator-specific notes with the list entry. When someone saves a spot, copy the location to their list with a blank note. In the publish review, list the actual note text and each custom address or coordinate.

What to test


The defaults make the prototype testable. The outcomes below determine what carries into SznLuv.

Choice	Prototype default and alternative	What would change the decision
Top 4 city switcher	City pill and picker. Compare with visible city chips.	Compare first-attempt success switching Vancouver to Brooklyn and explaining whose picks are shown. Chips can work if most profiles have only a few cities.
Public list header	Compact title, city, count, byline, description and follow button. Compare with a large illustrated cover.	At 390 × 844, check if a guest can name the creator and read the first useful spot without scrolling. Keep the cover if it adds meaningful orientation without slowing that task.
Map placement	Spots first, with a Map toggle. Compare a collapsible preview after the first spot and map before spots.	Give a participant two nearby stops to compare, then ask them to pick a place by reading notes. Ship in-list mapping if it improves the first task without slowing the second. Individual directions are the launch baseline.
List geography	One city per list for the first test. Lock the city once a spot is added.	Ask users to bring a real trip or weekend collection. Revisit if people routinely split trips across nearby cities or expect to use a city's neighboring areas. The Vancouver fixture includes metro-area spots.
Top 4 visibility	Private until explicitly shown, per city. Only picked cards appear to visitors.	Ask Susan whether publishing a list also exposes her Top 4, and whether sharing Vancouver should expose Brooklyn. Observe whether the separate controls answer those questions.
List publication	Private draft by default. Public adds the profile card and a link. Edits to an already public list stay in draft until reviewed and published again. Making a list private hides it in all visitor views and clears follows. On republish, the link works again and followers can opt back in.	Ask owners to predict which note and custom location are visible, then check their answers from a guest view. Verify revocation with a previously opened link and a followed list.

Shared list baseline. Let guests see whose list it is and browse spots. Ask for sign-in when they choose to follow or save.


Test the two journeys

Use the prototype's study controls to switch between Susan, a guest and Alex.



Review before publishing

Review the note and precise pin before publishing.



Shared list on a phone

Read the byline and spots before choosing to follow.

01 **Susan makes a summer guide.** Choose **01 · Create a list** › **New list** › enter *My Hottest Summer Spots* › search *rooftop* and add **Juniper Rooftop** › add a note › search *Waterfront steps* › **Add a missing spot** › place a pin › add the spot › review and publish. Before confirming, ask what a guest will see. Inspect the notes and pin in the publish review. Try reordering and editing the published list.

02 **A friend opens and returns.** From the share sheet choose **Open as guest**. Find the first spot and open its details before signing in. Tap **Follow list**, continue as Alex, then **Save spot** on the rooftop and choose **Birthday plans**. Return through **Library › Followed lists**. Verify the rooftop is in **My lists › Birthday plans**, and see that following Susan is a separate action under **People**.

03 **Probe the edges.** Switch Susan's profile to Brooklyn for one public pick. Open a list with illustrated fallbacks and no spot photography. Search an unmatched name. Return to Susan's library and make the guide private, then reopen the old link and check Alex's followed lists. The **Unavailable link** shortcut provides the same visitor state for an independent walkthrough.

The prototype uses browser-local sample data, simulated identities and an illustrative map. Both journeys were exercised at 390 × 844 in a browser, including access revocation and the library return paths.

What to measure

Watch how people choose an action, predict what goes public and get back to what they followed.

Moderated sessions

Start with an uncoached screen. Record the first action, completion without a hint, time to the first useful spot, wrong-scope saves or follows, and whether participants correctly predict what publishing exposes. Alternate the order of layout variants across participants. Test the shared link from messaging and social apps on real devices once a hosted version exists.

Launch measurement

Metric	Event and denominator
First-list completion	New creators who add at least one spot within 24 hours of starting their first list ÷ creators who start a first list. Split by library vs. Save spot entry.
List follow conversion	Unique eligible viewer/list pairs with a successful follow ÷ eligible public viewer/list pairs. Exclude owners and viewers who already follow that list.
Spot-save conversion	Unique viewer/list pairs with a spot saved to an owned list ÷ public viewer/list pairs. Attribute the originating list through any sign-in or new-list step.
Followed-list return	Followers who reopen a followed list from the library within 7 days ÷ followers with a full 7-day observation window. Track opening from a direct link separately.

First release scope

City-based Top 4, private and public lists, curated and manual spots, public links, person and list follows, and a library. Consider collaboration, comments, notifications and an activity feed after the two core journeys are understood.