# LAPORAN PRAKTIKUM

**Aplikasi Berbasis Platform**

## Tugas 4

## Web Framework 1


**Disusun oleh:**

**ZEFANYA BRANA TERTIUS TARIGAN**

**2311102028**

**S1 IF-11-REG04**

**Dosen Pengampu:**

**Cahyo Prihantoro, S.Kom., M.Eng**

**PROGRAM STUDI S1 INFORMATIKA**

**FAKULTAS INFORMATIKA**

**TELKOM UNIVERSITY**


**2026/2027**

**EXERCISE**

## Exercise

Create controller **Lat1Controller** and create index function

```
....
     public function index(){
        $data["nama"]="Agus";
        $data["asal"]="Bandung";
        return view('v_latihan1', $data);
     }
....
```

## Exercise [contd.]

Create view **v_latihan1.blade.php**

```
<!DOCTYPE html>
<html>
  <head><title>Latihan 1</title></head>
  <body>
     Nama : {{$nama}} <br/>
     Asal : {{$asal}} <br/>
  </body>
</html>
```

## Exercise [contd.]

Add the route in **routes/web.php**

```
....
Route::get('/lat1',
   'App\Http\Controllers\Lat1Controller@index');
....
```

# Exercise [contd.]

Test it:

http://localhost:8000/lat1

Nama : Agus
Asal : Bandung

# Exercise [contd.]

- Create a function in controller Lat1:

```
...
  public function method2(){
     $data['title'] = "Daftar Mahasiswa";
     $data['daf_mhs'] = array(
        array("nama" => "Agus", "asal" => "Bandung"),
         array("nama" => "Budi", "asal" => "Jakarta"),
        array("nama" => "Roni", "asal" => "Surabaya")
     );
     return view('v_latihan2', $data);
  }
...
```

# Exercise [contd.]

Create view **v_latihan2.blade.php**

```
<!DOCTYPE html>
<html>
  <head>
    <title>{{$title}}</title>
  </head>
  <body>
   <h3>{{$title}}</h3>
   <table border="1">
     <tr><th>No</th><th>Nama</th><th>Asal</th></tr>
     @php $no = 1; @endphp
     @foreach($daf_mhs as $mhs)
     <tr>
       <td>{{$no++}}</td>
       <td>{{$mhs['nama']}}</td>
       <td>{{$mhs['asal']}}</td>
     </tr>
     @endforeach
   </table>
  </body>
</html>
```

## Exercise [contd.]

Add the route in **routes/web.php**

```
....
Route::get('/lat1/m2',
   'App\Http\Controllers\Lat1Controller@method2');
....
```

## Exercise [contd.]

Test it:

http://localhost:8000/lat1/m2

**Daftar Mahasiswa**

| No | Nama | Asal |
|---|---|---|
| 1 | Agus | Bandung |
| 2 | Budi | Jakarta |
| 3 | Roni | Surabaya |

**ANSWER**

Link GIT: [https://github.com/Zefanyatarigan/Tugas-4---Web-Framework-1](https://github.com/Zefanyatarigan/Tugas-4---Web-Framework-1)

1.Download dulu compser dan install.

**2.**Buat folder seperti pada tampilan di bawah ini.



| | | |
|---|---|---|
| laravel | 3/22/2026 7:19 PM | File folder |
| tugas4_laravel | 3/22/2026 7:19 PM | File folder |

3.Kemudian setelah mengikuti Langkah-langkah pada CMD,nanti akan otomatis pada tempat penyimpan anda,aka nada file dan folder ini.



| | | |
|---|---|---|
| app | 3/14/2026 11:54 PM | File folder |
| bootstrap | 3/14/2026 11:54 PM | File folder |
| config | 3/14/2026 11:54 PM | File folder |
| database | 3/22/2026 7:50 PM | File folder |
| public | 3/14/2026 11:54 PM | File folder |
| resources | 3/14/2026 11:54 PM | File folder |
| routes | 3/14/2026 11:54 PM | File folder |
| storage | 3/14/2026 11:54 PM | File folder |
| tests | 3/14/2026 11:54 PM | File folder |
| vendor | 3/22/2026 7:22 PM | File folder |

4.Kemudian buka folder app>Http>controllers,hingga pada tampilan seperti di bawah ini.



| Name | Date modified | Type | Size |
|---|---|---|---|
| Controller | 3/22/2026 7:47 PM | PHP Source File | 1 KB |
| Lat1Controller | 3/22/2026 7:28 PM | PHP Source File | 1 KB |

Kemudian buat lagi file **Lat1Controller.php**

Source Code

```
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class Lat1Controller extends Controller
{
    public function index()
    {
        $data["nama"] = "Agus";
        $data["asal"] = "Bandung";

        return view('v_latihan1', $data);
    }

    public function method2()
    {
        $data['title'] = "Daftar Mahasiswa";
        $data['daf_mhs'] = array(
            array("nama" => "Agus", "asal" => "Bandung"),
            array("nama" => "Budi", "asal" => "Jakarta"),
            array("nama" => "Roni", "asal" => "Surabaya")
        );

        return view('v_latihan2', $data);
    }
}
```

Kemudian pada folder resources>views tambahkan 2 file .php seperti pada gambar di bawah ini.

| Name | Date modified | Type | Size |
|---|---|---|---|
| v_latihan1.blade | 3/22/2026 7:31 PM | PHP Source File | 1 KB |
| v_latihan2.blade | 3/22/2026 7:31 PM | PHP Source File | 1 KB |

File **v_latihan1.blade**

Sourcce Code

```
<!DOCTYPE html>
<html>
<head>
    <title>Latihan 1</title>
</head>
<body>
    Nama : {{ $nama }} <br/>
    Asal : {{ $asal }} <br/>
</body>
</html>
```

File **v_latihan2.blade.php**

Source Code

```
<!DOCTYPE html>
<html>
<head>
    <title>{{ $title }}</title>
</head>
<body>
    <h3>{{ $title }}</h3>

    <table border="1">
        <tr>
            <th>No</th>
            <th>Nama</th>
            <th>Asal</th>
        </tr>

        @php $no = 1; @endphp

        @foreach($daf_mhs as $mhs)
            <tr>
```

```
                <td>{{ $no++ }}</td>
                <td>{{ $mhs['nama'] }}</td>
                <td>{{ $mhs['asal'] }}</td>
            </tr>
        @endforeach
    </table>
</body>
</html>
```

Setelah itu sekarang pada folder routes,harus ada 2 file seperti yang ada pada gambar di bawah ini.

| Name | Date modified | Type | Size |
|---|---|---|---|
| console | 3/14/2026 11:54 PM | PHP Source File | 1 KB |
| web | 3/22/2026 7:32 PM | PHP Source File | 1 KB |

Untuk file **web.php**

Source Code

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\Lat1Controller;

Route::get('/lat1', [Lat1Controller::class, 'index']);
Route::get('/lat1/m2', [Lat1Controller::class,
'method2']);
```

Setelah itu sekarang masuk ke dalam CMD dan ketik perintah seperti pada Gambar di bawah ini.

```
E:\laravel\tugas4_laravel>cd /d "E:\laravel\tugas4_laravel"

E:\laravel\tugas4_laravel>php artisan optimize:clear

  INFO  Clearing cached bootstrap files.

  config ..................................... 1.90ms DONE
  cache ...................................... 171.45ms DONE
  compiled ................................... 2.10ms DONE
  events ..................................... 0.93ms DONE
  routes ..................................... 0.99ms DONE
  views ...................................... 13.49ms DONE


E:\laravel\tugas4_laravel>php artisan serve

  INFO  Server running on [http://127.0.0.1:8000].

  Press Ctrl+C to stop the server

  2026-03-22 19:47:54 /lat1 ..................................... ~ 7s
  2026-03-22 19:47:54 /lat1/m2 ................................... ~ 8s
  2026-03-22 19:48:01 ........................................... ~ 1m 37s
  2026-03-22 19:50:02 /lat1 ..................................... ~ 514.64ms
  2026-03-22 19:50:02 /favicon.ico .............................. ~ 543.49ms
  2026-03-22 19:50:05 /lat1/m2 ................................... ~ 0.40ms
  2026-03-22 19:50:05 /favicon.ico .............................. ~ 28.06ms
```

Setelah itu masuk ke chrome dan ketik perintah yang ada di bawah ini.

http://127.0.0.1:8000/lat1

http://127.0.0.1:8000/lat1/m2

**Output nya**




Nama : Agus
Asal : Bandung




**Daftar Mahasiswa**

| No | Nama | Asal |
|---|---|---|
| 1 | Agus | Bandung |
| 2 | Budi | Jakarta |
| 3 | Roni | Surabaya |