

V9.03 Full Run Report

Full-run configuration

RUN_LABEL = L=16, a=21.0, alpha=74.2, beta_init=0.0
RUN_PRESET = size_default
L_NM, A_NM, ALPHA_DEG = 16.0, 21.0, 74.2
BETA_INIT_DEG = 0.0
ANIS_MODEL = cubic_first_raw
DIPOLE_INIT_MODE = random
MOVE_POSITIONS = True
MOVE_ORIENTATIONS = True
GLOBAL_COTILT = 1 moves/cycle, 0.75 deg
N_MAG_PER_CYCLE = 1
TRANS_STEP_NM = 0.03
ROT_STEP_DEG = 2.0
DIP_STEP_RAD = 0.3
NN_SHELL_FACTOR = 1.18
B_FIELD_T = 0.05
N_VOXEL = 4

INIT_SEED, FULL_RUN_SEED = 1, 1
N_CYCLES, N_EQUIL = 10000, 2000
elapsed_min = 23.2486
acc_mech/cotilt/dip = 0.753919 / 0.9443 / 0.723181

Values marked equil_mean are averaged over cycles N_EQUIL..N_CYCLES-1.
Values marked final are the last recorded cycle.


V9.03 Full Run Tilt Summary

stat	E_kBT	local_beta	body_tilt	SL_PCA	SL_NN	body_SL_mismatch
-----+-----+-----+-----+-----+-----+-----						
equil_mean	-627.371	9.17629	4.36198	4.43593	5.45703	1.64258
final	-621.907	10.132	6.9463	7.01272	7.58868	0.283363


V9.03 Full Run Order, Gap, and Acceptance

stat	body_order	gap_min	gap_p05	muB
-----+-----+-----+-----+-----				
equil_mean	0.986704	1.81133	2.04519	0.956533
final	0.987995	1.80925	2.15792	0.954881


N27 energy trajectory



coherent body vs SL tilt



dipole unlocking



body and SL order parameters

