


Title		
Size	Number	Revision
A		
Date:	8/30/2022	Sheet of
File:	C:\Users\...\Rectifier.SchDoc	Drawn By:



Comment	Description	Designator	Footprint	LibRef	Quantity
ECA1EM102	Aluminum Electrolytic Capacitor, 1000 uF, +/- 20%, 25 V, -40 to 85 degC, 2-Pin THD, RoHS, Bulk	C1, C2	CAPPR65-500-2000X1000X2200	CMP-001-00023-8	2
1N5401RLG	Standard Recovery Rectifier, 2-Pin Axial_Lead, Pb-Free, Tape and Reel	D1, D2, D3, D4, D5, D6	ONSC-AXIAL_LEAD-2-267-05_V	CMP-0902-00079-1	6
LTL-1CHG	LED Uni-Color Green, 100 mW, 30 mA, -55 to 100 degC, 2-Pin THD, RoHS, Bulk	DS1	LTST-LTL-1CHG-2	CMP-007-00019-2	1
1716090000	OMNIMATE Signal - series LM	E1	LM_5_08_90_03	CMP-1559-01768-1	1
0456030.ER	FUSE BOARD MNT 30A 125VAC 72VDC	F1	FP-0456-MFG	CMP-2000-05709-2	1
691102710002	Series 102 - 5.00 mm Horizontal Entry Modular with Pressure Clamp WR-TBL, 2 pin	J1	691102710002	CMP-1502-03258-1	1
MFR-25FBF52-1K	Axial Resistor, 1 KOhm, +/- 1%, 250 mW, -55 to 155 degC, 2-Pin THD, RoHS, Bulk	R1	RESA60-630X240	CMP-009-00048-4	1