

Use case1: login with E-mail and password

Use case	Login with email and password		
Goal in context	Users should be able to login providing n email address and password		
preconditions	Users should have been registered already		
Success end condition	Users are logged in		
Primary actor	User		
Trigger	Clicking on login button		
Description	Step1	The user provides an email address	
	Step2	The user enters the password	
	Step3	The user clicks on login button	
Extensions	User's credentials rejected		The system displays an error message

Use case2: login with bankID

Use case	Login with mobile bankID		
Goal in context	Users should be able to login by using mobile bankID		
preconditions	Users should have been registered already		
Success end condition	Users are logged in		
Primary actor	User		
Trigger	Clicking on login button		
Description	Step1	Chooses to login with bankID	
	Step2	The app opens	

Use case3: Booking an appointment

Use case	Book an appointment	
Goal in context	Users should be able to book an appointment	
preconditions	Users are logged in	
Success end condition	Appointment is booked successfully	
Primary actor	User	
Trigger	Clicking on book button	
Description	Step1	Selects a doctor
	Step2	Chooses a date
	Step3	Tap on Confirm button
Extension	Booked successfully	Confirmation message is shown
	Not booked	Display date is not available message

Use case4: Cancelling an appointment

Use case	Cancelling an appointment	
Goal in context	Users should be able to cancel a booked appointment	
preconditions	Users are logged in	
Success end condition	Appointment is cancelled successfully	
Primary actor	User	
Trigger	Clicking on cancel an appointment button	
Description	Step1	Selects an appointment
	Step2	Click on cancel button

Extension	Cancelled successfully	Confirmation message is shown
	Not cancelled	Display cancellation is not allowed