Security Testing

Vathna.lay@cadt.edu.kh

Becoming the Hacker to Beat the Hacker

- **The need for Hacker Savvy:** To protect against cyber threats, security professionals must understand the hacker's mindset & tactics.
- **Ethical Hacking, The difference:** Same tools, techniques but with the target's permission and a professional focus.
- **The goal of Vulnerability and Penetration Testing:** proactively identify weaknesses from a hacker's perspective to strengthen security
- **Part of a comprehensive Security Strategy:** Ethical hacking complement risk management and helps validate vendor claims

Security Testing vs. Auditing

- **Security Auditing**
  - **Focus:** Evaluating if security policies and controls are in place as required by standards or regulations
  - **Method:** Often involves reviewing processes, documentation, and sometimes technical check
  - **Intent:** Validate compliance and existing security Measure

Security Testing vs. Auditing

- **Vulnerability and Penetration Testing**
  - **Focus:** Finding and exploiting weaknesses in systems and security controls
  - **Method:** Highly technical, using the mindset and tools of hackers to simulate real-world attack
  - **Intent:** Identify vulnerabilities that could be exploited by malicious actors

Policy & Compliance

- **Document Policy:**
  - Outlines who conducts the tests, types of testing, frequency, & procedures.
  - Establishes standards for tools and personnel.
  - Sets clear expectations for security testing activities.
- **Compliance and Regulations:**
  - Consider state, federal, and international laws (e.g., DMCA, HIPAA, GLBA, NERC CIP, PCI DSS, CMMC, GDPR). Ensure the testing is align with the regulations
  - Integrating security testing into your compliance program can strengthen overall security and privacy

Think Like a Thief to Catch a Thief

- **Understanding the Enemy:** Knowing hacker tactics is key to defending against them.
- **The Reality of Vulnerability:** All systems are potentially susceptible to attack.
- **Beyond Security Products:** Testing uncovers weaknesses that even expensive tools can miss.

Think Like a Thief to Catch a Thief

- **Addressing the Low-Hanging Fruit:** Focus on the common vulnerabilities that cause most problems.
- **Prioritization and Risk Reduction:** Identify and fix the most critical issues first.
- **Continuous Improvement:** As hackers evolve, so must your security practices.

Beyond the Code: The Human Element of Security

- **The Weakest Link:** Humans are often the most vulnerable point in a security system due to trust and susceptibility to manipulation.
- **Physical Attacks:**
  - Breaking into facilities to steal equipment or information.
  - Dumpster diving for discarded sensitive documents.
  - Simple yet effective ways to bypass technical security measures.

Vulnerabilities in Network Infrastructure

- **Widespread Access:** Networks connected to the Internet are exposed to global threats.
- **Common Network Infrastructure Attacks:**
  - **Unsecured Wireless Access:** Bypassing firewalls through open Wi-Fi networks.
  - **Protocol Weaknesses:** Exploiting vulnerabilities in FTP, SSL, or other network protocols.
  - **Denial of Service (DoS):** Overwhelming networks with traffic to disrupt legitimate use.
  - **Packet Capture**: Intercepting unencrypted data to expose sensitive information.

Operating Systems & Applications Attack

- **Operating Systems (OS): Popular Targets**
- **Applications:**
  - **Shadow IT:** Hidden applications increase the attack surface and risk.
  - **Web Applications:** Ubiquitous and often targeted due to vulnerabilities in code or configuration.
  - **Mobile Apps:** Increasingly used for business, making them a growing target.
  - **Unsecured Files**: Sensitive data stored in shared folders or cloud services is at risk.
  - **Databases**: Can contain valuable information and may have exploitable vulnerabilities.

Principles of Ethical Hacking: The Right Way to Test

- **Work Ethically:**
- **Respect Privacy:**
  - Treat all information gathered with the utmost confidentiality.
  - Avoid snooping into unrelated corporate or personal data.
  - Implement peer review or oversight for increased transparency and trust.
- **Avoid System Disruption:** Don't crash the systems you're trying to protect.

Embarking on the V&P Testing Journey

- **The Importance of Planning:**
- **The Reformed Hacker Question: (Should we hire a hacker?)**
  - **Potential Benefits:** Deep expertise, insights into attacker mindset.
  - **Risks:** Trustworthiness concerns, potential for misuse of information.
  - Questions to Consider:
    - Do you want to reward past malicious behavior?
    - Can you trust the individual's reformation?
    - How will you protect sensitive information?
  - **Decision:** Weigh the risks and benefits carefully before making a decision.



Vulnerability and Penetration Testing Process

- Formulating your plan
- Selecting tools
- Executing the plan
- Evaluating results
- Moving on



Formulating your plan

- **Obtain approval:** Document the authorization in writing for future reference.
- **Define the scope**
  - **Specific Systems:** Prioritize critical and vulnerable systems.
  - **Risks:** Have a contingency plan for potential disruptions or downtime.
  - **Timeline:** Determine optimal testing times to minimize business impact**.**
- **Other consideration: Detection, Security Control, System Knowledge, Major vulnerabilities response**
  - **Deliverables:** Define the reports and documentation to be provided upon completion.

Selecting Tools

- **The Right Tool for the Job**
- **Understand Your Tools**
  - Many tools have a learning curve and may generate false positives or negatives.
  - Familiarize yourself with the tools' documentation, user guides, and tutorials.
  - Practice using the tools in a lab or test environment.
- **Look for this features**
  - Industry acceptance and regular updates
  - Detailed vulnerability reports with remediation guidance
  - High-level reports for management or non-technical audiences

Executing the plan

- **Gather Intelligence (Reconnaissance):**
  - **External:** Search the internet for information about your organization, systems, and IP addresses.
  - **Internal:** Conduct casual assessments to gain initial insights into systems and potential vulnerabilities.
- **Narrow Your Focus:**
  - Target the specific systems identified in your plan.
  - Start with broad scans and gradually move towards more detailed tests.
- **Execute Attacks and Exploits:**
  - If authorized, attempt to exploit identified vulnerabilities to assess their real-world impact.
  - Proceed with caution and ensure you have a clear understanding of potential consequences.

Evaluating results

- **Assess Your Results:**
  - Analyze the vulnerabilities discovered during testing.
  - Prioritize based on severity and potential impact.
- **Knowledge is Power:** With experience, you'll gain deeper insights into your systems' weaknesses.
- **Report to Management/Client:**
  - Provide a formal, detailed report outlining:
    - Identified vulnerabilities
    - Severity assessment
    - Recommended remediation steps
  - Keep stakeholders informed to demonstrate the value of your work and maintain transparency.

Moving On

- **Implement Recommendations:**
  - Security testing is just the first step. Take action to remediate the identified vulnerabilities.
  - Prioritize fixes based on the severity and potential impact of each issue.
  - Track and document progress for accountability and future reference.
- **Stay Vigilant:**
- **Adapt to Change:**
  - New systems, software updates, and patches can introduce new vulnerabilities.
  - Reassess your security posture after significant changes to your environment.
  - Adjust your security strategy as needed to keep pace with evolving threats.

Question

What is the PRIMARY difference between ethical hacking and malicious hacking?

(A) The tools and techniques used.

(B) The level of technical skill required.

(C) The target's permission and the intent behind the actions.

(D) The potential financial gain for the hacker.



Question

Which of the following is NOT a common type of non-technical attack?

(A) Phishing emails

(B) Dumpster diving

(C) SQL injection

(D) Social engineering



Question

What is the main purpose of a security audit?

(A) To find and exploit vulnerabilities in systems.

(B) To simulate real-world attacks on a network.

(C) To evaluate the effectiveness of existing security controls.

(D) To validate compliance with security policies and regulations.



Question

When considering hiring a reformed hacker, which question is NOT a primary concern?

(A) Do they have the technical skills to perform the job?

(B) Do you want to reward past malicious behavior?

(C) Can you trust the individual's reformation?

(D) How will you protect sensitive information?



Question

Which of the following is NOT a key principle of ethical hacking?

(A) Work ethically and maintain trustworthiness.

(B) Respect privacy and confidentiality.

(C) Maximize disruption to test system resilience.

(D) Avoid causing harm or damage to systems.



Question

What is the first step in formulating a vulnerability and penetration testing plan?

(A) Selecting the right tools for the job.

(B) Obtaining approval from stakeholders.

(C) Defining the scope of the assessment.

(D) Identifying potential vulnerabilities.



Question

Why is it important to perform reconnaissance before conducting a security assessment?

(A) To identify potential targets for attack.

(B) To gather information about the target's systems and vulnerabilities.

(C) To test the effectiveness of existing security controls.

(D) To determine the scope of the assessment.



Question

Which of the following is NOT a common type of network infrastructure attack?

(A) Unsecured wireless access

(B) Protocol weaknesses (e.g., FTP, SSL)

(C) Denial of Service (DoS) attacks

(D) Social engineering



Question

What is shadow IT?

(A) A type of malware that hides on a network.

(B) A technique used to bypass security controls.

(C) The use of unauthorized applications or devices within an organization.

(D) A method for testing security vulnerabilities.



Question

Why is it essential to keep security tools updated?

(A) To ensure compatibility with the latest operating systems.

(B) To take advantage of new features and functionalities.

(C) To address newly discovered vulnerabilities and exploits.

(D) All of the above



Understanding Your Adversary

- **The Changing Face of Hacking**
- **The Hacker Mindset**
- **The Insider Threat**
- **The Dual Role of Hackers**
  - Hackers drive technological advancement by uncovering vulnerabilities and pushing the boundaries of security.
  - They also pose a constant threat, requiring organizations to stay vigilant and adapt their defenses.

The Hacker's Arsenal

The Hacker tactic

- **Technical Evasion**
  - Changing MAC or IP addresses to avoid intrusion detection.
  - Exploiting vulnerabilities in web pages and login mechanisms.
  - Altering default ports to bypass firewall restrictions.
- **Physical Exploitation:**
  - Targeting offices that are temporarily unoccupied.
  - Disabling security cameras monitoring sensitive areas.

The Hacker's Arsenal

The Hacker tactic

- **Social Engineering:**
  - Using fake Wi-Fi hotspots (evil twins) to lure unsuspecting users.
  - Taking advantage of trusting colleagues' credentials.
- **Network Attacks:**
  - Performing SQL injection or password cracking attacks through anonymous networks.

the Hacker's Motives: What Drives the Attack?

- Thrill and Challenge
- Notoriety and Recognition
- Ideology and Activism
- Financial Gain
- Revenge and Malice

Hacker Tactics & Timing

- **Attack Styles Vary:**
  - **Methodical Hackers:** Carefully plan and gather information before executing their attacks.
  - **Impulsive Hackers:** Act rashly, often making mistakes that lead to their discovery.
  - **Malicious Insiders:** Range from sophisticated to opportunistic, exploiting access to sensitive information.

Hacker Tactics & Timing

- **The Hacker's Advantage: Time and Anonymity**
  - **Time:** Attacks can be carried out slowly and deliberately, often after business hours when defenses are weaker.
  - **Anonymity:** The internet and lack of effective monitoring provide cover for attackers.

Hacker Tactics & Timing

- **Prey on Ignorance:** Exploit the lack of proper system management, patch management, and awareness among administrators.
- **Exploit Complexity:** Take advantage of the increasing complexity of networks, cloud services, and mobile devices.
- **Leverage Anonymity:** Use tools and techniques to mask their identity and location.

Question

Which of the following is NOT a typical motivation for malicious hackers?

A. Financial gain

B. Notoriety and recognition

C. Desire to improve system security

D. Boredom or curiosity



Question

What is a common characteristic of the hacker mindset?

A. A strong desire to follow rules and regulations.

B. An aversion to risk and challenges.

C. A preference for teamwork and collaboration.

D. Curiosity and a tendency to see what others overlook.



Question

What is the primary reason why many organizations are vulnerable to attacks?

A. The high cost of security tools and software.

B. The lack of awareness about cybersecurity threats.

C. The increasing complexity of information systems.

D. The widespread use of outdated technology.



Question

What is the term for unauthorized applications or devices used within an organization?

A. Ransomware

B. Shadow IT

C. Malware

D. Phishing



Question

Which of the following is NOT a tactic used by malicious hackers to evade detection?

A. Changing MAC or IP addresses

B. Regularly patching and updating systems

C. Exploiting vulnerabilities in web applications

D. Altering default ports to bypass firewalls



Question

Why is time often considered an attacker's friend?

A. They can plan and execute attacks at their convenience.

B. They can remain anonymous while conducting their activities.

C. They can slowly probe systems over time, making detection difficult.

D. All



Question

What is the main difference between a malicious hacker and a malicious insider?

A. A malicious hacker operates from outside the organization, while a malicious insider works within the organization.

B. A malicious hacker uses technical skills, while a malicious insider relies on social engineering.

C. A malicious hacker is motivated by financial gain, while a malicious insider seeks revenge.

D. There is no difference; they are interchangeable terms.



Question

How can organizations mitigate the risk of insider threats?

A. Implement strict access controls and least privilege principles.

B. Conduct regular security awareness training for employees.

C. Monitor user activity and investigate anomalies.

D. All of the above.



Question

What is the ultimate goal of understanding the hacker mindset?

A. To become a hacker oneself.

B. To predict and prevent future attacks.

C. To develop more sophisticated hacking tools.

D. To infiltrate hacker communities.



Question

Which of the following best describes a "defense-in-depth" approach to security?

A. Relying solely on a single, powerful security tool.

B. Leaving all security controls disabled during testing to find more vulnerabilities.

C. Implementing multiple layers of security measures to protect against a variety of threats.

D. Focusing exclusively on technical vulnerabilities while ignoring social engineering.




?
Q&A