Deadline: 14.10.2019- 11.55 pm

PROGRAMMING ASSIGNMENT 1

T .	1	T 7.	α · 1	. ~	•	1
Imn	lamant a	Viganara	('inhar	1m ('	programming	language
ши	icilicili a	V 12CHCIC	CIDIC	\mathbf{m}	DIOPIAIIIIIII	ianguage.

Exp: Suppose that the **plaintext** to be encrypted is

Plaintext: ATTACKATDAWN.

The person sending the message chooses a keyword and repeats it until it matches the length of the plaintext, for example, the keyword "LEMON":

Keyword: LEMONLEMONLE **Ciphertext**: LXFOPVEFRNHR

Cipher text is found by shifting the **plaintext** according to the letter in **keyword** where A=0, B=1, and so on. For example A in **plaintext** is shifted L times (11 times) to get L in **ciphertext**.

For the details of the Vigenere Cipher please refer to: https://en.wikipedia.org/wiki/Vigen%C3%A8re cipher.

١	Λs	ake	sure	vour	code	inc	ludes	the	foll	οwinσ	propertie	

	There should be two .c files; one for main function and one for decrypt, encrypt.
	User should be able to select the operations: decrypt, encrypt.
	All your declarations should be in a header file.
	You should take the keyword from the user. Keyword length can be static.
	Comment your code.
Hints:	
	Take a look at the ascii table for keywords!