




Лабораторная работа №2

Молчанов Сергей ИС223

1. Соединил 3 ПК и 3 ноутбука с помощью хаба и прописал им всем IP адрес



3. Расширили нашу среду с помощью еще одного хаба



4. Запустили симуляции отправки данных и с пингом

Simulation Panel

Vis	Time(sec)	Last Device
	0.013	Hub0
	0.013	Hub0
	0.014	Hub1
	0.014	Hub1
	0.015	Laptop0
	0.015	Hub1
	0.015	Hub1
	0.016	Hub1
	0.017	Hub0
	0.017	Hub0
	0.017	Hub0

Event List Filters: Visible Events

- ACL, Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, NAT, TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoE, PTP, RADIUS, RFP, RFP, RTP, SCCP, SMTP, SNMP, SSH, STP, Syslog, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Time: 00:13:20.315

PLAY CONTROLS

Scenario 0

Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete

Successful PC0 Laptop0 ICMP 0.000

Toggle PDU List Window

Automatically Choose Connection Type

Поиск

ENG 2047 17.02.2025

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.0.1

Pinging 192.168.0.1 with 32 bytes of data:

Reply from 192.168.0.1: bytes=32 time<1ms TTL=128
Reply from 192.168.0.1: bytes=32 time=3ms TTL=128
Reply from 192.168.0.1: bytes=32 time=2ms TTL=128
Reply from 192.168.0.1: bytes=32 time=2ms TTL=128

Ping statistics for 192.168.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 0ms, Maximum = 3ms, Average = 1ms

C:\>
```

Ура победа