

Asset Renamer.

Drag, drop, rename. Batch-renames your project assets to a clean naming convention, with optional name normalization and automatic type prefixes. *“Because your files were named by a raccoon.”*

Package **asset-renamer**

Version **0.5.0**

Target **Unity Editor**

01 Install & open


In Unity: `Window > Package Manager > + > Install package from git URL`. Append `#0.5.0` to pin a version.

```
https://github.com/ZellTBH/asset-renamer.git
```

Open the window from the menu bar:

Breaking Frame > Asset Renamer

FIG Main window



THE ASSET RENAMER EDITOR WINDOW ON FIRST OPEN.

02 Usage

- Add assets:** drag them from the Project window onto the drop zone, or select them and click **Add selection**. Dropping a folder adds its contents. Works on any type — textures, models, prefabs, audio, materials.
- Pick a **Convention** (Pascal, snake, kebab...). The **?** button previews every convention with a live example.
- Number suffix:** pad a trailing number to a fixed width (`1` / `01` / `001`) or **Auto**, which aligns every number to the longest in the batch so they sort correctly.
- Toggle **Normalize messy names** to strip accents, copy markers like `(1)` / `copie`, and extra spaces before formatting.
- Toggle **Strip redundant type words** to drop words that merely repeat the prefix — `Texture_Wall.png` with a `T_` prefix becomes `T_Wall`, not `T_TextureWall`. A single-letter prefix never strips.
- Toggle **Apply type prefix** to auto-prepend a prefix based on the asset type (`T_`, `SM_`, `PF_`), driven by the Type Prefix Table.
- Hide unchanged in preview** trims rows that already conform. Untick a row to exclude that asset from the batch.
- Read the **Preview** (`original` → `proposed`, color-coded); the header counts renames and issues. Click **Apply** — renames run through Unity's `AssetDatabase`, so GUIDs and references are preserved. **Revert** undoes the last batch.

03 Type prefixes


Resolved by an **Asset Type Prefix Table** asset. Create one with the **Create Default Table** button, or via **Assets > Create > Asset Renamer > Type Prefix Table**.

Extension rules are evaluated **before** type rules. Edit the list to match your own studio convention.

Reset table to defaults restores the bundled rule set on an existing table — use it after upgrading if your table predates newer rules.

.fbx	SM_	Static / skeletal meshes
.png	T_	Textures
.prefab	PF_	Prefabs

FIG Prefix table



PREFIX TABLE IN THE INSPECTOR.

04 Preview & status colors

Ok	Will be renamed.
Unchanged	Already conforms, left as is.
Excluded	Unticked in the preview. Skipped.
Collision	Same target name as another asset, or already taken. Skipped.
Invalid	Nothing left after formatting. Skipped.



EACH ROW: ORIGINAL → PROPOSED, COLOR-CODED.

05 Advanced passes

A collapsible section adds two passes, applied **on top of** the chosen convention.

Find & replace	A plain-text substitution run on the name before formatting.
Custom affix	Text glued to the front or back, joined with the separator of the chosen convention . The auto type prefix still applies outside the custom affix.

Custom prefix **PF** across conventions:

Pascal	PFWall
snake	PF_wall
kebab	PF-wall

06 Naming conventions

Eleven cases are supported. Example source: `my asset name`.

Pascal	<code>MyAssetName</code>	Pascal snake	<code>My_Asset_Name</code>
camel	<code>myAssetName</code>	camel snake	<code>my_Asset_Name</code>
snake	<code>my_asset_name</code>	screaming snake	<code>MY_ASSET_NAME</code>
kebab	<code>my-asset-name</code>	train	<code>My-Asset-Name</code>
flat	<code>myassetname</code>	cobol	<code>MY-ASSET-NAME</code>
upper flat	<code>MYASSETNAME</code>		

SECTION 07 • SAFETY & NOTES

Good to know.

Asset Renamer is built to be safe and predictable. A few points worth knowing:

- **Editor-only.** The tool lives in an editor-only assembly and never ships in a build. Zero runtime or player-facing surface.
- **No external access.** No network, no downloads, no shell execution, no reflection over untrusted input, no deserialization of external data. None of the usual attack vectors.
- **Controlled input.** The only inputs are the asset paths you drag in yourself, restricted to `Assets/`. No path traversal is possible; Unity's `AssetDatabase` handles every path.
- **Cheap, safe text work.** The normalization regexes are trivial (no catastrophic backtracking, so no ReDoS) and run on short file names.
- **Reversible by design.** The only destructive action is the rename. It is triggered manually, shown in a preview first, runs through `AssetDatabase` (so GUIDs and references are preserved), and the last batch can be undone with **Revert**.

As with any package, you are running code in your editor and trusting the author. This one is small and auditable on purpose, so you can read exactly what it does.