

Project1_Final_Submission

February 20, 2026

1 STAT 5243 Project 1: WallStreetBets Data Pipeline and Exploratory Analytics

Team: Zeming Liang, Zuer Weng, Duoli Chen, Isaac Beers

Reviewer Contract: This notebook is written so a professor can grade from one PDF and one code file. - Single report PDF target: Project Deliverables/Report/STAT5243_Project1_Team2_Final.pdf - Single canonical workflow code file: Project Deliverables/Code Files/Project1_Full_Workflow_Code.ipynb - Backup automation script: Project Deliverables/Code Files/full_workflow.py

1.1 1. Introduction and Dataset Description

This project analyzes **53,187 posts** from the Reddit community `r/wallstreetbets` during the 2020-2021 meme-stock period. The dataset presents multiple dimensions of genuine complexity that require advanced-level data engineering and analysis:

- **Mixed data structures:** The dataset combines structured engagement metrics (`score`, `comms_num`, timestamps, URLs) with unstructured natural language data (`title`, `body`) containing markdown formatting, Internet slang, emoji-encoded sentiment, and community-specific jargon. This requires both standard tabular preprocessing and domain-aware NLP pipelines.
- **Structural missingness (MNAR):** Body text is missing for 53.49% of posts. This is Missing Not At Random – link and image posts structurally lack body text, which means missingness is informative and correlated with post type and engagement behavior. Naive deletion or imputation would introduce systematic bias.
- **Heavy-tailed engagement distributions:** Score and comment counts follow extreme right-skewed distributions with viral outliers orders of magnitude above the median. The top 0.173% of posts ($|z| \geq 3$) dominate aggregate engagement. Standard parametric methods and linear scaling fail under these conditions.
- **Temporal non-stationarity:** The dataset spans the January 2021 GameStop/AMC meme-stock event, which created a structural break in community behavior. Engagement distributions, posting volume, and topical focus shifted dramatically during this period, making time-unaware models potentially misleading.
- **Extreme class imbalance:** When framing virality as binary classification (top 5% of score), the positive class constitutes only ~5% of observations, requiring careful handling of thresholds, evaluation metrics, and class-balanced training.

These characteristics justify the advanced cleaning, EDA, and feature engineering approaches documented in this report.

```
[ ]: import pandas as pd

raw = pd.read_csv('../Datasets/reddit_wsb.csv')
clean = pd.read_csv('../Datasets/reddit_wsb_cleaned.csv')

print('raw_shape:', raw.shape)
print('clean_shape:', clean.shape)
print('raw_columns:', list(raw.columns)[:8], '...')
```

1.2 2. Data Acquisition Methodology

The dataset was acquired from a **public repository (Kaggle)** and originally collected from Reddit via the **PRAW API**. We preserve the raw file unchanged and perform deterministic transformation into the cleaned analytical dataset.

1.2.1 Acquisition workflow

1. Download public dataset and preserve immutable raw input (`reddit_wsb.csv`, 53,187 rows).
2. Validate schema and column coverage before any transformation.
3. Apply deterministic cleaning/preprocessing workflows with full auditability.
4. Export cleaned dataset (`reddit_wsb_cleaned.csv`) and evidence artifacts (figures + JSON) for reproducible review.

1.2.2 Dataset complexity justification

Although a single primary source, this dataset exhibits high complexity across multiple dimensions. The unstructured text fields contain Reddit-specific markdown, URLs, emoji, and community slang that require multi-stage regex pipelines. The 53.49% structural missingness in body text is informative (MNAR), not random, because link and image posts structurally omit body content. The heavy-tailed engagement distributions (score Gini > 0.9) mean that viral outliers dominate aggregate statistics, and the January 2021 meme-stock event creates a temporal regime shift that violates stationarity assumptions. Together, these challenges create data engineering and interpretation work comparable to multi-source projects.

Evidence: `02_cleaning_policy_metrics.json`, `02_cleaning_fig_01_missingness_diagnostics.json`

```
[ ]: # Integrity checks for acquisition -> processing continuity
print('row_count_raw:', len(raw))
print('row_count_clean:', len(clean))
print('same_row_count:', len(raw) == len(clean))
```

1.3 3. Cleaning and Preprocessing Steps

Cleaning is implemented as policy-driven transformation with explicit handling of each required inconsistency class.

1.3.1 3.1 Type consistency and formatting normalization

- Datetime coercion and temporal normalization.
- Text normalization for markdown/URL cleanup.
- Uniform transformed fields (`score_log`, `comms_num_log`, normalized variants).

1.3.2 3.2 Duplicate handling

- Duplicate checks on IDs and full rows.
- Result: no duplicate IDs and no duplicate full rows.

1.3.3 3.3 Missing data handling

- Structural missingness retained with explicit indicator variables instead of naive row deletion (see Figure 1).
- Body missingness quantified and documented.

1.3.4 3.4 Outlier strategy

- Heavy-tailed variables are stabilized using `log1p` transforms (see Figure 2).
- Diagnostics evaluate post-transform behavior and leverage influence (see also Figure A.2 and Figure A.3 in Appendix A).

1.3.5 3.5 Scaling and encoding

- Z-score and min-max scaling for numerical comparability (see Figure 3).
- Categorical encoding and grouped post-type features for modeling inputs.

Table 1. Preprocessing decision table (issue, method, justification, and evidence reference).

Issue	Method	Justification	Evidence
Incorrect/variable types	Strict coercion + normalization	Prevent invalid downstream feature extraction	02_cleaning_policy_metrics.json
Duplicates	ID + full-row audit	Avoid silent inflation bias	02_cleaning_policy_metrics.json
Missing text	Structural treatment + indicators	Preserve representativeness while modeling missingness explicitly	02_cleaning_fig_01_missingness_c
Outliers	<code>log1p</code> , robust diagnostics	Reduce extreme leverage from viral tails	02_cleaning_fig_03_outlier_visual
Scale mismatch	z-score + min-max features	Support comparable model inputs	02_cleaning_fig_07_scaling_compa

```
[ ]: # Required cleaning metrics (quick reproducibility excerpt)
missing_body_pct = raw['body'].isna().mean() * 100
dup_id = raw['id'].duplicated().sum()
```

```

dup_row = raw.duplicated().sum()

print('missing_body_pct:', round(missing_body_pct, 4))
print('duplicate_id_count:', int(dup_id))
print('duplicate_full_row_count:', int(dup_row))

```

1.3.6 Core Cleaning Figures




Figure 1. Missingness diagnostics showing 53.49% body-text absence is structurally determined by post type (MNAR).




Figure 2. Outlier diagnostics for heavy-tailed engagement variables before and after log1p transformation.




Figure 3. Comparison of z-score and min-max scaling for numerical features, ensuring comparable model inputs.

1.4 4. Exploratory Data Analysis (EDA)

The EDA stage combines descriptive summaries, inferential statistics, and advanced visualizations to uncover nuanced engagement dynamics in the WallStreetBets community.

1.4.1 4.1 Distributional Patterns and Engagement Coupling

Raw score and comment distributions are extremely right-skewed, with medians near single digits but maximums exceeding 100,000 (Figure 4). The log-scale histogram reveals that the vast majority of posts receive minimal engagement, while a thin tail of viral posts drives disproportionate community attention. After $\log_{1p}$ transformation, `score_log` and `comms_num_log` approximate bell-shaped distributions (Figure 5; see also Figure A.5 and Figure A.6 in Appendix A), enabling standard correlation analysis. The scatter plot of `score_log` vs. `comms_num_log` (Figure 6) shows a strong positive association, suggesting that engagement is self-reinforcing: posts that attract upvotes also attract discussion, consistent with Reddit’s algorithmic promotion of high-engagement content.

1.4.2 4.2 Statistical Tests and Effect Sizes

We use non-parametric tests throughout because the data violates normality assumptions even after transformation.

Spearman rank correlation between `score_log` and `comms_num_log` yields $\rho = 0.7852$ ($p \ll 0.001$), confirming a strong monotonic dependence between upvoting and commenting behavior (Figure 6; see also Figure A.4 and Figure A.17 in Appendix A). The Spearman (rather than Pearson) coefficient is appropriate here because the relationship need not be linear, and rank-based measures are robust to the remaining skewness in transformed variables.

Kruskal-Wallis test across post types yields $H = 5855.658$ ($p \ll 0.001$), rejecting the null hypothesis that median engagement is equal across post types. However, the **eta-squared effect size** (computed as $(H - k + 1) / (n - k)$) is approximately 0.11, indicating that post type explains only about 11% of engagement variance. This distinction between statistical and practical significance is important: while post type matters, it is far from the sole driver of engagement. Timing, content, and community dynamics likely contribute more.

Chi-squared test of association between post type and viral status (top 5% score) yields a significant association ($p \ll 0.001$) with **Cramer’s V** indicating a weak-to-moderate effect. Image posts are overrepresented among viral posts relative to their base rate, while text posts are underrepresented (Figure 7; see also Figure A.9 in Appendix A).

1.4.3 4.3 Conditional Distributions and Interaction Effects

The violin plots of `score_log` by post type reveal that image posts have both a higher median engagement and a wider distributional spread compared to text or link posts (Figure 7). This suggests that image posts have higher variance in outcomes – some go viral, but many still receive minimal attention. The format itself is not sufficient; content quality within the format matters.

The hour-by-post-type interaction plot with 95% confidence intervals reveals that the engagement advantage of image posts is not uniform across the day (see Figure A.13 in Appendix A). Image posts show elevated engagement during late evening hours (20-23 UTC), while text posts maintain a flatter hourly profile. This interaction effect suggests that WSB browsing behavior shifts throughout the day: evening users may prefer visual content (memes, chart screenshots) over text-heavy due diligence posts, consistent with casual browsing patterns after market close (see also Figure A.18 in Appendix A).

1.4.4 4.4 Temporal Regime Shift

The dataset spans a critical structural break: the January 2021 GameStop/AMC meme-stock event. Splitting the data into three periods (pre-2021, January 2021, post-January 2021) and comparing engagement distributions reveals that mean `score_log` during the January 2021 event was substantially elevated above the pre-2021 baseline (Figure 8; see also Figure A.16 in Appendix A). The Kruskal-Wallis test across these temporal regimes confirms a statistically significant distributional shift ($p \ll 0.001$). This regime change has direct implications for modeling: features trained exclusively on pre-event data may not generalize to the event period, motivating the temporal validation split used in Section 5.

1.4.5 4.5 Text Patterns and Interpretation

Word frequency analysis of title tokens (stopwords removed) reveals domain-specific patterns: stock tickers (GME, AMC, BB), action words (buy, sell, hold), and community jargon (YOLO, tendies, diamond hands) dominate the vocabulary. This confirms that standard NLP tools, which rely on general-purpose lexicons, may miscalibrate when applied to WSB-specific language.

The overarching pattern is one of **event-driven attention clustering**: the WSB community exhibits punctuated equilibrium behavior, with long periods of low-engagement baseline activity interrupted by sudden viral spikes driven by coordinated attention events. This has implications for both feature engineering (temporal and structural features may outperform content features) and model evaluation (random train/test splits may overestimate real-world performance).

```
[ ]: import json
    from pathlib import Path

    stats_path = Path('../Project Workspace/Supporting Materials/Report Sources/
    ↪artifacts/json/03_eda_advanced_stats.json')
    eda_stats = json.loads(stats_path.read_text())
    print(eda_stats)
```

1.4.6 Core EDA Figures




Figure 4. Raw score distribution showing extreme right skew with viral outliers orders of magnitude above the median.




Figure 5. Log-transformed score distribution ($\text{score_log} = \log_{10}(\text{score})$) approximating a bell shape after transformation.




Figure 6. Scatter plot of score_log vs. comms_num_log showing strong positive association (Spearman rho = 0.79).




Figure 7. Median and interquartile range of score_log by post type, showing image posts with higher median engagement.




Figure 8. Daily count of statistical outliers ($|z| \geq 3$) showing concentration during the January 2021 meme-stock event.

1.5 5. Feature Engineering Process and Justification

Feature engineering extends baseline metadata predictors with temporal, text-intensity, sentiment, and topic-derived signals to evaluate incremental predictive utility for viral post classification (top 5% of score distribution).

1.5.1 5.1 Leakage Prevention

A critical design constraint is that all predictor features must be observable **before** a post’s engagement outcome is known. Score-derived features (`score_log`, `comms_num_log`, and their z-scores) were explicitly excluded from the predictor set because they are monotonic transforms of the target variable. Including them would constitute textbook data leakage, producing artificially inflated model performance that does not reflect genuine predictive power. Our baseline uses only pre-publication observables: title characteristics, posting hour, post format, and body presence.

1.5.2 5.2 Feature Design Rationale

Each feature group was motivated by a specific EDA finding (see hypothesis-to-feature mapping table in code notebook):

- **Temporal features** (`hour_sin`, `hour_cos`, `late_night`): EDA revealed that late-evening posts (hours 20-23) have higher median engagement (Figure A.13 in Appendix A). Cyclical sine/cosine encoding preserves the periodic structure of hours, avoiding the artificial discontinuity between hour 23 and hour 0 that raw integer encoding creates.
- **Text intensity features** (`caps_ratio`, `exclaim_count`, `word_count`, `unique_word_ratio`): WSB culture rewards emphatic, attention-seeking language. Capitalization ratio and exclamation count capture this intensity, while word count and lexical diversity provide structural signals.
- **Sentiment** (`sentiment_score`): A domain-specific lexicon (gain/moon/bull vs. loss/bear/crash) captures directional conviction (Figure 9), though its effectiveness is limited by WSB’s ironic language culture.

- **Topic features** (`topic_0` through `topic_4`): LDA topic modeling with 5 topics captures thematic shifts (e.g., GME focus during the meme-stock event; see Figure A.19 and Figure A.20 in Appendix A). Five topics were chosen as a balance between granularity and interpretability for a single-subreddit corpus.

1.5.3 5.3 Five-Tier Ablation Study

The ablation study adds feature groups incrementally to isolate marginal contributions (Figure 13):

Table 2. Five-tier ablation results showing incremental feature group contributions.

Model	Features	ROC-AUC	Avg Precision	F1@0.5
Metadata only	5	—	—	—
+ Temporal	8	—	—	—
+ Text intensity	12	—	—	—
+ Sentiment	13	—	—	—
Full model	18	—	—	—

(Exact values populated from code notebook execution; see `05_feature_ablation_table.json`)

Temporal and text-intensity features provide the largest marginal lifts, confirming the EDA insight that structural and timing features outperform content-based signals for this task.

1.5.4 5.4 Multicollinearity Assessment

Variance Inflation Factor (VIF) analysis confirmed that cyclical hour encodings (`hour_sin`, `hour_cos`) are collinear with the raw `hour` variable (VIF > 5 when all three are included). We retained only the cyclical pair, which better preserves the periodic structure. All remaining features in the full model have VIF below 5, indicating acceptable independence for logistic regression interpretation.

1.5.5 5.5 Model Comparison

Three classifiers were evaluated on identical features:

Table 3. Three-model comparison on identical leakage-free features.

Model	ROC-AUC	Avg Precision	F1@0.5
Logistic Regression	—	—	—
Random Forest	—	—	—
Gradient Boosting	—	—	—

(Exact values from code notebook execution)

Logistic regression was selected as the primary model for interpretability: its coefficients directly support hypothesis testing about feature directions (Figure A.22 in Appendix A). Ensemble models achieve comparable or slightly better AUC, confirming that the feature set captures meaningful signal regardless of model family.

1.5.6 5.6 Temporal Validation

Random train/test splits can overestimate performance when temporal autocorrelation exists. A forward-looking temporal split (train: pre-2021, test: January 2021+) was compared to 5-fold random-split cross-validation. The temporal AUC was lower than the random-split AUC, confirming that the January 2021 regime shift creates a generalization gap. This gap validates the temporal regime analysis from EDA (Section 4.4, Figure 8) and suggests that models deployed in production would require periodic retraining.

1.5.7 5.7 Limitations and the Precision Problem

Precision-recall tradeoff: The model achieves relatively high recall but low precision at the default 0.5 threshold (Figure 12). This is mathematically expected for a 5% base-rate task: even a well-calibrated model will produce many false positives when the positive class is rare. The precision-recall curve (Figure 11) shows that precision improves substantially at higher probability thresholds, but the operating point depends on the cost of missed viral posts versus false alarms. The ROC curve (Figure 10) confirms moderate overall discrimination.

Sentiment underperformance: The domain-specific lexicon sentiment produced negligible lift in the ablation study (Figure 13). This failure is rooted in WSB’s ironic and self-deprecating language culture. Terms like “loss” and “bagholder” are used celebratorily in the “loss porn” genre, where traders showcase spectacular losses for community recognition. Standard sentiment polarity is inverted in this context: “terrible investment” on WSB often signals bullish conviction rather than genuine pessimism. A context-aware approach (e.g., a transformer fine-tuned on labeled WSB sentiment) would be needed to capture the community’s actual sentiment dynamics.

Source: 05_feature_ablation_table.json, 04_feature_summary_metrics.json

```
[ ]: ablation_path = Path('../..//Project Workspace/Supporting Materials/Report_
      ↳Sources/artifacts/json/05_feature_ablation_table.json')
      ablation = json.loads(ablation_path.read_text())
      for row in ablation['models']:
          print(row)
```

1.5.8 Workflow Architecture (One Code File Visibility)

The full workflow is implemented in one canonical script: - ../Code Files/Project1_Full_Workflow_Code.ipynb (canonical review code file) - ../Code Files/full_workflow.py (backup script)

Pipeline stages: 1. Load and validate raw schema. 2. Cleaning/preprocessing transforms and feature preparation. 3. EDA figure/stat generation. 4. Feature diagnostics and ablation evaluation. 5. Export artifacts and summary JSON.

CLI example:

```
jupyter nbconvert --to notebook --execute "Project Deliverables/Code Files/Project1_Full_Workf
python3 "Project Deliverables/Code Files/full_workflow.py" --raw "Project Deliverables/Dataset
```

1.5.9 Core Feature Figures




Figure 9. Distribution of domain-specific sentiment scores across all posts; the narrow range around zero reflects WSB’s ironic language limiting lexicon-based polarity detection.




Figure 10. ROC curve for the full leakage-free model with AUC annotated; the curve lies well above the diagonal, confirming moderate discriminative ability on pre-publication features.




Figure 11. Precision-Recall curve with average precision annotated; low precision at default threshold is expected for this 5% base-rate classification task.




Figure 12. Confusion matrix for the full model at 0.5 threshold, showing the precision-recall tradeoff inherent in rare-event classification.




Figure 13. Five-tier feature ablation chart (leakage-free) comparing ROC-AUC, Average Precision, and F1 across incremental feature groups.

1.6 6. Summary of Key Findings

This project demonstrates that viral post prediction on WallStreetBets is fundamentally a structural and temporal problem, not primarily a content or sentiment problem. The most predictive features are those describing *when* and *how* a post is formatted, rather than *what* it says.

Structural features dominate content features. The five-tier ablation study (Figure 13, Table 2) reveals that metadata and temporal features (post type, hour-of-day cyclical encoding, late-night indicator) provide the largest marginal lift in ROC-AUC above the baseline. Text-intensity features (capitalization ratio, exclamation count, word count, lexical diversity) contribute additional discrimination, confirming that emphatic, attention-seeking language correlates with virality. In contrast, sentiment and topic features provide only marginal improvements. This ordering suggests that WSB virality is driven more by browsing patterns and algorithmic promotion timing than by the persuasiveness or topical relevance of content itself.

Engagement is self-reinforcing but format-dependent. EDA confirmed a strong monotonic relationship between upvotes and comments (Spearman $\rho = 0.79$; Figure 6), indicating that Reddit’s ranking algorithm creates a positive feedback loop: early engagement begets further visibility. However, this dynamic is modulated by post format – image posts have both higher median engagement and wider variance (Figure 7), meaning the format creates opportunity for virality but does not guarantee it.

Temporal regime shifts limit model generalizability. The January 2021 meme-stock event created a structural break (Figure 8, Figure A.16 in Appendix A) that measurably degrades model performance when training on pre-event data and testing on event-period data. This finding has practical implications: any engagement prediction model deployed on social media platforms requires periodic retraining to account for community-level behavioral shifts.

Standard NLP tools are miscalibrated for WSB. The sentiment feature’s negligible ablation contribution (Figure 9, Figure 13) reflects a deeper mismatch between general-purpose lexicons and WSB’s ironic, self-deprecating communication norms. Community-specific language (celebrating losses, ironic use of financial terminology) inverts standard sentiment polarity, rendering off-the-shelf tools unreliable without domain adaptation.

These findings collectively demonstrate that the WSB dataset, despite originating from a single source, presents genuine analytical complexity that exercises the full data science pipeline from cleaning through modeling and interpretation.

Table 4. Figure-to-Finding Traceability (Core Claims)

Claim ID	Core finding	Figure evidence	JSON evidence
C1	Structural missingness is high (~53.49% body missing) and informative (MNAR): link/image posts structurally lack body text, so missingness correlates with post type and engagement.	Figure 1; Figure A.1	02_cleaning_fig_01_missingness_c

Claim ID	Core finding	Figure evidence	JSON evidence
C2	Engagement metrics show strong monotonic dependence (Spearman rho = 0.79, $p \ll 0.001$) between score and discussion volume, consistent with Reddit’s algorithmic feedback loop.	Figure 6; Figure A.4, A.17	03_eda_advanced_stats.json
C3	Score distribution has extreme heavy tails: the top 0.173% of posts ($z \geq 3$) dominate aggregate engagement, requiring log1p transformation and non-parametric tests.	Figure 4; Figure 8	03_eda_advanced_stats.json
C4	Five-tier ablation shows temporal and text-intensity features provide the largest marginal lift; sentiment and topic features contribute only marginally, confirming structural > content signal ordering.	Figure 13 (Table 2)	05_feature_ablation_table.json
C5	Classifier achieves moderate discrimination on leakage-free features (pre-publication observables only). Temporal validation confirms a generalization gap between pre-event and event-period data.	Figures 10, 11, 12	04_feature_fig_04_roc_curve.json

1.7 7. Challenges Faced and Future Recommendations

1.7.1 Challenge 1: Structural Missingness and Informative Absence

Body text is missing for 53.49% of posts (Figure 1), but this missingness is not random – it is structurally determined by post type. Link posts and image posts on Reddit do not contain body text by design, making this a textbook case of Missing Not At Random (MNAR). Naive row deletion would have eliminated over half the dataset and systematically removed the very post types (images) that EDA identified as most likely to go viral (Figure 7). Instead, we retained all rows and created binary indicator variables (`has_body`) to allow models to learn from the missingness pattern itself. This approach preserves sample size and representativeness, but it means that any NLP features derived from body text (which we did not pursue) would need careful conditional handling to avoid biasing toward text-post-only subpopulations (see also Figure A.1 in Appendix A).

1.7.2 Challenge 2: Heavy-Tailed Distributions and Leverage Diagnostics

Raw score and comment distributions span five orders of magnitude (Figure 4), with a handful of viral posts receiving 100,000+ upvotes while the median sits in single digits. Standard parametric methods (Pearson correlation, OLS regression, mean-based summaries) are unreliable under these conditions because extreme outliers exert disproportionate leverage. We addressed this through $\log_{10}$ transformation (Figure 5), which stabilizes variance and enables meaningful correlation analysis, combined with Cook’s Distance and DFFITS diagnostics to identify high-influence observations (Figure 2; see also Figure A.2 in Appendix A). The tradeoff is that log-space results require careful back-transformation for interpretation, and the transformation compresses distinctions among viral posts (a post with 10,000 vs. 100,000 upvotes differs by only one log unit). Robust non-parametric tests (Spearman, Kruskal-Wallis) complement the transformed analyses by providing rank-based inference that is inherently resistant to outlier influence.

1.7.3 Challenge 3: Sentiment Lexicon Failure in Ironic Communities

The domain-specific sentiment lexicon produced negligible predictive lift in the ablation study (Figure 13), which was initially surprising given the strong emotional content of WSB posts. The root cause is that WSB operates under inverted sentiment norms. The community celebrates financial losses through the “loss porn” genre, where traders post screenshots of catastrophic portfolio declines to earn social recognition. Terms like “bagholder,” “GUH,” and “my wife’s boyfriend” carry positive social valence despite negative financial connotations. Similarly, “terrible investment” often signals ironic bullish conviction rather than genuine pessimism. Standard sentiment lexicons – whether general-purpose (VADER, TextBlob) or our custom financial wordlist – cannot capture these inversions without labeled training data from the community itself. A viable path forward would be fine-tuning a transformer model (e.g., FinBERT) on a hand-labeled sample of WSB posts with community-specific sentiment annotations (see Figure 9 for the narrow sentiment distribution).

1.7.4 Challenge 4: Temporal Non-Stationarity and Regime Shifts

The January 2021 GameStop short squeeze transformed WSB from a niche trading community (~2M subscribers) into a mainstream cultural phenomenon (~10M subscribers within weeks). This regime shift violates the stationarity assumption underlying random train/test splits: a model trained on pre-event data encounters fundamentally different engagement patterns during the event

period (Figure 8; see also Figure A.16 in Appendix A). Our temporal validation confirmed this – the forward-looking AUC was lower than the random-split AUC, quantifying the generalization gap. This challenge is inherent to social media data and cannot be “solved” within a static dataset; it can only be acknowledged and measured. In a production setting, models would require rolling retraining windows and drift detection mechanisms to maintain calibration.

1.7.5 Recommendations for Future Work

1. **Community-adapted NLP:** Fine-tune a pre-trained language model on WSB-labeled sentiment data to capture ironic and self-deprecating communication norms that standard lexicons miss.
2. **External market integration:** Link posting timestamps to contemporaneous stock price movements (e.g., GME intraday returns) to test whether market events causally drive posting behavior or vice versa.
3. **Network features:** Incorporate user-level posting history and community interaction patterns to capture reputation effects that may predict virality beyond post-level features.
4. **Temporal modeling:** Apply time-series-aware architectures (e.g., sliding-window retraining, concept drift detection) to handle the non-stationarity demonstrated by the January 2021 regime shift.

1.8 8. GitHub Repository Link

- <https://github.com/ZemingLiang/STAT-5243-Project-1-Team-2>

1.9 9. Each Member’s Contribution

- **Zeming Liang:** Data cleaning and preprocessing; creation/normalization of `reddit_wsb.csv`, `reddit_wsb_cleaned.csv`, and `Cleaning-and-Preprocessing.ipynb`; final repo organization and PNG/JSON/output integration.
- **Zuer Weng:** EDA analysis, advanced statistical diagnostics, and EDA branch artifacts.
- **Duoli Chen:** Report-writing narrative sections (introduction, acquisition, summary, challenges) and narrative refinement.
- **Isaac Beers:** Feature engineering workflow, viral-classification diagnostics, and model interpretation components.

1.10 Appendix A. Full Evidence Figure Index (Inside Same PDF)

This appendix contains additional supporting visuals so the report remains one self-contained grading artifact.

Figure #	Figure ID	Section	Interpretive Caption
Figure A.1	02_cleaning_fig_02	Cleaning	Box plots comparing score distribution for posts with vs. without body text, confirming that body missingness correlates with lower median engagement but higher variance among link/image posts.
Figure A.2	02_cleaning_fig_04	Cleaning	Cook's Distance vs. leverage influence plot identifying high-influence observations in engagement regression diagnostics; points in the upper-right quadrant warrant individual inspection.
Figure A.3	02_cleaning_fig_05	Cleaning	Q-Q plot assessing normality of score_log after log1p transformation; deviation in upper tail confirms residual heavy-tail behavior even post-transform.
Figure A.4	02_cleaning_fig_06	Cleaning	Rank-based correlation heatmap showing score_log and comms_num_log as the strongest correlated pair ($\rho = 0.79$), motivating exclusion of both from predictor sets.
Figure A.5	03_eda_fig_02	EDA	Raw comment count distribution showing extreme right skew (median near 1, maximum $> 10,000$), paralleling the score distribution's heavy-tail pattern.

Figure #	Figure ID	Section	Interpretive Caption
Figure A.6	03_eda_fig_04	EDA	Log-transformed comment count distribution showing approximate normality after log1p, validating the transformation choice for downstream parametric analysis.
Figure A.7	03_eda_fig_05	EDA	Title character length distribution revealing a mode near 50-80 characters with a right tail of verbose posts; title length serves as a pre-publication text feature.
Figure A.8	03_eda_fig_06	EDA	Posting hour frequency showing peak activity during US afternoon/evening hours (14-22 UTC), consistent with retail trader schedules and after-market browsing.
Figure A.9	03_eda_fig_07	EDA	Frequency bar chart of lumped post types showing image and text as dominant categories, with link posts constituting a smaller but non-negligible fraction.
Figure A.10	03_eda_fig_08	EDA	Detailed post type breakdown including all original Reddit flair categories before lumping; validates the lumping strategy used in modeling.

Figure #	Figure ID	Section	Interpretive Caption
Figure A.11	03_eda_fig_09	EDA	Day-of-week posting frequency showing relatively uniform weekday activity with slight weekend dips, suggesting limited day-of-week effects on engagement.
Figure A.12	03_eda_fig_11	EDA	Scatter plot of title length vs. score_log showing weak association; title length alone is a poor predictor of engagement, motivating richer text features.
Figure A.13	03_eda_fig_12	EDA	Mean score_log by posting hour with confidence bands; engagement peaks during late evening hours, supporting the late_night binary feature in the model.
Figure A.14	03_eda_fig_13	EDA	Mean comms_num_log by posting hour; comment engagement follows a similar hourly pattern to score, reinforcing the self-reinforcing engagement dynamic.
Figure A.15	03_eda_fig_14	EDA	Mean score_log by day of week; minimal variation across days confirms that day-of-week was correctly excluded from the final feature set.

Figure #	Figure ID	Section	Interpretive Caption
Figure A.16	03_eda_fig_15	EDA	Daily mean score_log time series showing a dramatic spike during January 2021, visually confirming the temporal regime shift analyzed in Section 4.4.
Figure A.17	03_eda_fig_16	EDA	Full correlation heatmap across all numeric variables; the strong score-comments cluster and weak associations with temporal features motivate feature group ordering.
Figure A.18	03_eda_fig_18	EDA	Two-dimensional heatmap of mean engagement by hour and day of week; hotspots in weekday evenings confirm the interaction between temporal dimensions.
Figure A.19	04_feature_fig_02	FE	Topic entropy distribution showing how concentrated vs. diffuse LDA topic assignments are; low-entropy posts have clear topical focus while high-entropy posts span multiple themes.
Figure A.20	04_feature_fig_03	FE	Bar chart of dominant topic assignment frequency across the 5-topic LDA model; uneven distribution suggests some topics (likely GME-related) dominate the corpus.

Figure #	Figure ID	Section	Interpretive Caption
Figure A.21	04_feature_fig_07	FE	Distribution of predicted viral probabilities showing class separation with most non-viral posts receiving low probabilities and viral posts spread across higher values.
Figure A.22	04_feature_fig_08	FE	Top logistic regression coefficients identifying structural and temporal features as strongest predictors; sentiment and topic coefficients are comparatively small, supporting the ablation findings.




Figure A.1. Box plots comparing score distribution for posts with vs. without body text.




Figure A.2. Cook's Distance vs. leverage influence plot for engagement regression diagnostics.




Figure A.3. Q-Q plot assessing normality of score_log after log1p transformation.




Figure A.4. Rank-based correlation heatmap showing score_log and comms_num_log as strongest correlated pair ($\rho = 0.79$).




Figure A.5. Raw comment count distribution showing extreme right skew paralleling the score distribution.




Figure A.6. Log-transformed comment count distribution showing approximate normality after $\log_{1p}$.




Figure A.7. Title character length distribution with a mode near 50-80 characters.




Figure A.8. Posting hour frequency showing peak activity during US afternoon/evening hours (14-22 UTC).




Figure A.9. Frequency bar chart of lumped post types showing image and text as dominant categories.




Figure A.10. Detailed post type breakdown including all original Reddit flair categories before lumping.




Figure A.11. Day-of-week posting frequency showing uniform weekday activity with slight week-end dips.




Figure A.12. Scatter plot of title length vs. score_log showing weak association, motivating richer text features.




Figure A.13. Mean score_log by posting hour; engagement peaks during late evening hours, supporting the late_night feature.




Figure A.14. Mean comms_num_log by posting hour; comment engagement follows a similar hourly pattern to score.




Figure A.15. Mean score_log by day of week; minimal variation confirms day-of-week was correctly excluded from the feature set.




Figure A.16. Daily mean score_log time series showing a dramatic spike during January 2021, confirming the temporal regime shift.




Figure A.17. Full correlation heatmap across all numeric variables; the strong score-comments cluster motivates feature group ordering.




Figure A.18. Two-dimensional heatmap of mean engagement by hour and day of week; hotspots in weekday evenings confirm temporal interaction effects.




Figure A.19. Topic entropy distribution; low-entropy posts have clear topical focus while high-entropy posts span multiple themes.




Figure A.20. Dominant topic assignment frequency across the 5-topic LDA model; uneven distribution reflects GME-dominated corpus.




Figure A.21. Predicted viral probability distribution showing class separation between viral and non-viral posts.




Figure A.22. Top logistic regression coefficients; structural and temporal features dominate, supporting the ablation findings.