



One extra line on a VMS — “USE RUSSELL ST” — cut Lonsdale St delay by 45%* bus riders –40%

PROBLEM STATEMENT

- Councils and contractors can’t foresee how a closure — alone or **overlapping other works** — hits traffic, trams and pedestrians.
- Sign effects are guessed: in London, real diversions were **one-fifth** of what drivers said they would do (Chatterjee 2002).

SOLUTION OVERVIEW


- 1 Close a lane on the **real Melbourne CBD** network; add barriers, signs and the exact **VMS wording**.
- 2 Four driver types — commuter, local, tourist, delivery — **read each sign** (keyword rules today, **AI** LLM next).
- 3 A deterministic engine computes **detours, queues and delay** for drivers, riders and pedestrians, then re-tests each fix.

AI interprets — the engine calculates.


WHO USES IT & PAYS

- Contractors & councils: impact evidence for each permit.
- RPM Hire: shows what each extra VMS or barrier is worth → the hire quote (planned).

Before · generic warning



After · names the detour



Live demo, 29 Sep — Lonsdale St westbound, 1 lane closed, 8 am, real CBD traffic counts

WHAT'S DIFFERENT

- RPM's VMS Preview shows how a sign **looks**; we show its **effect**.
- Mooven forecasts from past delays; we test the **wording** before deployment.
- one.network flags clashes; we count the **minutes they add**.

* Single run (1 lane closed, 8 am); keyword-rule sign reading; assumed traveller mix and bus loads (25 per trip).

Tech & Progress

[Team name]

Real data, a working engine and a live demo — built since 29 Sep, 09:30

RippleTwin · FEIT Hackathon 2026

TECH STACK

DATA

Python + OSMnx → static JSON, all from open data

ENGINE

JavaScript in the browser + Canvas map; deterministic, under 10 ms per scenario

SIGN READING

Keyword rules today; LLM next, with cached answers

HOSTING

Cloudflare Workers, one URL; API keys stay server-side

OPEN DATA

OpenStreetMap · DataVic SCATS & PTV GTFS · City of Melbourne

BUILT SO FAR

Live

public demo on Cloudflare since 29 Sep

1,513

CBD road links with 8 weeks of traffic-signal counts (SCATS)

−45%

Lonsdale St driver delay when the VMS adds “USE RUSSELL ST” (1 lane, 8 am)*

−40%

delay for riders on the 15 bus routes through the closure, same sign*

+176 m

walk and 2 extra crossings for 185 people/h if one footpath closes*

29,850

extra veh-min when two works overlap (test grid) — a 5-day stagger → 0*

Try it: [demo link + QR — team to confirm]

MVP BY 1 OCT

30 SEP

Clash cost between nearby works on real CBD streets, in the app, with a one-click stagger

30 SEP

3 traffic plans built from RPM Hire's inventory, each with its hire cost

1 OCT

Compare plans side by side for drivers, riders and pedestrians; pick one and export a one-page pack

STRETCH

LLM sign reading with cached answers and ranges

1 OCT 10:00

Code freeze, tagged release, public repo

* Keyword-rule sign reading, single runs; 29 of 37 behaviour parameters (incl. traveller mix) assumed or low-confidence, flagged in the app; most road and footpath flows estimated from nearby counts; bus loads assumed. Data © OpenStreetMap contributors (ODbL); DataVic (CC BY 4.0); City of Melbourne (CC BY). Status: 29 Sep, 21:00 AEST.

RippleTwin — System Architecture

Know the ripple before you close the road

