```
<u>zewilia&zewilia ~ $ mkdir temporary</u>/
mkdir: cannot create directory 'temporary/': File exists
zenvila@zenvila ~ $ cd temporary/
zenvila@zenvila ~/temporary $ 1s
newfile
zenvila@zenvila ~/temporary $ cat > newfile
zenvila@zenvila ~/temporary $ mkdir another
zenvila@zenvila ~/temporary $ cp newfile another/newesterzenvila@zenvila ~/temporary $ cd another/zenvila@zenvila ~/temporary/another $ lo
newester
zenvila@zenvila ~/temporary/another $ ls -a
   .. newester
zenvila@zenvila ~/temporary/another $ ls -1
total 0
-rw-r--r-- 1 zenvila zenvila 0 Feb 6 09:14 r
zenvila@zenvila ~/temporary/another $ 1s -lh
                                               6 09:14 newester
total O
-rխ-r--r-- 1 zenvila zehvila O Feb
                                               |6 09:1|4 newester
zenvila@zenvila ~/temporary/another $ cd rewest newestest
```

mkdir temorary:

we make directory with the name temporary

cd temporay:

to go in the temporary directory.

Cat > new file .

cat automaticaly create the file here means to show what is in the newfile.

We manually enter something etc.

mkdir another:

creater another directory in the temporary directory.

Ls -a:

to list all file In the directory.

Ls-lh:

list all the file that is human readable.

```
zervila@zenvila ~/temporary/another $ cd ...
zervila@zenvila ~/temporary $ mv newester another/newester
mv: cannot stat 'newester': No such file or directory
zervila@zenvila ~/temporary $ mv newfile another/newestest
zervila@zenvila ~/temporary $ ls another/n*
another
zervila@zenvila ~/temporary $ ls another/n*
another/newester another/newestest
zervila@zenvila ~/temporary $ cd ..
zervila@zenvila ~ $ rm temporary/
rm: cannot remove 'temporary/': Is a directory
zenvila@zenvila ~ $ rm -rf temporary/
zenvila@zenvila ~ $ rm -rf temporary/
zenvila@zenvila ~ $ rm -rf temporary/
```

Cd..:

to move back form the directory.

Mv newest another/newtest:

mv is to mv which file newfile to the direcroty another with the new name newtest

ls another/*:

this command list all the file with the direcory like another/newfile etc.

rm:

this command is to remve file .

rm -rf:

this command is to remove folder with the contect in it.