



IT0049

(WEB SYSTEM TECHNOLOGIES) TECHNICAL SUMMATIVE ASSESSMENT

2

TASKS FOR TODAY MANAGEMENT SYSTEM: FULL CRUD AND AUTHENTICATION

Student Name / Group Name:	Rafael Miguel Joaquin																
Members (if Group):	<table border="1"><tr><td>N</td><td>R</td></tr><tr><td>a</td><td>o</td></tr><tr><td>m</td><td>i</td></tr><tr><td>e</td><td>e</td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr><tr><td></td><td></td></tr></table>	N	R	a	o	m	i	e	e								
N	R																
a	o																
m	i																
e	e																
Section:	TX32																
Professor:	Von Erick Magbitang																

PROGRAM OUTCOME/S (PO) ADDRESSED BY THE LABORATORY EXERCISE

- Design, implement and evaluate computer-based systems or applications to meet desired needs and requirements. [PO: C]

COURSE LEARNING OUTCOME/S (CLO) ADDRESSED BY THE LABORATORY EXERCISE

- Apply advanced web development principles in creating, debugging, validating, and securing database-backed web applications. [CLO: 2]
- Design program flow and application structure for computing problems using CodeIgniter and Laravel frameworks. [CLO: 3]

INTENDED LEARNING OUTCOME/S (ILO) OF THE LABORATORY EXERCISE

At the end of this exercise, students must be able to:

- Extend an existing data-backed application with validated create, update, and delete workflows.
- Protect management actions behind authentication while keeping read-only pages public.
- Apply soft deletion instead of permanently removing records.

BACKGROUND INFORMATION

This assessment brings the Tasks for Today Management System from TSA1 up to the same standard as the POS application: validated forms, complete CRUD, and authentication. Permanently deleting records is generally discouraged in production systems, so this activity uses soft deletion — marking a record as archived instead of removing the row — which is the same practice discussed for the POS application in Module 3.

GRADING SYSTEM / RUBRIC

C R I T E R I A	D e s c r i p t i o n
F u n c t i o n a l i t y & R e q u i r e m e n t s C o m p	A l l r e q u i r e d p a g e s , r e c o r d s , a n d w o

C R I T E R I A	D e s c r i p t i o n
l e t t e r s (3 5 p o i n t s m a x)	r k f l o w s a r e p r e s e n t a n d b e h a v e a s s p e c i f i e d i n t h e a

C R I T E R I A	D e s c r i p t i o n
	c t i v i t y i n s t r u c t i o n s .
C o d e S t r u c t u r e & O r g a n i z a	T h e a p p l i c a t i o n o f o l l o w s t

C R I T E R I A	D e s c r i p t i o n
t i o n (2 0 p o i n t s m a x)	h e f r a m e w o r k ' s M V C c o n v e n t i o n s w i t h a c c l e a r , c o n s i

C R I T E R I A	D e s c r i p t i o n
	s t e n t s e p a r a t i o n o f c o n c e r n s a c r o s s c o n t r o l l e r s ,

C R I T E R I A	D e s c r i p t i o n
	m o d e l s , a n d v i e w s .
V a l i d a t i o n & S e c u r i t y (2 5 p o i n t s)	F o r m s v a l i d a t e r e q u i r e d f i e l d s

C R I T E R I A	D e s c r i p t i o n
t s m a x)	s a n d r e j e c t b a d i n p u t , p a s s w o r d s a r e h a s h e d a n d v e r

C R I T E R I A	D e s c r i p t i o n
	i f i e d c o r r e c t l y , a n d m a n a g e m e n t a c t i o n s a r e r e l i a

C R I T E R I A	D e s c r i p t i o n
	b l y r e s t r i c t e d t o l o g g e d - i n u s e r s .
D o c u m e n t a t i o	T h e G i t H u b r e p

C R I T E R I A	D e s c r i p t i o n
n & S u b m i s s i o n Q u a l i t y (2 0 p o i n t s m a x)	o s i t o r y i s o r g a n i z e d a n d c o m p l e t e , t h e R E A D M E x p l

C R I T E R I A	D e s c r i p t i o n
	a i n s h o w t o s e t u p a n d r u n t h e p r o j e c t , a n d t h e h o s t e d

C R I T E R I A	D e s c r i p t i o n
	l i n k i s s l i v e a n d m a t c h e s t h e s u b m i t t e d c o d e .

LABORATORY ACTIVITY

Extend the Tasks for Today Management System from TSA1 with full CRUD for tasks and an authentication requirement for managing them.

- 1. Add a password column to the users table and set a hashed password for the demo user.

2. Build a login page and a logout action. The Welcome, Task List, Profile, and About pages remain viewable by anyone, but creating, editing, or deleting a task requires being logged in.
3. Add a New Task form (/tasks/new) that validates required fields (title required, task_date required).
4. Add an edit/update page for existing tasks.
5. Add an is_archived column to the tasks table (default false). Implement a "delete" action that sets this flag instead of removing the row, and exclude archived tasks from the Welcome and Task List pages.
6. Test your access control the same way as in TFA4: confirm protected actions redirect to login when logged out, and work normally when logged in.

Submission Requirements:

- A link to a GitHub repository containing your raw project files, including your database export or migration and seeder files. https://github.com/Zench123/Midterms-it0049_Joaquin_Sumayang/tree/TSA2
- A link to your hosted, working version of the application. <http://localhost:8080/index.php/tasks>

REFERENCES

- CodeIgniter User Guide. Validation. <https://codeigniter4.github.io/userguide/libraries/validation.html>
- CodeIgniter User Guide. Controller Filters. <https://codeigniter4.github.io/userguide/incoming/filters.html>