



Conditional Access rollout plan. Contoso Pty Ltd

Baseline	synthetic baseline
Baseline version	ceccdc2a6dc2
Plan dates	Aug 31, 2026 → Sep 24, 2026
Pace	Small · this pace usually takes 4 weeks
Generated	Aug 28, 2026

Prepared with IAMAI by alex@example.com

IAMAI reads the tenant and never writes to it. Every change in this document is carried out by a person, in the portal, in the order given; every impact stated here is predicted from the scan and confirmed in report-only before enforcement.

Contents

1. Summary
2. Day 0
3. Wave 1 · Low-impact blocks
4. Wave 2 · Sessions
5. Wave 3 · Sessions
6. Appendix: policy JSON

Summary

Contoso Pty Ltd: 2 of 18 steps already in place. 16 remain. With a small-tenant pace, the plan finishes in 26 days · Sep 24, 2026 (3 weeks). 3 weeks: a 2-week verification campaign, 7-day observation window, 3 enforcement waves, 2 steps waiting on Setup.

Progress

Started Aug 28, 2026. 2 of 18 steps enforced, 1 soaking, 0 slipped by more than a week.
On track for Sep 24, 2026.

Watch first

- **1 user is blocked today, before this plan changes anything:** Their most recent sign-in failed an existing Conditional Access policy. Fix this first: otherwise the rollout gets the blame.
 - Priya Nair: investigate the failing sign-in

Timeline

WAVE	DATES	STEPS
Day 0	Aug 31, 2026 → Sep 2, 2026	Answer 8 setup questions; Every user satisfies MFA on every app; Run the MFA verification campaign; Guests satisfy MFA
Registration and verification window · 14 days	Sep 2, 2026 → Sep 16, 2026	4 users still need setting up (5 active users in total): each registers Microsoft Authenticator and completes one MFA sign-in; re-scans track it.
Observation window · 7 days	Sep 2, 2026 → Sep 9, 2026	Every new policy collects report-only evidence at the same time.
Wave 1 · Low-impact blocks	Sep 2, 2026 → Sep 10, 2026	Legacy protocols blocked
Wave 2 · Sessions	Sep 9, 2026 → Sep 17, 2026	Authentication transfer blocked; Device-code flow blocked; Admin sessions expire quickly and never persist; Admins use phishing-resistant auth; Sign-ins outside allowed countries blocked; Unknown platforms blocked; Browser sessions never persist for anyone; Unmanaged devices cannot download; Unmanaged-device browser sessions are limited; Windows desktop sessions require token protection
Wave 3 · Sessions	Sep 16, 2026 → Sep 24, 2026	Security-info registration requires a trusted context; Admin portals need strong auth or are blocked for non-admins; Registering or joining a device requires MFA

Day 0

Aug 31, 2026 → Sep 2, 2026

Answer 8 setup questions

Kind: Prerequisite · Status: Ready

Changes nothing for anyone: an object or an answer the later steps need.

Checked: nothing blocks it and a foundation the later steps need.

WHY

A few answers about the tenant turn templates into exact, safe policy changes.

THE CHANGE

- Open the Setup step and answer: Emergency access, Exclusion group, Countries, Handle with care, Trusted locations, Time zone, Frameworks and Workloads.
- Each takes under a minute; every pick is validated.

DONE WHEN

- Every required Setup question answered.

IF IT GOES WRONG

Nothing destructive here: objects created can be deleted.

Every user satisfies MFA on every app

Kind: New policy · Status: Done

Already in force: no change for anyone.

Done Aug 28, 2026: policy enforced on Aug 28, 2026; created outside the plan, matched by what it does.

WHY

Require MFA for all users on all apps: the single highest-value Conditional Access policy.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-policy-all-users-mfa>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

WHAT THE LAST 30 DAYS SAY

- An existing policy already enforces this; its sign-in outcomes show in the Readiness table, not here.

READINESS

- 1 verified, 0 likely viable, 2 not challenged, 1 unverified, 1 without a method
- 25% of 4 active users ready

THE CHANGE

- Already delivered by existing policies: nothing to do.

DONE WHEN

- Stays enforced on every re-scan.

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

Run the MFA verification campaign

Kind: Verify · Status: Ready

4 enabled users need setting up before MFA can be enforced safely.

Checked: nothing blocks it and enabled users still need setting up.

WHY

Before MFA is enforced, every active user should have a working, verified method: enforcement should change nothing for them.

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

READINESS

- 1 verified, 0 likely viable, 2 not challenged, 1 unverified, 1 without a method
- 25% of 4 active users ready

THE CHANGE

- Work the Readiness table top-down: 1 user without a method (issue Temporary Access Passes), 1 unverified, 2 never challenged.
- Pilot suggestion: a handful of Verified users plus one admin; never break-glass or handle-with-care.

DONE WHEN

- Readiness reaches 90% of active users.

IF IT GOES WRONG

Nothing to undo: the campaign changes no policy. Pause the announcements if people are confused; the readiness numbers stay.

TELL YOUR PEOPLE

Hi everyone, Over the next two weeks Contoso Pty Ltd is checking that everyone can use Microsoft Authenticator. Two minutes now saves a lockout later: go to <https://aka.ms/mfasetup> and add Microsoft Authenticator. We will follow up personally with anyone who gets stuck. IT

Guests satisfy MFA

Kind: New policy · Status: Done

Already in force: no change for anyone.

Done Aug 28, 2026: policy enforced on Aug 28, 2026; created outside the plan, matched by what it does.

WHY

External users get MFA too: their home tenant's hygiene is not your control.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-policy-guest-mfa>

WHO IS AFFECTED

1 person · 1 active · 1 guest

WHAT THE LAST 30 DAYS SAY

- An existing policy already enforces this; its sign-in outcomes show in the Readiness table, not here.

READINESS

- 0 verified, 0 likely viable, 1 not challenged, 0 unverified, 0 without a method
- 0% of 1 active user ready
- 1 active guest in the collected sign-in records

THE CHANGE

- Already delivered by existing policies: nothing to do.

DONE WHEN

- Stays enforced on every re-scan.

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

Wave 1 • Low-impact blocks

Sep 2, 2026 → Sep 10, 2026

Legacy protocols blocked

Kind: Change · Status: In report-only

1 user used this in the last 30 days and would be affected: contact them first.

1 user used legacy authentication (3 sign-ins; Exchange ActiveSync: 3): these are the people the change touches.

WHY

Legacy protocols skip MFA entirely; blocking them closes the biggest password-spray door.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-policy-block-legacy>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. None of your 40 sign-ins in the last 30 days would have been affected.

WHAT THE LAST 30 DAYS SAY

- 1 user used legacy authentication (3 sign-ins; Exchange ActiveSync: 3): these are the people the change touches.

READINESS

- Readiness is measured by usage: see who used this below.

THE CHANGE

- The covering policy is report-only: enforce it once the evidence is clean.
- Only the fields listed above change; everything else stays as it is.

PORTAL STEPS

1. Entra admin center → Protection → Conditional Access → Policies → open "CA002 - Block legacy authentication"
2. Today the policy includes: All users.
3. Today the policy excludes: Break-glass 01.
4. Name: CA002 - Block legacy authentication
5. Save (the policy keeps its current state)

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026

IF IT GOES WRONG

Restore the fields listed above from the previous body below; leave every other field alone.

TELL YOUR PEOPLE

Hi, From Sep 2, 2026, Contoso Pty Ltd blocks a sign-in method you have used recently. IT will contact you before then with the supported way to sign in, so nothing stops working for you. Questions or trouble? Reply here and we will help before the change lands. IT

Wave 2 • Sessions

Sep 9, 2026 → Sep 17, 2026

Authentication transfer blocked

Kind: New policy · Status: Ready

No sign-in in the last 30 days would have been affected.

Checked: nothing blocks it and nobody used what it blocks in the last 30 days.

Proposed name: Authentication transfer blocked

WHY

Authentication transfer moves a session to another device via QR code: block it unless used.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/concept-authentication-flows>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. None of your 40 sign-ins in the last 30 days would have been affected.

WHAT THE LAST 30 DAYS SAY

- Nobody used authentication transfer in the collected sign-in records: expect zero impact.

READINESS

- Readiness is measured by usage: see who used this below.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

No announcement needed: nobody is affected.

Device-code flow blocked

Kind: New policy · Status: Ready

No sign-in in the last 30 days would have been affected.

Checked: nothing blocks it and nobody used what it blocks in the last 30 days.

Proposed name: Device-code flow blocked

WHY

Device-code phishing is a favourite attacker technique; block the flow unless you need it for TVs/kiosks.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/concept-authentication-flows>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. None of your 40 sign-ins in the last 30 days would have been affected.

WHAT THE LAST 30 DAYS SAY

- Nobody used the device-code flow in the collected sign-in records: expect zero impact.

READINESS

- Readiness is measured by usage: see who used this below.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

No announcement needed: nobody is affected.

Admin sessions expire quickly and never persist

Kind: New policy · Status: Ready

All 1 active user is ready: enforcement changes nothing for them.

Checked: nothing blocks it and readiness 100% meets the 100% threshold.

Proposed name: Admin sessions expire quickly and never persist

WHY

Short admin sessions that never persist limit what a stolen admin token is worth.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-session-lifetime>

WHO IS AFFECTED

1 person · 1 active · 1 admin

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 of 1 admin hold a phishing-resistant method

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026
No announcement needed: nobody is affected.

Admins use phishing-resistant auth

Kind: New policy · Status: Ready

All 1 active user is ready: enforcement changes nothing for them.

Checked: nothing blocks it and readiness 100% meets the 100% threshold.

Proposed name: Admins use phishing-resistant auth

WHY

Admins are the crown jewels: require passkeys/FIDO2 or certificate auth, not just push approvals.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/how-to-policy-phish-resistant-admin-mfa>

WHO IS AFFECTED

1 person · 1 active · 1 admin

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 of 1 admin hold a phishing-resistant method

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026
No announcement needed: nobody is affected.

Sign-ins outside allowed countries blocked

Kind: New policy · Status: Blocked

4 active users in scope.

Blocked by Setup question 3 (Countries): which countries do your people sign in from.

Proposed name: Sign-ins outside allowed countries blocked

WHY

Block sign-ins from countries you never operate in.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-policy-location>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- Compare the countries seen in the sign-in records with the allowed list.

Blocked by: Setup question 3 is still unanswered

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026

TELL YOUR PEOPLE

Hi everyone, From Sep 9, 2026, Contoso Pty Ltd sign-ins from outside our allowed countries will be blocked. Travelling for work? Tell IT before you go so your trip is covered. Questions or trouble? Reply here and we will help before the change lands. IT

Unknown platforms blocked

Kind: New policy · Status: Blocked

4 active users in scope.

Blocked by device readiness is 25%; the threshold is 80%.

Proposed name: Unknown platforms blocked

WHY

If you only support Windows/iOS/Android/macOS, block everything else.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/concept-conditional-access-conditions>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 of 4 active members own a compliant device

Blocked by: Blocked while device readiness is 25%; the threshold is 80%

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

Browser sessions never persist for anyone

Kind: New policy · Status: Ready

4 active users in scope.

Checked: nothing blocks it.

Proposed name: Browser sessions never persist for anyone

WHY

No 'stay signed in' on shared or unmanaged browsers — sessions end when the browser closes.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-session-lifetime>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 9, 2026, Contoso Pty Ltd shortens how long a browser stays signed in on personal or shared devices. When asked, sign in again; nothing else changes. Questions or trouble? Reply here and we will help before the change lands. IT

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026

Unmanaged devices cannot download

Kind: New policy · Status: Ready

4 active users in scope.

Checked: nothing blocks it.

Proposed name: Unmanaged devices cannot download

WHY

Let unmanaged devices read but not download from SharePoint and Exchange.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-policy-app-enforced-restriction>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 9, 2026, Contoso Pty Ltd shortens how long a browser stays signed in on personal or shared devices. When asked, sign in again; nothing else changes. Questions or trouble? Reply here and we will help before the change lands. IT

Unmanaged-device browser sessions are limited

Kind: New policy · Status: Ready

4 active users in scope.

Checked: nothing blocks it.

Proposed name: Unmanaged-device browser sessions are limited

WHY

On unmanaged devices, let people read but limit downloads and session lifetime.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-policy-app-enforced-restriction>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 9, 2026, Contoso Pty Ltd shortens how long a browser stays signed in on personal or shared devices. When asked, sign in again; nothing else changes. Questions or trouble? Reply here and we will help before the change lands. IT

Windows desktop sessions require token protection

Kind: New policy · Status: Ready

4 active users in scope.

Checked: nothing blocks it.

Proposed name: Windows desktop sessions require token protection

WHY

Bind Windows sign-in tokens to the device so stolen tokens are useless elsewhere.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/concept-token-protection>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 9, 2026, Contoso Pty Ltd shortens how long a browser stays signed in on personal or shared devices. When asked, sign in again; nothing else changes. Questions or trouble? Reply here and we will help before the change lands. IT

Wave 3 • Sessions

Sep 16, 2026 → Sep 24, 2026

Security-info registration requires a trusted context

Kind: New policy · Status: Blocked

2 of 3 active users are not verified yet: they would be interrupted at their next sign-in.

Blocked by MFA readiness is 33%: the threshold is 90%; verify users first (phase 2).

Proposed name: Security-info registration requires a trusted context

WHY

Stop attackers registering their own MFA method on a compromised account.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/howto-conditional-access-policy-registration>

WHO IS AFFECTED

4 people · 3 active · 1 admin

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 verified, 0 likely viable, 1 not challenged, 1 unverified, 1 without a method
- 33% of 3 active users ready

Blocked by: Blocked while MFA readiness is 33%: the threshold is 90%; verify users first (phase 2)

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 16, 2026, setting up or changing your sign-in methods at Contoso Pty Ltd works from the office network or after a Microsoft Authenticator check. If you need to set up a new phone, do it in the office or ask IT for a one-time pass. Questions or trouble? Reply here and we will help before the change lands. IT

Admin portals need strong auth or are blocked for non-admins

Kind: New policy · Status: Blocked

3 of 4 active users are not verified yet: they would be interrupted at their next sign-in.

Blocked by MFA readiness is 25%: the threshold is 90%; verify users first (phase 2).

Proposed name: Admin portals need strong auth or are blocked for non-admins

WHY

Gate the Microsoft admin portals behind strong auth.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/how-to-policy-mfa-admin-portals>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 verified, 0 likely viable, 2 not challenged, 1 unverified, 1 without a method
- 25% of 4 active users ready

Blocked by: Blocked while MFA readiness is 25%: the threshold is 90%; verify users first (phase 2)

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

IAMAI plan · Contoso Pty Ltd · Aug 28, 2026

TELL YOUR PEOPLE

Hi everyone, From Sep 16, 2026, Contoso Pty Ltd is stepping up sign-in security. You may be asked to confirm sign-ins with Microsoft Authenticator. It takes about two minutes to get ready: go to <https://aka.ms/mfasetup> and add Microsoft Authenticator. Questions or trouble? Reply here and we will help before the change lands. IT

Registering or joining a device requires MFA

Kind: New policy · Status: Blocked

3 of 4 active users are not verified yet: they would be interrupted at their next sign-in.

Blocked by MFA readiness is 25%: the threshold is 90%; verify users first (phase 2).

Proposed name: Registering or joining a device requires MFA

WHY

Joining or registering a device should itself require MFA.

Microsoft Learn: <https://learn.microsoft.com/entra/identity/conditional-access/concept-conditional-access-cloud-apps>

WHO IS AFFECTED

5 people · 4 active · 1 admin · 1 guest

Your account is in scope. The records hold 40 sign-ins of yours from the last 30 days; the effect on them is measured once the policy exists in report-only.

WHAT THE LAST 30 DAYS SAY

- Sign-in records measure this once the policy exists in report-only; until then readiness is the guide.

READINESS

- 1 verified, 0 likely viable, 2 not challenged, 1 unverified, 1 without a method
- 25% of 4 active users ready

Blocked by: Blocked while MFA readiness is 25%: the threshold is 90%; verify users first (phase 2)

THE CHANGE

- No baseline policy matches this goal directly: create a policy that meets the goal floor.
- When every Done-when line holds, switch the policy from report-only to On.

DONE WHEN

- Policy live in report-only for at least 7 days.
- At least 1 sign-in per active user in the population (or 500 total).
- Zero report-only failures or interruptions.
- The signed-in account holds a strong MFA method (checked at every re-scan).

IF IT GOES WRONG

Set the policy back to Report-only (or delete it). Nothing else in the tenant changes.

TELL YOUR PEOPLE

Hi everyone, From Sep 16, 2026, Contoso Pty Ltd is stepping up sign-in security. You may be asked to confirm sign-ins with Microsoft Authenticator. It takes about two minutes to get ready: go to <https://aka.ms/mfasetup> and add Microsoft Authenticator. Questions or trouble? Reply here and we will help before the change lands. IT

Appendix: policy JSON

Legacy protocols blocked

```
{  
  "description": "[IAMAI:plan-00000000:s-goal-block-legacy-auth]",  
  "state": "enabled"  
}
```