

MongoDB

Shell Commands

Create Databases

You can change or create a new database by typing "use" then the name of the database.

Create a new database called "blog":

 `use blog`

⚠ A new database is not created until it gets content

Create Collections

Two ways

- `db.createCollection("posts")`
- `db.posts.insertOne(object)` Here, if `posts` collection is not already created, it will create now

Insert Data

- `insertOne()`

☰ Insert single element

```
db.posts.insertOne({
  title: "Post Title 1",
  body: "Body of post.",
  category: "News",
  likes: 1,
  tags: ["news", "events"],
  date: Date()
})
```

- `insertMany()`

≡ Insert multiple elements at once

```
db.posts.insertMany([
  {
    title: "Post Title 2",
    body: "Body of post.",
    category: "Event",
    likes: 2,
    tags: ["news", "events"],
    date: Date()
  },
  {
    title: "Post Title 3",
    body: "Body of post.",
    category: "Technology",
    likes: 3,
    tags: ["news", "events"],
    date: Date()
  },
  {
    title: "Post Title 4",
    body: "Body of post.",
    category: "Event",
    likes: 4,
    tags: ["news", "events"],
    date: Date()
  }
])`
```

Find Data

- `find()`

≡ Find and return all elements in collection `post`

```
db.posts.find()
```

- `findOne()`

```

Find and return elements in collection post
db.posts.findOne() // returns the first element
db.posts.findOne( {category: "News"} ) // returns the first match of the
query

```

Projection

Both find methods accept a second parameter called projection.

This parameter is an object that describes which fields to include in the results.

Note: This parameter is optional. If omitted, all fields will be included in the results.

Example

This example will only display the title and date fields in the results.

```
db.posts.find({}, {title: 1, date: 1})
```

Update Data

- `updateOne()`

Update the first document that is found matching the provided query.

```
db.posts.updateOne( { title: "Post Title 1" }, { $set: { likes: 2 } } )
```

- `updateMany()`

Update all documents that match the provided query.

```
db.posts.updateMany({}, { $inc: { likes: 1 } })
```

Delete Data

- `deleteOne()`

delete the first document that matches the query provided

```
db.posts.deleteOne({ title: "Post Title 5" })
```

- `deleteMany()`

⋮ delete the all document that matches the query provided

```
db.posts.deleteMany({ title: "Post Title 5" })
```