


Math. 1

$\rightarrow H(t) = (-5)t^2 + \frac{1}{2}t + 5 \quad n=0$
 $f(n)$ can't be $n+c$

$x = -\frac{b}{2a}$

$t = -\frac{\frac{1}{2}t}{(-5)(-5)}$

$x = a \in \mathbb{R}$



$f(x) = ax^2 + bx + c =$

$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

$\sqrt{-5}$

$f(x) = x^2 + 1$


Real

$b^2 - 4ac > 0$

$b^2 - 4ac < 0$

$\sqrt{b^2 - 4ac} = \sqrt{0} = 0$

$\Rightarrow$



$x = -\frac{b}{2a}$

$x = \left(-\frac{b}{2a}\right)$

$f(x) = ax^2 + bx + c$



$f\left(-\frac{b}{2a}\right) = a \cdot \left(-\frac{b}{2a}\right)^2 + b \cdot \left(-\frac{b}{2a}\right) + c$
 $= \frac{b^2}{4a} - \frac{b^2}{2a} + c = \frac{b^2 - 2b^2}{4a} + c$

$$= \underline{\underline{-\frac{b^2}{4a} + c}}$$

α, β

$$(x-\alpha) \cdot (x-\beta)$$


$$f(x) = a(x-\alpha)(x-\beta)$$

$$f(x) = \underline{\underline{ax^2 + bx + c}}$$

$$f(x) = a(x+1)(b-x)$$

$$= a(bx - x^2 + 2b - 2x)$$

$$= -ax^2 + x(b-2) + 2b$$




$$\underline{\underline{-2}} \quad (x+2) \quad (x-b)$$

$$\boxed{y = a(x+2)(x-b)}$$

$$= (-a)(x+2)(b-x)$$

$$\begin{aligned} -a &> 0 \\ \Rightarrow \boxed{a < 0} \\ \downarrow \\ \underline{\underline{a < 0}} \end{aligned}$$



$$x^2 - 12x + 37 = 0$$

$$x^2 - 12x + 36 = -1$$

$$x^2 - 12 + 6^2 = -1$$

$$\Rightarrow \underline{\underline{(x-6)^2 = -1}}$$

$$\Rightarrow x-6 = \pm i$$

$$\Rightarrow x = 6 \pm i$$

$$x = \frac{-b}{2a} = \frac{-10}{2} = -5$$

$$h(x) = -\frac{1}{125}x^2 + 20$$

$$\boxed{\text{slope } h(x) = -0.64}$$

$$\underline{\underline{h(u) = 2an + b}}$$

$$= -\frac{2}{12}x = -0.64$$

$h(u)$

poly

$$p(x) = x^4 \rightarrow \dots$$

$$f(x) = \frac{ax^4 + bx + c}{\dots}$$

$$p(u) = \frac{(a_n^4 + b_n + c)}{\alpha_1 \beta}$$

$$\alpha_1 \beta$$

$$P_U = P_T$$

$$2P = T$$

$$(2P - T)^2 \rightarrow \underline{\underline{SSE}}$$

72

$$P = T/2 \Rightarrow (P - T/2)^2 \rightarrow \underline{\underline{SSE}}$$

$$2P = T \Rightarrow P = T/2 \quad (P - 0.5T)$$

$$2 \left(\frac{P - T/2}{\dots} \right)$$

$$(139 - 138) = 1^2 = 1$$

x					
y					

$$50 - 10$$

allow

$$\underline{2 \text{ hour } 80}$$

$$2P = T \Rightarrow$$

$$\Rightarrow 4P = 2T \Rightarrow$$

3

$$P = T/2$$

$$(4P - 2T)^2 \rightarrow$$

$$350$$

$$n =$$

$$350 = 90n + 100$$

$$\Rightarrow n = \frac{250}{40} \text{ min}$$

SSB

$$\frac{25}{9} = 2$$

$$\frac{250}{90} \text{ hour}$$


250

$$y = mx + c$$

$$(y_i - mx_i - c)^2$$


$$2x + 3y = 5$$

$$y = -\frac{2}{3}x + \frac{5}{3}$$



SSB.

$$n = -1$$



$$y_1 + y_2 = 1.5$$

$$\left(-\frac{b}{2a}, f\left(-\frac{b}{2a}\right)\right)$$



$$0 + 0 = 20$$

Deb 3
A

$$20 - n$$

$$4$$

$$3$$

$$\text{Deb}$$

$$(x-b)$$

$$20 - n - 4$$

$$= 16 - n$$

$$\text{Ann}$$

$$(x-3)(16-x) = \underline{\underline{42}}$$

$(y+100)$ one vaccine

$$y \cdot (y+100) = 10000$$

$$f(x) = x^2 + 10x - 5 \quad \boxed{x = \frac{-b}{2a} = \frac{-10}{2} = -5}$$

$$f(-5) = 25 - 50 - 5$$




$$= 25 - 55 = \underline{\underline{-30}}$$

$$(-5, -30)$$

$$(0, -5)$$

$$y = (0, -5)$$

so/b2.



$$ax^2 + bx + c$$

$$\begin{cases} ax_1^2 + bx_1 + c = \beta_1 \\ ax_1^2 + bx_1 + c = \beta_2 \end{cases}$$

>

$$c = \dots$$

