

Stock

19 pcs ready to ship

Compliance	
EU Tariff Code	85416000
Weight	16.00 g
RoHS	No
REACH	Not available

(VAT tax not included)

Minimum: 1 pc - Multiple: 1 pc



Additional Info

Documents (0)

Comments (0)

Center freq. min. (or fixed): 10.7 MHz

Bandwidth: 12 kHz

Selectivity (min.): 90 dB

Input/output impedance: 900Ω

Product type: PCB mount

Mounting: thru-hole

Package:

38 x 18 mm - h 12 mm

10.7 MHz crystal band-pass filter, 8 poles


10.7 MHz crystal quartz filter, 8 poles, very good selectivity

SPECIFICATIONS:

- Bandwidth (-3dB): 12 KHz


- Selectivity: 90 dB - Impedance: 900 Ω

- Dimensions: 38 x 18 mm, h 12 mm



Mrl Δ 14.00 kHz
-91.28 dB
Marker Δ shows 91 dB of selectivity at +14 KHz
from center frequency (the noise floor of measure)





Order Code: F-10M7-K6 / Category: RF Band-pass Filters (/En/rf-band-pass-filters/553/)



Microwave And RF Components

Via Nazionale Dei Giovi, 45B 20811 Cesano Maderno (MB) Italy

Tel.: +39 0362 284992

Quick Menu

Electronic Components (/En/electronic-components /548/)

Connectors And Adapters (/En/connectors-and-adapters/483/)

Cables And Wires (/En/cables-and-wires/484/)

Toroids And Ferrites (/En/toroids-and-ferrites /549/)

Accessories (/En/accessories/491/)

Informations

About Us (/En/about-us/)

Selling Conditions (/En/selling-conditions/)

FAQ (/En/faq/)

Privacy And Cookie Policy (/En/privacy-cookie-policy/)

©2021 Welco Srl (/En/home/) - VAT No. IT11673650963









(/En/sell(Mga/sell(Mga/sell(Mga/sellingconditions) and itions options (#paymethpayme

5 z 5